



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.


About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



H 6 15, 5

1/15



HAHNEMANN'S
5-2727
THERAPEUTIC HINTS.

Collected and Arranged


BY

R. E. DUDGEON, M.D.

London :

E. GOULD & SON, 59, MOORGATE STREET, E.C.

1894.



INTRODUCTION.

IT has always been a matter of regret to his disciples that Hahnemann did not publish any systematic work on his therapeutics. His unrivalled powers of observation, his intimate acquaintance with the actions of medicines and his vast experience would have enabled him to produce a manual of inestimable value to the practitioner. But though Hahnemann has not written any complete work on his clinical experience, his writings are by no means destitute of valuable indications for the remedial employment of many of the medicines whose pathogenic properties he had investigated. The greatest number of these indications is to be found in the introductory observations prefixed to most of the pathogeneses of the medicines contained in the *Chronic Diseases*. In introducing these indications he usually remarks that the medicine was most serviceable when some of the conditions or symptoms enumerated were present. In the first part of this work (page 150), and again in a note to *Alumina*, he deprecates the use of these indications as a substitute for a careful comparison of medicinal and morbid symptoms in the treatment of diseases. They should not, he says, be solely relied upon in order to determine our choice of the remedy, but should rather serve to corroborate the correctness of that choice, which must always depend on similarity of symptoms of drug and disease. Besides these hints in the *Chronic Diseases* there are to be found scattered throughout Hahnemann's published works and letters, many clinical observations from the experience of himself and others which are of great service in assisting the practitioner to choose the right remedy for many affections. Among these I have included the illustrations given in the four first editions of the *Organon* of the homœopathic use of medicines by writers of the old school, as Hahnemann had satisfied himself that these were genuine examples of homœopathic cures. A considerable number of the symptoms of the pathogeneses in the *Materia Medica Pura* are stated to be "curative," but few of these are available for my purpose, as they seldom really deserve that appellation, being mostly transient effects of an opposite character to the normal state of the prover, such as "longer sight" in a myope, "cheerfulness" in a person naturally melancholic, etc. In the absence of access to Hahnemann's case books, the material I have collected and arranged in repertorial form may be regarded as Hahnemann's own selection of therapeutic instruction from the vast stores of his own experience.

Hahnemann has left few records of cases treated by himself. I shall here give a condensed report of those we possess.

(1.) A man employed in a printing establishment, æt. 24, had been working at the press for eighteen months, when he was suddenly attacked by pain in the left side, which obliged him to keep his bed. After a few days this subsided, but left a permanent dull pain in left

hypochondrium. Some months later after a dietetic error he had a violent fit of colic. When this passed off he found that he could not bear certain kinds of food, more especially carrots, cabbage and all sorts of fruit, particularly pears. Any of these articles brought on an attack of the following character: Four or five hours after eating such food, he felt a movement in the umbilical region, then a pinching of the most intolerable kind for a half or one minute, each time suddenly departing with borborygmus extending to cæcum. In the worst attacks these symptoms were almost constant. There occurred a sensation of contraction above and below, so that flatus would not pass either up or down. The abdomen swelled and was painful to touch. There was inclination to vomit, constriction of chest, short, laboured breathing, cold sweat, a kind of stupefaction, and complete exhaustion. He could not swallow a morsel of food or a drop of liquid. He lay stupefied and unconscious, with swollen face and protruded eyes and without sleep; the attack of spasmodic colic gradually subsided, the pain diminished, wind escaped up and down, and thus the attack went off, having lasted from 16 to 24 hours. The strength returned after 3 or 4 days, and nothing remained but the dull fixed pain in hypochondrium before described, and weakness with sickly appearance. He had to leave his work at the printing press and became a compositor. He had been subjected to all sorts of medicinal treatment for these attacks, but without benefit. At last the idea occurred to Hahnemann to give him a medicine which produced very similar symptoms. This was *Veratrum album*. He got four powders each containing four grains, with the injunction to take one powder daily. But he took instead two powders daily and had finished the whole 16 grains in a couple of days. This caused the most violent colic, cold sweat and feeling of suffocation, so that he thought he must die. When he recovered from this artificial colic he was and remained quite well, the pain in the hypochondrium having also disappeared (*Lesser Writings*, p. 353, anno 1797). The date shows that this case was treated in the year following his enunciation of the homœopathic therapeutic rule.

(2.) A washerwoman, æt. above 40, had been laid up for more than three weeks with the following symptoms: On any movement, especially at every step, and worst on making a false step, she has a shoot in the pit of the stomach, coming from the left side. When she lies she feels free from pain. She cannot sleep after 3 a.m. She relishes her food, but after eating a little feels sick, the saliva collects in her mouth like waterbrash; empty eructations after every meal. Her temper is passionate, she is easily excited to anger. When the pain is severe she is covered with sweat. Prescription, one drop of pure *Bryonia* juice. The next day was quite well and could resume her washing. (*L. W.* p. 864, anno 1815.)

(3.) A man æt. 42, whose business kept him constantly at his desk, had been ill for five days. His symptoms were: The first evening he became sick and giddy, with much eructation, without known cause. The following night, sour vomiting. The subsequent nights much eructation. To-day, nausea, eructations of foetid and sour taste. The food seems to lie undigested in stomach. Empty, hollow and confused

head, sensitive to the least noise. Disposition mild, soft, patient. He got *Pulsatilla* 12, half a drop, and next day was quite well (*ibid.* p. 866, *anno* 1815). These two cases show Hahnemann's treatment five years after the publication of the first edition of the *Organon*.

(4.) A country girl æt. 14, not yet menstruated, was seen 12th September, 1842. A month previously had slept in the sun. Four days afterwards she imagined she saw a wolf, and six days afterwards she fell as if she had received a blow on the head. She spoke nonsense, became maniacal, wept much, had sometimes dyspnoea, spat white phlegm, was unable to describe her sensations. She got *Belladonna* [dilution not stated], a dose every morning. 16th.—Somewhat quieter; can blow her nose, which she could not do during her madness; still talks much nonsense, but does not make so many grimaces when talking; wept much last night; good motion; tolerable sleep; still very restless; eyes injected; has a pain in nape; medicine continued. 20th.—Much better; speaks more rationally; weeps a little; recognises and names the doctor; wishes to kiss a lady present; she begins to show her amorous propensities; is easily put in a passion and takes things in bad part; sleeps well; weeps often; gets angry about trifles; eats more than usual; when she comes to her senses likes to play in a childish way. The *Belladonna* was continued, a dose every morning to 28th. From 22nd to 24th.—Much excited day and night; great lasciviousness in actions and words; pulls off her clothes and tries to touch the genitals of others; readily gets into a rage and beats everyone. *Hyoscyamus* 30, a dose every morning. 5th October.—For five days would eat nothing; complains of belly-ache; for the last few days has been less malicious and less lascivious; stools rather loose; itching all over body especially in genitals; sleeps well. *Sacch. lactis* for seven days. 10th.—On the 7th fit of extreme anger, sought to strike everyone. On the 8th attacks of fright; fear of an imaginary wolf; fear lest she should be burnt. Since then has been quiet, talks rationally and has shown no indecency for two days. *Sacch. lactis*. 14th.—Quite good and sensible. 18th.—Severe headache; drowsiness by day; less cheerful. *Sulphur* [dilution not stated, probably 60], a dose every morning. 22nd.—Very well; very little headache. *Sulphur* continued to November, at which time was healthy, rational and sensible. (*L. W.*, p. 869.)

(5.) An actor, æt. 33. 14th January, 1843. For several years had been frequently subject to sore throat. Has had it now for a month. The previous one lasted six weeks. Pricking on swallowing saliva; feeling of contraction and excoriation. When he has not sore throat he suffers from a pressure in anus with violent excoriative pain; the anus is then inflamed, swollen and constricted. It is only with great effort he can pass the motion, when the swollen hæmorrhoidal vessels protrude. January 15th.—Took before breakfast a dose of *Belladonna* 30; in the evening his sore throat was aggravated. 16th.—Sore throat gone. The affection of the anus returned as above described; there was an open fissure with excoriative pain, inflammation, swelling, throbbing pain and constriction; in the evening a painful stool. He confessed having had a chancre eight years previously, which had been,

as usual, destroyed by caustics, after which all the above affections had appeared. 18th.—*Mercurius vivus*, one globule of the lowest new dynamisation I [whatever that may mean], a dose every morning [and afternoon ?]. 20th.—Throat nearly well ; anus better but still has excoriative pain after stool, but no more throbbing, swelling, inflammation or contraction. A dose of *Merc. viv.* [potency not indicated] every morning. 25th.—Throat almost well, in anus raw pain and severe shootings ; great pain in anus after stool ; contraction and heat there. 30th.—To-day in afternoon last dose of the *Merc.* On the 28th the anus was better but the sore throat had returned ; severe excoriative pain there. One globule in milk sugar for seven days [?]. February 7th.—Severe ulcerative pain in throat ; belly-ache but good stools, several in succession, with great thirst ; anus all right. *Sulphur* $\frac{2}{10}$ in seven tablespoonfuls as above. 13th.—Had ulcerative pain in throat, especially when swallowing saliva, of which he has now a large quantity, especially copious on 11th and 12th. Some contraction of anus, especially since yesterday. *Merc.* by olfaction and in solution, a dose every morning [?]. 20th.—Throat better since 18th ; has suffered much in anus ; stool painful to pass ; less thirst. *Sacch. lactis.* March 3rd.—No more sore throat. When at stool a bloodless hæmorrhoidal lump comes down : this used to cause burning and sore pain, now itching only. Olfaction of *Nitric acid* [dilution not stated] thereafter milk sugar. 20th.—Hardly any pain after stool ; yesterday passed some blood with the motion (an old symptom) ; throat well, only somewhat sensitive to cold drinks. Olfaction of *Nitric acid.* (Olfaction is performed by smelling for one or two seconds at a small vial containing half an ounce of alcohol or brandy in which a globule of the medicine has been dissolved). He remained permanently well. (*L. W.*, p. 870.)

These last two cases illustrate Hahnemann's practice in the last years of his life.

It is a pity we have not a large collection of cases from Hahnemann's carefully kept case-book, but the above are all I can discover. And again it is unfortunate that it is only the remedies contained in the *Chronic Diseases*, the so-called "anti-psorics," and not all of these, for which he has furnished the indications *ab usu*. However, I have been able to glean from his other writings many hints for the employment of other remedies, and I believe the practitioner will find this little work of immense use in helping him to the selection of the appropriate remedy. All the recorded symptoms being derived from the extensive experience of the greatest therapist of this and all other times, cannot indeed be regarded as "key-notes" to the remedial virtues of the medicines, but certainly as valuable hints to the practitioner in the selection of the remedy.

The repertory form in which I have arranged the symptoms is founded on the Hahnemannian schema. The arrangement under each heading is seldom alphabetical. I have endeavoured to group the symptoms together in a rational order, and with regard to the pains I have followed the classification adopted in the *Cypher Repertory*. The abbreviations of the medicines are also nearly the same as in that work. To save space I have frequently employed the letters "m., n., e., d.," instead of "morning, night, evening, day "

HAHNEMANN'S MEDICINES AND THEIR ABBREVIATIONS.


Aconitum	ACO	Cuprum	CUP	Nux vomica	NX-V
Æsculus	ÆSC	Cyclamen	CYC	Oleander	OLN
Æthusa	ÆTH	Dictamnus	DIC	Opium	OPI
Agaricus m.	AGA	Digitalis	DIG	Paris quad.	PAR
Alumina	ALM	Drosera	DRO	Petroleum	PET
Ambra grisea	AMB	Dulcamara	DUL	Petroselinum	PTR
Ammon. carb.	AM-C	Euphorbium	EUB	Phosphorus	PHO
" mur.	AM-M	Euphrasia	EUP	Phosph. acid	PH-X
Anacardium	ANA	Ferrum	FER	Platina	PLA
Angustura	ANG	Frigus	FRI	Plumbum	PLB
Anisum	ANI	Geum	GEU	Pulsatilla	PUL
Antimon. crud.	ANT	Graphites	GRP	Rheum	RHE
Argentum	ARG	Guaiaacum	GUI	Rhododendron	RHO
Arnica	ARN	Helleborus	HEL	Rhus	RHS
Arsenicum	ARS	Hepar sulph.	HEP	Ruta	RUT
Asarum	ASR	Hyoscyamus	HYO	Sabadilla	SBD
Aurum	AUR	Ignatia	IGN	Sabina	SAB
Baryta	BAR	Iodium	IOD	Sambucus	SAM
Belladonna	BEL	Ipecacuanha	IPE	Sarsaparilla	SAR
Bismuthum	BIS	Jalapa	JAL	Senna	SNN
Borax	BOR	Kali carbon.	K-CA	Sepia	SEP
Bryonia	BRY	Laurocerasus	LAU	Silica	SIL
Calcarea	CAL	Ledum	LED	Solanum nig.	SOL
Camphora	CAM	Lolium	LOL	Spigelia	SPI
Cannabis	CAN	Lycopodium	LYC	Spongia	SPO
Cantharis	CTH	Magnes	MGT	Squilla	SQU
Capsicum	CAP	" pol. arct.	MT-N	Stannum	STN
Carbo animalis.	CB-A	" pol. aust.	MT-S	Staphisagria	STP
" vegetabilis	CB-V	Magnesia carb.	MAG	Stramonium	STR
Causticum	CAU	" mur.	MG-M	Sulphur	SUL
Chamomilla	CHA	Manganum	MAN	Sulphuric acid	SU-X
Chelidonium	CHD	Menyanthes	MEN	Tabacum	TAB
China	CHI	Mercurius	MER	Taraxacum	TRX
Cicuta	CIC	" corr.	MB-C	Taxus bacc.	TAX
Cina	CIN	Mezereum	MEZ	Thea	TEA
Clematis	CLE	Millefolium	MIL	Terebinth	TER
Cocculus	COC	Moschus	MSC	Thuja	THU
Coffea	COF	Muriatic acid	MU-X	Uva ursi	UVA
Colchicum	CCH	Natrum carb.	NA-C	Valeriana	VAL
Colocyntthis	COL	" mur.	NA-M	Veratrum	VER
Conium	CON	Nitric acid	NI-X	Verbascum	VRB
Copaiba	COP	Nitrum	NIT	Viola tricolor	VIO
Crocus	CRO	Nux moschata	NX-M	Zincum	ZIN



HAHNEMANN'S THERAPEUTIC HINTS.

INTELLECTION.

- | | |
|---|--|
| <p>Flow of thoughts, excessive—RHS.</p> <p>Intrusion of irrepressible ideas, at 3 a.m.—NX-V.</p> <p>Weakness of head—CON.</p> <p>Unsteadiness of mind—NA-C.</p> <p>Mental activity impaired—LYC.</p> <p>Difficulty of understanding what is read or spoken—NA-C.</p> <p>— of thinking—ALM., CAL., NA-C., PET., RHS., SIL.</p> <p>-- of thinking and confused head—SUL.</p> <p>Diminished thinking power—AM-C.</p> <p>Inability to think—NA-M.</p> <p>Incapacity for mental work and confusion of head—SEP.</p> <p>— — — — with low spirits, and laziness of mind and body—PH-X.</p> <p>Absence of mind—OLN.</p> <p>Forgetfulness—ALM., CON.</p> <p>Memory, weakness of — NA-M., PET., SEP.</p> <p>— lack of—HYO., K-CA., PET., SIL., STR., SUL., ZIN.</p> | <p>Speech often suddenly stopping—MAG.</p> <p>Imbecility—ÆTH., LOL.</p> <p>Stupor—CAM.</p> <p>Unconscious, falls down—AUR.</p> <p>Sufferings from mental labour—GRP., LYC., NA-C.</p> <p>— from reading and writing—SIL.</p> <p>Religious fixed ideas—SUL.</p> <p>— feelings, want of—COL.</p> <p>Insanity—STR., VER.</p> <p>Mental derangement—HEL., HYO.</p> <p>— — stupid—HYO.</p> <p>— — characterized by obstinacy, cunning, disobedience, wish to run away—DIG.</p> <p>Mania—BEL., LAU.</p> <p>— after sunstroke—HYO.</p> <p>— apathetic—CAM.</p> <p>— with unintelligible talking (prophesying, gift of unknown tongues) and convulsions of limbs—SOL.</p> <p>— foolish—STR.</p> <p>— alternating with melancholia—STR.</p> |
|---|--|



Mania, gaiety, alternating with despair—ACO.

— jealous—HYO.

— wandering—VER.

— with convulsions—STR.

Nymphomania—HYO.

Dæmonia—STR.

Delusions attended with spasmodic movements of limbs—STR.

Illusion that he sees a wolf—BEL.

— that he sees persons who are not there, on waking, m.—SUL.

Feeling as if he had two wills, one counteracting the other—ANA.

— as if the mind had no connection with the body—ANA.

Delirium from excessive pain—VER.

— furious, with convulsions after delivery—VER.

Grimaces, while talking—BEL.

Desire to bite—BEL.

EMOTION.

Anxiety.

Anxiety—ALM., AM-C., ANA., ARN., CAL., CAM., CB-V., CAU., CHA., COL., CON., GRP., NA-C., NA-M., PET., TAB., VER.

—, attacks of—SUL.

—, morning—GRP.

— at night—ARS.

— in bed, n.—SEP.

— at n., driving him out of bed—GRP.

— when seated at work—GRP.

— when perspiring—CAL.

— restless—CAL.

— with weakness—AM-C.

— with sadness and tendency to weep—LYC.

— with shivering as evening approaches—CAL.



Anxiety caused by thoughts—CAL.

— after hearing of cruelties—CAL.

— and heat, at n.—CAL.

—, sick—K-CA.

— compelling him to open his dress and to go into the open air—SUL.

— about domestic matters—BAR.

— about his disease, with fear of death—NI-X.

Anxious, zealous, fiery, hot temperament—NX-V.

Depression.

Pensiveness—SEP.

Home-sickness, with redness of cheeks—CAP.

Indifference to his own relations—SEP.

Dislike to society—BAR., NA-C.

Low spirited—SUL.

Depression—ARG., ARS., CHD., STP.

— of spirits—CON.

Uncheerfulness—CAL., NI-X., PHO., SIL., SUL.

Unhappiness—GRP.

Gloom—CON., SEP.

Sorrowful thoughts at n.—CAU.

Grief—IGN., LYC.

— inward—PUL.

Discouragement—CAM.

Dejection—ANA., LED., NA-C.

— and weeping—SEP.

Hypochondriasis — AUR., CON., NX-V., PLB., VER.

— from continence in unmarried men—CON.

Hypochondriacal humour—NA-C.

— dejection—CAU.

— uncheerful—ANA.

- Sadness—CON., IPE., NA-C., NA-M., NI-X., SEP.
 Melancholia—AUR., BEL., CAL., CAM., CAU., CLE., LYC., PUL., SEP.
 — alternating with salivation—MER.
 — with slow pulse—CRO.
 Inconsolable over all her actions, which she thinks are evil—SUL.
 Profound mortification, with throwing away what he may have in his hand—STP.
 Hopelessness—CAM., CAU., VER.
 Despair—CAM., VER.
 — about health—CAL.
 Lacrimose—AM-M., BAR., BEL. CAL., PUL., SUL.
 Weeping by day—CAU.
 Moaning—CAM.
 Thoughts of death, as though she must die—ZIN.
 Tired of life—AM-C., AUR.
 Suicidal tendency—AUR., CAM., VER.
- Ill-humour.**
 Sensitiveness—LYC.
 Excitement—CHI., CIC., PET.
 — d. and n.—HYO.
 Irritability—ALM., CB-V., COF., CON., LYC., SIL., SUL.
 —, cross—NA-M., PHO.
 — and anxiety—PHO.
 Irritation—NI-X.
 Restlessness, intolerable, he does not know what to do on account of it—STN.
 Vehemence—NA-M., SUL.
 Cannot bear to be looked at—ANT.
 Impatience—ACO.
- Fretfulness—CB-V., CAU.
 Peevishness—ARN.
 — silent—PUL.
 — lacrimose—IPE.
 Obstinacy—CAL., LYC.
 Crossness—AM-M., CAL., CAP., CON. RUT.
 — and obstinacy—NI-X.
 Discontent—CAP., CIC.
 Ill-humour—CON.
 Rage, beating others—HYO.
 Nervousness—CAL.
 Vexatious, disagreeable thoughts—LYC.
 Vexation during menses—ACO.
 — causing great indignation, grief or shame—IGN.
 — causing anger, violence, heat and annoyance—CHA.
 — causing anger, violence, heat and annoyance if chilliness and coldness are present—BRY.
 — sufferings caused by—ALM., IGN. NA-M., SEP.
 Mortification, effects of—IGN.
 Vexed and anxious about every trifle, from extreme nervous weakness—SIL.
 Indignation, with great internal annoyance—COL.
 — sufferings from—COL.
 Irascibility—ARS., BRY., CAU., CON., GRP., IGN., K-CA., LYC., SIL.
 — with indignation—STP.
 — and dejection—SUL.
 Scolding—PET.
 Wishes evil to others—NA-C.
 Malicious, wicked, irascible disposition—NX-V.
 Inhumanity—ANA.
 Hard-heartedness—ANA.

Fear.

- Irresolution—AUR., NX-V.
 Fearful—ALM., AM-C., PHO., STP.,
 SUL., VER.
 Fear—ALM.
 --- when alone—PHO.
 --- of solitude—LYC.
 --- of ghosts at n.—CB-V.
 --- that he is about to die—ANA.,
 ARS., NI-X.
 Terror—BEL.
 Want of courage—CON., CUP., NA-C.,
 SEP.
 Cowardice—SEP., SIL.
 Concern about the future—NA-M.,
 PHO.
 Distrustful of the future—CAU.
 Presentiment of death—CAL.
 Anthropophobia—ANA., BAR., NA-C.
 Startled, apt to be—CAL., CB-A.,
 CB-V., CAU., CON., K-CA., NA-C.,
 NA M., PET., PHO., SEP., SUL.
 Fright during menstrual period—
 ACO.
 --- followed by depression of spirits
 IGN.
 --- sufferings from—ACO., OPI.
 --- effects of, when recent and
 causing fear—OPI.
 --- — when not so recent, and
 causing crossness—ACO.

Apathy.

- Indifference—AM-M., CAL.
 Phlegmatic—PUL.
 Taciturnity—CON.
 Unwillingness—NA-C.
 Laziness—AM-M.
 --- after rising, m.—NA-M.
 --- with difficulty of movement—
 SEP.

- Aversion to walking—ZIN.
 Distaste for work—ALM., AM-M.,
 CAL., CAP., CHI., CON., GRP., NI-X.,
 PHO., SEP., SIL., ZIN.

Other Emotions.

- Restlessness—CAM., CAU., CHA.,
 CON., SIL.
 --- in evening—AM-C., ARS.
 --- at n.—BRY.
 Tossing about—ACO.
 Agitation, mental—ACO., DRO.
 Laughter, sardonic—IGN.
 Alternately gay and lacrimose—IGN.
 Excessive joy, sufferings from—COF.
 Unmanageableness—AM-C.
 Disobedience—AM-C., DIG.
 Love, unfortunate, with silent grief
 ---IGN.
 --- — with jealousy—HYO.
 Jealousy—HYO.
 Deficiency of moral sense—ANA.
 Godlessness—ANA.
 Profligacy—ANA.
 Lasciviousness—HYO.

SLEEP.

- Long of falling asleep—ALM., ANA.,
 ARS., CON., GRP., LYC., NA-C.,
 NX-V., PHO., PUL.
 Sleeplessness—AM-C., BEL., CAL.,
 COF., HYO., STN., SUL.
 --- after 3 a.m.—BRY.
 --- from vexation—COL.
 --- from thinking—LYC.
 --- from bodily uneasiness—CB-V.
 --- from pinching in hypogastrium
 ---MAG.
 --- owing to fornication in calves
 and feet—SUL.
 Too light—ALM., SUL.

Waking, frequent—NI-X.
 — up at n.—ARS., CAL., SEP.
 — too early—NA-C.
 Restlessness, nocturnal—NI-X.
 — with frequent waking—LYC.
 Tossing about at n.—CAL.
 Has not slept enough, m.—SUL,
 ZIN.
 Unrefreshing—ALM., CON., GRP.,
 LYC., NX-V., SEP., SUL., THU.
 Yawning—HEP., MAN.
 Drowsiness—CAL.
 — and yawning—LYC.
 — by day—AM-C., AM-M., CAL., CB-V.,
 CON., K-CA., LYC., MAG.,
 NA-C., NA-M., PHO., SEP.,
 SUL.
 — in forenoon—CB-V.
 — in early evening—NX-V., PHO.,
 SEP.
 — evening—ARS., CAL., CON., K-CA.
 — when rising, m.—PET., ZIN.
 Lazy about getting up—NX-V.
 Waking, difficult, m.—NI-X.
 Sleeps too long, n.—SUL.
 Somnolence in diseases—TEA.
 Sopor—ANT.
 Nocturnal pains felt during—GRP.,
 NI-X.
 Starting in—ARN., GRP., LYC.
 — out of—NI-X.
 — up owing to anxious dreams—
 CB-V.
 Fright in—SUL.
 Cough in—CAL.
 Suffocative oppression of chest
 during—GRP.
 Jerkings in—CUP., K-CA.
 — and twitching in—SUL.
 — of muscles in—BAR.
 Talking in—CB-V., CON.

Talking or crying out in—ZIN.
 Rambling in—BAR., GRP., K-CA.,
 LYC., SEP., ZIN.
 Imagines he is called in—SEP.
 Nightmare—AM-C.
 Horrible visions before falling
 asleep—CAL.
 Dreamful—ALM., CON., LYC., NI-X.,
 PHO., SEP.

Dreams.

Vivid—PET.
 Anxious—ANA., CAL., CAU., GRP.,
 K-CA., LYC., MAG., NI-X., SEP.
 — with weeping—NA-M.
 Tiresome, and waking for hours, or
 difficulty of falling asleep again
 after waking, n.—NA-M.
 Frightful—GRP., K-CA., LYC., PHO.,
 SEP., ZIN.
 —, restless and talking in sleep—
 SUL.
 Rambling, anxious—SUL.
 Fanciful—NA-M.
 Lascivious—NI-X.

HEAD.

General.

Vertigo—ALM., ARN., ARS., BRY.,
 CON., HYO., IGN., K-CA., LOL.,
 NA-C., PHO., SEP., SUL., TAB.
 — extreme, as if intoxicated, e.—
 SIL.
 — all things seem to whirl, and is
 apt to fall forward—NA-M.
 — as if swayed to and fro—PET.
 — so that he must lay hold of
 something—SIL.
 — making him lie down—NI-X.
 — in morning—CB-A.
 — as if from stomach—K-CA.

- Vertigo when looking around, as though he should fall to the side—CON.
- especially when stooping—LYC.
- when sitting—SUL.
- when sitting and reading—AM-C.
- when walking and sitting—NI-X.
- when going upstairs—CAL.
- when climbing high—CAL.
- when eating—AM-C.
- with jerks in head and inability to remember—NA-M.
- transient attacks, with loss of recollection when walking in open air and writing—SEP.
- with nausea—PUL.
- with slow pulse—CRO.
- with paralytic weakness of limbs—AM-M.
- Empty, hollow, confused—PUL.
- Confusion—NA-M., PET., ZIN.
- and incapacity for mental work—SEP.
- Dazed—ANA., GRP., NA-C., SIL., ZIN.
- in m.—IOD.
- Dull, dazed feeling—SIL.
- Vertiginous dazedness—CAU.
- Dulness—K-CA.
- Blow on head, as if had a—BEL.
- Buzzing—GRP.
- Humming—CAU., K-CA.
- Intoxicated, as if, on rising, m.—GRP.
- Hollow feeling and headache after epileptic fit—CUP.
- Chilliness—BAR., CB-V., SEP.
- Coldness—SUL.
- Cold spot—SUL.
- Heat—SIL.
- , cold feet—AM-C.
- Sweat, evening—CAL.
- Weight—CAM., CB-V., CON., LYC., SEP., SUL.
- Heaviness, as though it was full of water—PH-X.
- and want of recollection, from stooping—SUL.
- Rush of blood with flushes of heat—SUL.
- Congestion—ANT., AUR., CB-V., K-CA., LYC., NI-X., PHO.
- on stooping—SEP.
- on sitting up in bed, m., followed by headache—LYC.
- Apoplexy—CRO., NX-V.
- serous—BEL.
- Bent down when walking—SUL.
- Jerking forward—SEP.
- Headache—ARN., COF., SUL.
- violent, of influenza—CAM.
- long-standing—AM-C., CLE.
- periodical—SEP.
- every day—MG-M.
- morning—K-CA., PHO., PH-X.
- on waking, m.—NA-M.
- at night—LYC.
- from reading and writing—CAL.
- from annoyance—LYC., PET.
- after eating—AM-C.
- after a meal—ARS.
- from sneezing and coughing—K-CA.
- on the slightest movement in bed, n.—SUL.
- aggravated by stooping—IGN.
- from over-lifting—CAL.
- when driving—K-CA.
- in the sun—NA-C.
- from being over-heated—CB-V., SIL.
- vertiginous—NA-M.
- sore—ZIN.

Headache, drawing to bursting, daily—SUL.
 — drawing in head, forehead, temples, and molars—PET.
 — dull, pressive—CAU.
 — stupefying—PHO.
 — pressive—CB-A.
 — — after dinner—CB-A.
 — — tensive—LYC., MG-M.
 — — shooting—PET.
 — cutting—PUL.
 — shooting—CAU., CON., SUL.
 — — and humming—SUL.
 — —, worse on movement—BRY.
 — tearing—CON.
 — — on crown, forehead, temples, in eyes, nose and a tooth, on lying down—LYC.
 — — in forehead, vertex, and occiput—NI-X.
 — — shooting, he must lie down—NA-M.
 — as though head would burst—NA-M.
 — bursting—CAL., SIL.
 — tensive—CAM.
 — hammering—AM-C., NA-M.
 — —, after walking in open air—CAL.
 — beating—NA-M.
 — — in middle of head—CAL.
 — throbbing—IOD., NI-X., SIL.
 — — and beating when moving body—NA-M.
 — — clucking—SUL.
 — — like pulling the hair, with nausea—ALM.
 — sick—AM-C., CB-V., NI-X., SEP.
 — with nausea—K-CA.
 — with slow pulse—CRO.

Headache, feels hollow after epileptic fit—CUP.
 Cephalic gout—COL., GUI.
 Gout in h., attacks of, with boring pain compelling him to cry out, and vomiting—SEP.

Forehead.

Itching—ALM.
 Sweat, m.—K-CA.
 — n.—SAR.
 Weight—ARS., CAL.
 — pressive—STN.
 — as if it would press out, from noon till evening—SIL.
 — like a board in front—CAL., DUL.
 Pain over eyes—BAR.
 — ulcerative (above eye) every evening—HEP.
 — boring, as if head would burst—CAL.
 — — (at root of nose) every m. from 7 to 12 o'clock—HEP.
 — — and burning—DUL.
 — drawing out at—SIL.
 — pressive—CAL.
 — — over eyes—NA-M.
 — shooting, over eyes—NA-M.
 — shooting out through eyes—NA-C.
 — tearing, with heat, forenoon—SIL.
 — — to and fro every afternoon—LYC.
 — — also in temples, crown, eyes, nose and a tooth on lying down—LYC.
 — throbbing and drawing—NA-M.
 — as if all would come out there—AM-C.

Temples.

- Pain, pressing, to eyes—ANA.
 -- shooting—CAU.
 -- tearing, also in forehead, crown,
 eyes, nose and a tooth on lying
 down—LYC.

Vertex.

- Pain from nape to crown, preventing
 sleep—SIL.
 -- shooting—CON.
 -- tearing, also in forehead, tem-
 ples, eyes, nose and a tooth on
 lying down—LYC.
 -- tensive, shooting—CAU.
 -- throbbing—SUL.

Sides.

- Icy coldness, *r.*—CAL.
 Hemisrania—SIL.
 Clavus—IGN.
 Pain, tearing, also in teeth and
 cervical glands—GRP.
 Stitches in parietal bone—NA-M.

Occiput.

- Heaviness—SUL.
 -- especially in occiput, closing
 eyelids—NA-M.
 Pain from false step or loud noise
 --ANA.
 -- aching—ACO.
 -- pressive—K-CA.
 -- throbbing—CAL., PET., SEP.

Scalp.

- Chilled, apt to be—K-CA.
 Itching—ANT., GRP., NI-X., PHO.
 -- also in nose and ears—SEP.
 Formicating, humming, buzzing—
 SUL.

- Sweat, evening—SIL.
 -- when walking in open air—
 GRP.
 Scurf—NA-M.
 Eruption—PET.
 -- severe—CLE.
 -- scurfy—K-CA.
 Tinea capitis—GRP., PET.
 -- itching, humid, scabby—SIL.
 Nodular elevations—SIL.
 Pain, as if ulcerated—ZIN.
 -- pricking (one side)—PHO.
 -- tearing, boring, scraping, n.—
 LYC.
 -- tearing at certain hours—NA-C.

Hair.

- Dryness—K-CA.
 Falling out—AM-C., ANT., AUR., CAL.,
 CON., GRP., K-CA., NI-X., PET.,
 PHO., SEP., SIL.
 Baldness—BAR., LYC., ZIN.

EYES.**Eyebrows.**

- Warts—CAU.

Eyelids.

- Quivering—CAL.
 Opening, difficulty of—PHO.
 -- inability of, n.—SEP.
 Closed, morning—CAL., SUL.
 Closure, evening—NA-M.
 -- spasmodic—HYO.
 -- from frontal headache—CAL.
 Redness—ANT.
 Inflammation—ANT., ARS., BAR.
 -- with photophobia—NA-C.
 -- of meibomian glands—DIG.
 Styte—AGA., CON.
 Lippitudo—EUP.

Agglutination—BAR., CAL., CB-V.,
CAU., LYC., MAG., NA-M., PHO.,
SEP., SIL.

—, m.—K-CA., MAG., MAN.

— and laceration—ALM.

Dry matter on—AM-C., GRP.

Dry scabs on edges, on waking,
m.—SEP.

Tension, m.—SU-X.

Pain, burning—CAL.

— sore—CAL.

— pressive, as from a grain of sand
GRP.

— cutting—CAL.

Upper Eyelid.

Heaviness and sinking down—
SEP.

Paralysis—NI-X.

— and ptosis—ZIN.

Burning, itching—LYC.

Canthi.

Pain, with redness of eyes—SIL.

— burning and pressive—CB-V.

Outer Canthus.

Sticky matter—NA-M.

Burning and smarting—PHO.

Pupils.

Tendency to dilate—CAL.

Dilated and insensible—CAM.

Sluggish to contract—NI-X.

Eyeball.

Itching—CAL.

Cold feeling when walking in open
air—ALM., CON.

Heat and pressure—CB-V.

Dryness—ZIN.

Lacrimation—CAL., CAU., K-CA.,
NA-M., PH-X.

— in open air—CAL., LYC., SIL.

— in wind—PHO.

— morning—CAL.

— and agglutination—ALM.

— and agglutination, n.—PHO.

Tears, acrid—NA-M.

Sticky moisture interfering with
vision—LYC.

Swelling—GUI., K-CA.

—, evening—SEP.

Congestion, with frontal headache
—ALM.

Redness—BEL.

— with pain in canthi—SIL.

Inflammation—ARS., CAU., CLE.,
EUP., MEZ., NA-M., RHO., SIL.

— with heat and pressure as from a
grain of sand in—PHO.

— with agglutination by n., and
lacrimation by day—LYC.

— with photophobia—BAR.

— with burning—PH-X.

— excessively painful—ACO.

— scrofulous—DUL.

Glaucoma—PHO.

Convulsions—CON.

Sunken—CAM.

Pain, from straining sight—CB-V.

— sore—NI-X.

— burning—CB-V.

— — with dimness of vision—MAN

— — and cold feeling—AM-C.

— — and cutting when reading
by lamplight—CAL.

— smarting—IOD., LYC., NA-M., SIL

— biting, burning, e.—LYC.

— aching—EUP.

— pressive—BAR., CAL., CUP., LYC.,
NI-X., SEP.

- Pain, pressive, shooting, lacrimation
— GRP.
- pricking, by candlelight, e.—
SEP.
- shooting—CAL., HEP., NI-X.
- —, e., from light—LYC.
- tearing—SIL.
- — and shooting, and in facial
bones—SIL.
- as from a grain of sand, e.—ALM.,
GRP., PHO.
- Lacrimal fistula—SIL.
- — suppuration of—CAL.
- Cornea.**
- Opacity—PUL.
- Vision.**
- Hemiopia, vertical—MU-X.
- Diplopia—NA-M.
- Hypermetropia—BEL., CAL., CON.,
DRO., LYC., MEZ., NA-C., NA-M.,
NX-V., PET., SEP., SIL., SUL.
- Myopia—AM-C., CON., LYC., PET.,
PHO., SUL., SU-X.
- Photophobia—SIL.
- for daylight—GRP.
- with inflammation—BAR., HEP.
- Dazzling by light—BAR., CAL., CON.,
K-CA.
- by daylight—SIL.
- Dread of sunlight—PH-X.
- Irritated by candlelight—LYC.
- Sparks—AUR., LYC., SIL.
- Glittering—CAU., GRP., LYC.
- Chromopsia—DIG.
- Coloured stripes—CON.
- Pale, when reading—SIL.
- Gauze—PET., SEP., SUL.
- Feathers—LYC., NA-C., NA-M.
- Flues—CAL.
- Veil, so that he cannot see—NA-M.
- Nets—ANA.
- Dark nets—CAU.
- Flying web—BAR.
- Dark points—CON.
- Dark spots—ANA., AUR., BAR.
- Flying spots—AM-M., K-CA.
- Black spots—MAG.
- —, flying—NI-X.
- — and bright stripes—AM-C.
- — and fiery stripes—SEP.
- — and light stripes—NA-M.
- — hovering—PHO., SEP., SIL.
- appearance—PHO.
- Blackness, when walking or stoop-
ing—NA-M.
- onstooping—GRP.
- and glittering—LYC.
- Weakness—ANA., AUR., SIL.
- Dimness—ANA., BAR., CAL., DIG.,
PHO., PUL.
- by day, everything seems en-
veloped in a gray covering—
PHO.
- by candlelight—PHO.
- from too much reading—RUT.
- sudden, on occurrence of tearing
shooting headache—NA-M.
- from cold—CYC.
- , flickering—AM-C.
- with burning—MAN.
- as through gauze—CAL.
- Mist, on looking closely or read-
ing—CAL.
- Darkness, when reading—CAL.
- after eating—CAL.
- Cannot read small print—NA-C.
- — or write without spectacles
—SIL.
- Letters run together when reading
—GRP., NA-M., SIL.

Sudden attacks of blindness—SIL.
 Amaurosis—ACO., BEL., CAM., CON.,
 DUL., NA-M., PUL., SIL.
 — incipient—CAU.
 — with contracted pupils—SEP,
 ZIN.

Crystalline Lens.

Cataract—AM-C., PHO., PUL., SIL.

EARS.

Auricle.

Eruption on and behind—BAR.
 — on lobe—BAR.
 Eczema, behind—GRP.
 Painful swelling—ANA.
 Tumour, encysted, of l. lobe—NI-X.

Meatus and inner ear.

Itching—ANA., SEP.
 Insensibility of meatus—MU-X.
 Dryness—GRP.
 — and dry feeling—PET.
 Fœtor—GRP.
 Suppuration and itching, with dull
 hearing—AM-C.
 — of inner ear—CB-V.
 Discharge—ANA., CB-A., NI-X.
 — purulent—CAL., CB-V., GRP.,
 NA-M.
 — of foetid pus—HEP.
 Wax, accumulation of—CON.
 Pain, boring—SIL.
 — aching—GUI.
 — drawing—SUL.
 — — shooting outwards—CON.
 — shooting—CAL., K-CA., NA-M.,
 NI-X.
 — shooting out at—K-CA., SIL.
 — — when walking in open air—
 CON.

Pain, tearing, shooting—CON.
 — pulsation—MG-M.
 — throbbing—CAL., MU-X.
 — — and blows—NA-M., PHO.

Hearing.

Intolerance of noise—PUL.
 — of noise and talking—PH-X.
 Oversensitiveness—LYC.
 — to music—SEP.
 — to noise—NA-C.
 Sufferings from music, organs, noise
 —LYC.
 Noise—CAL., NA-M., PET.
 Tinnitus—AM-C., AM-M., BAR., CON.,
 LYC., NA-M., PET., SIL.
 Singing and ringing—GRP.
 Humming—ANA., CB-V., CAU., NA-M.,
 PET., PHO., SEP., ZIN.
 — and rattling—SUL.
 — with dull hearing—CAL.
 Buzzing—ALM., AM-C., ANA., BAR.,
 CAL., CB-A., CON., GRP., IOD.,
 SUL., ZIN.
 — with headache and hot cheeks—
 CAL.
 Fluttering—SIL.
 Hissing—GRP.
 Crepitation—NI-X.
 Crackling, when swallowing—
 CAL.
 Beating—NI-X.
 Knocking—CAL.
 Roaring—AM-M., CAL., CAU., CON.,
 LYC., NA-M., NI-X., PET., SEP.,
 SUL.
 Thundering—CAL.
 — rolling—GRP.
 Stopped up—NI-X.
 — which sometimes goes off with a
 crack—SIL.

Dulness—AM-M., CAL., GRP., IOD.,
K-CA., LYC., MAG., NA-C.,
NA-M., NI-X., SEP., SIL., SUL.,
SU-X.

— for human voice—PHO.

— with suppuration and itching of
ears—AM-C.

Deafness—ANA., DIG., DUL., MU-X.,
PET., SIL.

— with noise like boiling water—
DIG.

NOSE.

External.

Sore—CAL.

Swelling—GRP.

Redness—ALM.

— of tip—SIL.

Inflammation and eruption on tip
—SEP.

Eruption on tip—CAU.

Pimples—SIL.

Scabs on dorsum—PH-X.

Warts—CAU.

Caries—AUR.

Nostrils.

inflamed, swelling of tip—SUL.

Ulceration—ANT., LYC.

Internal.

Itching—AM-C., CB-V., SEP.

Constrictive, suffocating sensation
—HEL.

Dryness—AM-C., ANA., BAR., CAL.,
CON., GRP., K-CA., MG-M.,
NA-M., NI-X., PET., PHO., SEP.,
SIL., SUL.

— and dry feeling—PET.

Agglutination, n.—LYC.

Stopped up—ANA., ANT., ARS., CAL.,
CB-A., CAU., CON., CUP., GRP.,
K-CA., LYC., MAG., MU-X.,
NA-C., NA-M., NI-X., PET.,
SEP., SIL.

— —, morning—CON.

— — for years—CON.

— —, one nostril—SUL.

— — with yellow, foetid pus—
CAL., CB-V.

Discharge, watery—CB-V.

— mucous—ANA., GRP., PHO.

— purulent—CON.

— of bloody pus (mercurial)—
HEP.

Congestion with epistaxis and fron-
tal headache—ALM.

Blood, blowing—PHO., SEP., SUL.

Epistaxis—ANA., CAL., CB-V., LYC.,
NI-X., PHO., SEP., SIL., SUL.

— when washing, morning—AM-C.

— with frontal headache—ALM.

Pimples—SIL.

Pustules—AM-C.

Ulceration—K-CA.

— with foetid discharge—MER.

Scabs in—LYC.

— — r. nostril—NI-X.

Dry scabs—GRP.

Nodular swelling—ARS.

Fœtor from—CAL., GRP., NI-X., PHO.
PH-X.

Smell.

Deficient—HEP., K-CA., NX-V., PHO.,
SEP., SIL.

Loss of—NA-M.

— — with coryza—PUL.

Nasty, when inspiring by nose—
NI-X.

Of dung—CAL.

FACE.

Pallor—NI-X.
 Pale, sickly look—SUL.
 Dirty complexion—PHO.
 Blue—CAM.
 — with loss of consciousness—AUR.
 Yellowness—K-CA, PET., SEP.
 Yellow spots on forehead and upper lip—NA-C.
 Freckles—AM-C., CAL., GRP., LYC., MU-X., NA-C.
 Coldness—CAM.
 Redness and burning of cheeks—PHO.
 Flushing—CHA.
 Heat—ANT., CHA., CON., K-CA., NA-C., SIL., SUL.
 — flushes of—GRP., K-CA., LYC.
 — with buzzing in head and headache—CAL.
 Burning of cheeks—PH-X.
 Itching—ANT., CAL., CON., NA-M., SEP.
 — under eyes, on rubbing, smarting, burning—CON.
 Prosopalgia—ACO., CAL.
 Pain, drawing—ARS., K-CA.
 -- shooting—ARS.
 — tearing from l. upper lip over cheek to ear—AM-C.
 Roughness—SUL.
 Eruption—BAR., CAL.
 — itching—LYC.
 Pimples—MU-X., NA-M., NI-X.
 — itching—CON.
 — on chin—PH-X.
 Erysipelas—CB-A., GRP., HEP., RHS., SOL.
 — with prickling tension—HEP.
 Erysipelatous inflammation and swelling of right side proceeding from root of carious tooth—SEP.

Eczema—CB-V., COL., CON., GRP.
 — round mouth—NA-M.
 — on chin—SIL.
 Bulbous excrescences—ALM.
 Heaviness—ALM.
 Bloating—K-CA.
 Swelling—VER.
 — and tension—LYC.
 Chaps and rhagades—SIL.
 Ulcers, eroding—CON.
 Warts—K-CA.
 Paralysis of half—GRP.

Facial Bones.

Pain, shooting—CB-A.
 — tearing and shooting in cheek-bone—ALM.
 — — — — and in eye—SIL.
 — ulcerative in malar bones when chewing—NA-M.

Hair of Face.

Itching pimples (whiskers)—CAL.
 Falling out of beard—GRP.

JAWS.

Pain in bone—AGA.
 — shooting, in bone—CB-A.
 — tearing, in bed, n.—PHO.
 Cannot shut on account of stiffness in neck—SIL.
 Trismus—BEL.

Joint.

Cracking when chewing—AM-C.
 Tensive pain when chewing or opening mouth—AM-M.

Lower.

Painful nodes—GRP.
 Swelling of bone—SIL.

Pain, drawing and shooting, n.—
SIL.

LIPS.

Dryness—CON.
Dry, exfoliating—SEP.
Exfoliation—CON.
Cracking—CB-V., NI-X.
Eruptions—ARS., CAL.
Ulcer on vermilion—NI-X., SIL.
Ulcerated corner of mouth—AM-M.,
GRP.
Ulceration inside—GRP.
—, cancerous—CLE.

Upper.

Hepatic spots—SUL.
Swelling—NA-C., NA-M.
Chapped—NA-M.
Blisters, hæmorrhagic, inside, pain-
ful to touch—NA-M.
Scabs under nose—BAR.

TEETH.

Difficulty of cutting (children)—CAL.
Yellowness—PH-X.
Looseness—AM-C., CB-V., NI-X., ZIN.
Toothache—AGA., COL.
— sore—ZIN.
— smarting, and in whole cheek,
day and night—SIL.
— ulcerative pain on knocking
teeth, n.—MAG.
— as if ulcerated, when chewing,
m.—PHO.
— contractive—CB-V.
— boring—SIL.
— digging and sore—CAL.
— — and shooting—SIL.
— — tearing with burning stitches
—MT-N.

Toothache, gnawing—CB-V.
— dull drawing, n.—CYC.
— drawing—CAI.
— — in sound teeth when walking
in open air—CON.
— — boring in carious tooth, as
if forced out of socket,
shoots causing a shock
through body, often with
gumboil—NX-V.
— — shooting, day and night,
renewed by cold and heat
—CAL.
— rheumatic—ACO.
— shooting—CB-A., CON., K-CA.,
SEP.
— shooting, n.—PHO.
— — extending to ear—CHA.
— — after cold drink—GRP.
— burning stitches, from hot things
—BAR.
— tearing—CHA.
— — out at ear when eating—SIL.
— — to temple—CUP.
— fornicating, pecking—CHA.
— pecking after food—LYC.
— throbbing—CB-V.
— throbbing and shooting—MAG.
— jerking—BAR.
— jerks when he sucks tooth with
tongue—SIL.
— pain in gum, gnawing, pricking
in teeth, drawing, jerking
(as if nerve was drawn and
suddenly let loose), with
chilly feeling, pale face,
aggravated by warm room
and heat of bed, relieved by
cold air blowing on it, in
mild, quiet, lacrimose dis-
position, chiefly in e.—PUL.

Toothache, congestive—AUR.
 — of carious teeth—ANT.
 — in all carious teeth at once,
 gums swollen and tender,
 jerks through periosteum—
 MT-N.
 — in no particular tooth—CHA.
 — from cold drink—CAL.
 — aggravated by cold drinks—
 CHA.
 — from cold air, with congestion
 of head, loose tooth, with
 formicating pain, as though
 it would fall out in chewing,
 and tearing pain in gums—
 HYO.
 — in morning, can't chew, aggra-
 vated by opening mouth in
 cold air, and by mental
 work—NX-V.
 — incisors painful during inspira-
 tion—MT-N.
 — from cold or hot things in mouth
 —CB-V.
 — when chewing—ZIN.
 — when eating—K-CA., NA-C.
 — after eating or drinking—CHA.
 — relieved by applying wet finger
 —CHA.
 — as if from looseness and detached
 gums—SUL.
 — teeth forced out of sockets—
 CAU.
 — unbearable—CHA.
 — of pregnant women—MAG.
 — of choleric persons rendered irri-
 table by drinking too much
 wine or coffee and not being
 much in open air—NX-V.
 — evening—SUL.
 — nocturnal—GRP.

Toothache in fits at night, with red
 cheek—CHA.
 — with swelled cheek—CHA., LYC.

GUMS.

Tenderness—CAL.
 Pain, drawing—CB-A.
 — shooting—CAL.
 Swelling—CAL., GRP., SEP.
 — with throbbing pain—SUL.
 Bleeding—ARS., CAL., CB-A., CB-V.,
 NI-X., SEP., SIL.
 Excoriation—SEP.
 Suppuration—CAU.
 Pustules—CB-A.
 Fistula, dental—CAU., NA-M.

TONGUE.

Coating—IOD.
 — dirty—LYC.
 — black—CAM.
 — white—PET., PHO., SEP.
 Dryness, night—CAL., CB-A.
 Soreness—SIL.
 — of tip—SEP.
 Cutting pains—ACO.
 Inflammatory swelling—MER.
 Blisters—NA-M.
 Ranula—CAL.
 Cancer—MU-X., THU.
 Paralysis—ACO., DUL.

TASTE.

Acid—K-CA., NA-M., SUL.
 — after eating—CB-V.
 Bilious—CAM., CHA.
 Bitter—ARN., CAM., CB-A., CB-V.,
 CHI., K-CA., NA-C., NI-X.
 — especially after eating—AM-C.,
 NI-X.
 — while or soon after eating—ARS.

Bitter, morning—CAL., SIL.
 — with nausea, m.—LYC.
 Cheesy—PHO.
 Disordered—K-CA.
 Flat—PET.
 Fœtid—ANA.
 Nasty—IOD.
 Putrid—PET.
 —, morning—SUL.
 —, fasting—NA-M.
 Rancid—ARN.
 Salt—CB-V., ZIN.
 Slimy, m.—LYC., PHO.
 Soapy—IOD.
 Sweetish—NI-X.
 Deficient—PHO.
 Loss of—LYC., SIL.
 — —, with coryza—PUL.
 Tastelessness of food—ARN., ARS.,
 SUL.

SALIVARY GLANDS.

Submaxillary.

Pain—CAL.
 Swelling—LYC., NA-M., PET., SIL.

Parotid.

Hard swelling—CON.

Saliva.

Salivation—CAM.
 — weakness from excessive—
 CHI.
 — mercurial—HEP., IOD., NI-X.
 — alternating with melancholia—
 MER.
 Saliva, fœtid—MER.

MOUTH.

Fœtor—ARS., PET., SEP.
 — feeling like—LYC.

Fœtor not perceived by himself—
 ANA.

Dryness—ALM., BAR., CB-V., SEP., SIL.
 — morning—GRP.

— so that the parts are stiff,
 tongue can be moved with diffi-
 culty, speech indistinct—LYC.

Flow of water into—ANA., BRY., CB-V.

Mucus in—CAL., PHO., SIL.

Swelling of—AM-C.

Aphthæ in—BOR., MER.

Excoriation of—PHO.

Ulceration of—MER.

Flow of bloody pus from—(mer-
 curial)—HEP.

Stomacace—CB-V.

Palate.

Dryness of—CB-A.

Mucus, covered with—K-CA.

Ulceration, mercurial—HEP.

Caries—AUR.

THROAT.

Swelling like a lump felt—IGN.

Plug in, sensation of a—HEP.

— sensation, and in gullet—SUL.

Pain like a plug, as if the food had
 stuck, n.—GRP.

Dryness—HEP., LYC.

— day and night—PHO.

Stickiness—SEP.

Feeling of mucus in, causing sick-
 ness—GUI.

Hawking—CON., NA-M.

— mucus—CAL., CB-V., CAU., GRP.,
 K-CA., LYC., NA-M.

— mucus, m.—NA-M., PHO., SEP.

— viscid mucus—PH-X.

Burning—CAM., CON., LYC., NI-X.

— with night thirst—LYC.

Soreness and burning—PIO.
 Excoriation-pain—AM-C.
 Scraping—CB-V., CON.
 — and burning—PHO.
 — — — up throat after eating—
 AM-C.
 Scrapy sore throat—AM-C., HEP.
 Pain, scraping and difficult speech
 —HEP.
 — raw—NI-X.
 —, ulcerative, when swallowing
 saliva—MER.
 — shooting—BRY.
 — — when not swallowing—IGN.
 — — worse on movement—BRY.
 Sore throat—ACO., BEL., MER.,
 MU-X.
 — — malignant—LED.
 — — chronic—LYC.
 — — liability to—GRP., SUL.
 — — when swallowing—GRP.
 — — as if swollen inwardly, pre-
 venting swallowing—SUL.
 — — as though he had to swallow
 over a lump—NA-M.
 — — inflammatory—LED.
 — — pricking on swallowingsaliva,
 with feeling of contraction and
 excoriation, alternating with in-
 flammation, swelling, throbbing
 pain and constriction in anus,
 of syphilitic origin—BEL., MER.,
 NI-X., SUL.
 Inflammatory swelling—MER.
 Ulceration from abuse of mercury—
 HEP., LYC., NI-X.
 Swallowing, involuntary—CON.
 Constriction—CAL.
 — spasmodic—VER.
 — — with dysphagia—HYO.
 Twitching together—SEP.

Dysphagia—BEL., CAL., HYO.
 — of bread—CON.
 Paralysis—NX-M.

Tonsils.

Cynanche tonsillaris—MER.
 Tonsillitis—ACO.
 Ulcer, with shooting pain—MER.
 Ulceration (mercurial)—HEP.

Pit of Throat.

Fulness with abortive eructation—
 CON.

Œsophagus

Plug, sensation of, and in throat—
 SUL.

APPETITE.

Hunger, after food—PHO.
 Excessive—SUL.
 Inordinate, noon and evening—
 NA-M.
 Bulimia—GRP., HEP., IOD., K-CA.,
 LYC., PET., PHO., SEP., SOL., SUL.
 Ravenous hunger, morning—CAL.,
 CB-V., CON., SEP.
 — — from sickly feeling of empti-
 ness—NA-C.
 — — with fulness and satiety after
 eating little—NA-M.
 Gluttony—SEP.
 Craving for sugar—AM-C., K-CA.
 — — sweets—LYC.
 — — bitter things and bitter beer
 —NA-M.
 — — stimulants—PHO.
 Variable—ALM.
 Diminished in morning—AM-C.
 Lost with first bite—LYC.

Anorexia—ANA., ANT., CAL., CB-V.,
 COF., IGN., LYC., NA-M., PET.,
 PLA., RHS., SEP.
 — after scarlatina—IPE.
 — after fevers—CHI.
 — with thirst—CAL., NIT.
 Aversion to mother's milk, which is
 vomited—SIL.
 — — milk—GUI., SEP
 — — bread—NA-M.
 — — black bread—LYC., SUL.
 — — sweets—CAU., SUL.
 — — — and acids—SUL.
 — — wine—SUL.
 — — meat—CAL., CB-V., LYC.,
 MU-X., NI-X., PET., SEP., SIL.
 — — warm food—CAL., LYC., PET.
 — — cooked food—GRP. SIL.
 — — all food—SIL.
 — — tobacco—CAL.
 Loathing—ANT., DIG.
 — of meat—SIL.
 — — fat food—NA-M., SUL.
 Cannot get the food down—SEP.

THIRST.

Thirst—ACO., AM-C., BAR., BRY.,
 NA-C.
 — constant—NA-M.
 — great—ANA., SIL.
 — extreme—CB-V.
 — unquenchable—CHA.
 — without appetite—CAL.
 — morning—SEP.
 — at night—CAL., NA-M., SUL.
 — in suppuration of lungs—NI-X.
 — with inability to swallow fluids
 — —BEL.
 — but little at a time is drunk—ARS.
 —, wets lips, but cannot drink
 much, in typhoid—ARS.

Adypsia—COF., PUL.
 Sufferings from drinking cold water,
e.g., shooting in l. hypochondr—
 NA-M.

STOMACH.

Anxiety—VER.
 Sick anxiety—K-CA.
 Nausea—ALM., ANT., ARN., BAR.,
 CAM., CB-V., CHA., IOD., K-CA.,
 NA-C., PET., SAR., TAB.
 — frequent attacks of—LYC.
 — qualmishness, constant—NA-C.
 — of pregnant women—CON.
 — in morning—ANA., CB-V., GRP.,
 SIL., SUL.
 — every morning, with headache
 and pain in eyes on turning
 them—SIL.
 — at night—CB-A.
 — yet hungry, morning—PHO.
 — in throat—PH-X.
 — after eating—AM-C., GRP., SIL.
 — from fat food—NI-X.
 — after every movement—ATS.
 — after every heating exercise—SIL.
 — from driving—LYC.
 — with vertigo and eructation—
 PUL.
 — with coldness and pallor—HEP.
 — with great weakness—NA-M.
 — and vomiting, constant—SIL.
 Vomit, inclination to—IPE., NI-X.
 Sea-sickness—COF., PET.
 Eructation—ALM., CAM., GRP., HEP.,
 K-CA., LYC., MU-X., NA-M.,
 PHO., PUL., SEP., SIL., SUL.
 — loud—PET.
 — severe, afternoon—LYC.
 — spasmodic—PHO.
 — of long duration—ALM.

- Eructation, ineffectual and painful attempts at—CB-A., SUL.
 — empty—AM-M., ARN., CB-V., CON.
 — malodorous during sleep, n.—SUL.
 — foetid, sour—PUL.
 — sour—ALM., AM-C., BAR., K-CA., LYC., NA-M., NI-X., CB-A., PHO., SEP., SIL.
 — sour, acrid—SU-X.
 — — with burning—IOD.
 — burning, sour—SUL.
 — bitter—CAL., CB-V., SUL.
 — with taste of food—CON., SEP.
 — with taste of food and drink—AM-C., ANT., SIL.
 — after eating—BAR., BRY., CAL., PLA.
 — and vomiting—AM-C.
 — of fat—CB-V., LYC.
 — disgusting, after fat food, and nausea—SEP.
 — — after fat or milk—NA-M.
 Rising up of food to throat—SUL.
 Belching up of food—CB-V.
 — — — — and drink—SUL.
 — — — — acid into mouth—SUL.
 Hiccup—HEP.
 — after a meal—CB-A.
 Waterbrash—BAR., BRY., CAL., LYC., PET., SUL.
 — at night—CB-V.
 — especially after drinking—SEP.
 — after drinking quickly—NI-X.
 — after sour food—PHO.
 — with twisting in stomach—NA-M.
 — with qualmishness and twisting in stomach—SEP.
 — with shuddering—SIL.
 — followed by acid vomiting of food—NA-M.
- Heartburn—AM-C., CON., IOD., LYC., NA-M.
 — from milk—CUP.
 — after heavy food—IOD.
 Acidity—CON.
 Vomiting—AM-C., ARS., ASR., DRY., CHI.
 — tendency to—IPE.
 — ineffectual—IPE.
 — of food—NA-M.
 — sour, night—PUL.
 — of sour water—CAU.
 — of brown stuff, with violent pain in bowels—ARS.
 — after every meal—ARS.
 — after drinking anything—SIL.
 — and purging—CAM.
 — of blood—STN.
 Weakness—ANA., CAL., CB-A., GRP.
 Sinking, morning—LYC.
 — with faintness—CB-A., CAU.
 Emptiness—PET.
 — and pressure after eating—CB-V.
 Disordered, tendency to be—HEP.
 Derangement of stomach, with constant disgusting eructations, with taste of food, depression of spirits, cold hands and feet—PUL.
 — with eructation of food and nausea—ANT.
 — with gastric fever, chills and coldness—BRY.
 Dyspepsia—ANA., SEP.
 Weak digestion, almost all food causes distress—CB-A.
 Indigestion after acute fevers—CHI.
 Indigestibility of flesh meat—SIL.
 — of heavy food—LYC.
 Food lies undigested—PUL.

Overloaded by indigestible food—
EMESIS BY IRRITATING FAUCES,
postea COF.

Continued weakness, with sadness
and discomfort from trivial diet-
etic errors—NA-C.

Sour things, sufferings from eating
—NA-M.

Bread, sufferings from eating—NA-M.
Milk, cannot digest—NI-X.

Fruit, disordered by eating—ARS.
—, pain from eating—VER.

Fat, disordered by eating—PUL.

Pork, sufferings from eating—PUL.
Fulness—PHO.

— and in abdomen—LYC.

Oppression—ARN.

Swelling and pressure—HEP.

Gastralgia—ARS., BIS.

Cardialgia in pregnant women—TEA.

Irritability from overloading, epi-
gastric pain, paralysed state of
stomach—COF.

Stomach-ache—ACO., CHI., COL.

— with pressing out under last
ribs—CAL.

Pain—AM-C., ANI., PHO., STN.

— burning—ARS., CAM., SEP.

— — up from—NA-M.

Spasm—AM-C., CAL., CON., NA-M., PAR.

— very violent—NIT.

— and at same time spasm in chest
—SEP.

— contractive—NA-C.

Pain, spasmodic—CAU.

Contraction of cardiac orifice, the
food just swallowed returns into
mouth—PHO.

Pain, contractive—CON., MAG.

Tightness across—K-CA.

Pain, pinching—K-CA.

Pain, pinching, and digging in chest,
n.—GRP.

Pressure—LYC.

—, morning—NA-M., SUL.

— as from a weight—CB-A.

— after eating—NA-C.

— after eating bread—CAU.

— from drinking quickly—SIL.

— with nausea and sudden weak-
ness—NA-M.

Pain, pressive—ARS., BAR., GRP., SIL.

— pressive, drawing and fine cut-
ting—NA-C.

— — shooting—SEP.

— — and clawing—CAU.

— scraping and clawing—CB-A.

— shooting—SUL.

— — to l. hypochondrium and
back—CON.

— tearing boring through to lumbar
vertebræ—SEP.

Pit of Stomach.

Pain in pit and hypochondria when
stooping—ALM.

— when walking—SEP.

— burning—ARS.

— contractive, when stretching—
AM-C.

— digging—PHO., SUL.

— pressive—NA-M.

— — on waking, n.—ANA.

— — at night—CAL.

— — shooting—SEP.

— shooting—CAU., NI-X.

— — with sweat—BRY.

— —, coming from left side, at
every step—BRY.

— tormenting shooting, under—
NA-C.

— pinching and cutting—CAL.

Pain, grasping—NA-M.
 — clawing, after eating—SIL.
 — jerking—NA-M.
 — throbbing—SEP.
 Like a hard ball rising to throat
 (globus hystericus)—LYC.
 Tenderness—BAR., CAL., NA-C.,
 NA-M., PHO., SIL.
 — cannot bear pressure of clothes
 —CAL.
 Swelling and tenderness—LYC.,
 NA-M., PET.
 — with pressive pain—CAL.

SYMPTOMS RELATING TO EATING.

Before Eating.

Dizziness and trembling, m.—CAL.
 Qualmish—SUL.

Whilst Eating.

Vertigo—AM-C.
 Like something falling before ears
 —SUL.
 Toothache—K-CA., NA-C.
 Tearing pain in teeth and out at
 ear—SIL.
 Bitter taste—ARS.
 Nausea—K-CA., NA-M.
 Eructation, empty—NA-M.
 Heartburn—NA-M.
 Pressure in stomach—CON., SEP.
 — in abdomen—CAU.
 Sweat—CB-V., NI-X.
 — on face—NA-M.

After Eating.

Laziness and drowsiness—PHO.
 Drowsiness—SUL., ZIN.
 Vertigo—SUL.
 Headache—AM-C., ARS.

Dimness of vision—CAL.
 Toothache—CHA., LYC.
 Flow of saliva like waterbrash—
 BRY.
 Bitter taste—AM-C., ARS.
 Sourness of mouth—SEP.
 Burning in fauces—CON.
 Scraping and burning up throat—
 AM-C.
 — — — — empty feeling in
 stomach—SEP.
 Hunger—CAL.
 Food seems to lie undigested—PUL.
 Qualmish in belly, after breakfast—
 PHO.
 Nausea—AM-C., BRY., GRP., PHO.,
 SIL., SUL.
 — after fat food—NI-X.
 Eructation—BAR., BRY., CAL., PLA.
 Stomach-ache—BAR., CAL., COL.
 — and nausea—ZIN. (bread)
 Pain in stomach, e.—SEP.
 Pressure in stomach—LYC., NA-C.,
 SEP.
 — — —, waterbrash and vomiting
 —SIL.
 Severe pressure in stomach with
 vomiting of food.—PHO.
 Pain, shooting, in stomach—CAL.
 — contractive, squeezing in
 stomach—SUL.
 — clawing in stomach—SIL.
 Swaying up and down in stomach
 —PH-X.
 Empty feeling and pressure—CB-V.
 Fulness—SIL.
 — of stomach—K-CA., NI-X.
 Rumbling in bowels—SEP.
 Flatulent distension—GRP., PHO.
 Pain in liver—LYC.
 — in anus—LYC.

Oppression on chest like a weight
—SUL.
Palpitation of heart—LYC.
Heat—CAL.
— and anxiety—PHO.
Burning in hands—PHO.
Sweat—NI-X., SEP.
Exhaustion—NI-X.

After Drinking.

Toothache—CHA., GRP.
Pressure in stomach—SIL. (quickly)
Waterbrash—NI-X., SEP.
Pain in belly—SUL.
— shooting in left hypochonder—
NA-C. (cold fluid)

ABDOMEN.

Empty feeling—SEP.
Uneasiness—AM-C.
Borborygmus—CB-A., COL., CON.,
LYC., NA-M., NI-X., PHO., SUL.
— when moving—SIL.
Flatulence, much—K-CA.
—, accumulated—GRP., NA-C., NI-X.
— incarcerated—LYC.
— frequent production and dis-
placement of—SEP.
— displacement of—CAL., CB-A.,
CON., GRP., HEP., IOD., K-CA.,
NA-M., PHO., SIL., SUL.
— — — m. and e.—NI-X.
— — — afternoon—NIT.
— — — with hard stool—CAU.
— painful movement of—NA-C.
— sufferings from—PHO.
Fulness—MU-X.
— on waking, m.—CON.
— and in stomach—LYC.
Distension—CAU., CHI., IOD., LYC.,
MU-X., NA-C., NA-M.

Distension in children—CAU.
— flatulent—GRP.
— — after eating—GRP.
— great, with constipation—
MG-M.
Swelling—CAL., NA-M.
Large, in mothers—SEP.
Hardness—ANA., CAL.
Induration—LYC.
Tense, hard (in children)—SIL.
— condition—CB-V.
Weight—GRP., K CA.
— and uneasiness—K-CA.
Spasms—MU-X.
— in females—BRY., COC.
Pain—STN.
— in bed, m.—PHO.
— burning—ARS., LYC., SEP., SIL.
— sore, when walking—CON.
— pinching, ANT., LYC., NI-X.,
SIL.
— — and cutting, from catching
cold—NI-X.
— contractive—HEP.
— pressive, pinching—CAL.
— — shooting—CAL.
— cutting—ARN., CON., LYC., NA-M.,
NI-X., PET., SIL.
— — in morning—ALM.
— — after exercise—SEP.
— — with anorexia, costiveness and
red urine (child)—ANT.
— — and griping, with vomiting
of food, afternoon—CAL.
Colic—COL., JAL.
— flatulent—ANI.
— spasmodic—COL., VER.
— labour-like—K-CA.
— night—SUL.
— after vexation—COL.
— from driving—CB-V.

Colic, with restless nights—SNN.
 — with burning stool—ARS.
 Colicky pains from constipation—SIL.
 Pain, stitches—SUL.
 — shooting when touched—NI-X.
 — — worse on movement—BRY.
 — — and digging—NA-C.
 Feeling as if diarrhoea would come
 on—ANT.
 Coldness—CAL., SEP.
 Inactivity and coldness—K-CA.
 Cold, tendency to catch—NI-X.
 Ileus—PLB.
 Ascites—ARS., SEP.
 Tapeworm—GRP.
 — sufferings from—MG-M., STN.

Abdominal Muscles.

Formicating, shooting—MG-M.
 Deficient tensive power—PHO.
 Pain, as if too short, m.—SUL.

Hypochondria.

Tension through—CAL.
 — as from a hoop—LYC.
 — and in pit of stomach when
 stooping—ALM.
 — bruised—CB-V.
 — boring—SEP.
 — stitches—CB-V.
 — shooting and burning pains—
 ARN.

Left Hypochondrium.

Pain, pressive, shooting—STN.
 — shooting—CON., NA-M., SEP.
 — — on waking, m., with dyspnoea
 making him sit up—AM-M.
 — — from drinking cold fluid—
 NA-C.
 — tensive, pressive—NI-X.

Upper Abdomen.

Pressure—CAU., SUL.
 Cutting—CAL.

Umbilical Region.

Pain, twisting and digging—CON.
 — shooting, l. side, when walking
 —SUL.

Above Umbilicus.

Hardness and distension in middle
 and to right, with pain when
 touched—SIL.
 Pain on touching—CB-V., LYC., SIL.

Below Umbilicus.

Pain, contractive—SUL.

Hypogastrium.

Tenderness—SUL.
 Burning—PH-X.
 Pain, ulcerative—NI-X.
 Contraction—CON.
 Grasping and pinching, affecting
 breathing—LYC.
 Pinching, causing sleeplessness—
 MAG.
 Pain, digging, pressing and cutting
 —SEP.
 — pressive up to scrobiculus—SEP.
 — — when stooping—K-CA.
 — cutting—SIL.
 — shooting, pinching, as if in
 bladder, extending to urethra,
 n., in bed—LYC.
 — tearing, to groins and thighs—
 LYC.
 Feeling of something adherent and
 hard—SEP.
 Shaken pain when treading—
 AM-C.

Hardness—GRP.

Swelling—SIL.

Left Hypogastrium.

Pain from over-lifting—CB-V.

— pressive—NA-M.

Sides of Abdomen.

Forcing in—PHO.

Pain, tensive—ZIN.

Right Side.

Pain, pinching—LYC.

Painful hardness—MG-M.

Left Side.

Pain, digging—NA-M.

— pressive, making him cry out,
with constipation and dis-
placement of flatulence—SUL.

— stitching—HEP.

— shooting, when walking—SUL.

— as if something was torn out—SUL.

Rumbling—LYC.

Diaphragm.

Cramp, when stooping—NA-M.

Pain—STN.

Liver.

Pain, after eating—LYC.

— burning—AM-C., STN.

— boring shooting, when sitting, e.
—AM-C.

— pressive—ANA., CB-A., K-CA.

— pressive, when walking or when
touched, worst when lying
on right side—MG-M.

— cutting—CB-A.

— stitching—CB-V., NA-M., SEP.

— wrenching, when stooping—K-CA.

Gall-stone colic—COL., LAU.

Induration—ARS., TAX.

Hardness, with constipation—GRP.

— and distension—SIL.

Spleen.

Pain—NA-M.

Stitches—CB-V.

Inguinal Region.

Painfulness—GRP.

Pain as if festering and swollen,
when touched—AM-M.

— shooting—ARS.

— tearing—ARS.

— tearing, shooting from upper
border of pelvis to groin and
front of thigh—SEP.

Pressure of flatulence, as if a hernia
would protrude—CAL.

Hernia—AUR., COL., MAG., PET.,
PHO., SU-X., VER., ZIN.

— in children—NI-X.

— painful—SIL.

Inguinal Glands.

Swelling—NI-X.

Painful swelling—ARS.

Pelvis.

Pain, tearing, shooting from upper
border of pelvis to groin and front
of thigh—SEP.

RECTUM.

Pain, excoriative, when sitting—
AM-M.

— smarting and throbbing—NA-M.

— pressive, before discharge of
flatus—K-CA.

— cutting, and in bladder—LYC.

Pain, cutting, during stool—CAU.

— — shooting—NA-M.

Colic, hæmorrhoidal—SUL.

Formication—SEP.

Inactivity—ALM., K-CA.

Tenesmus—NX-V., SUL.

— hæmorrhoidal—SUL.

Discharge of mucus, with shooting
and tearing in anus and up
rectum—SEP.

— of moisture—SEP.

ANUS.

Burning—NA-M.

Pain, after stool—LYC.

— raw—MER.

— excoriative, after stool—MER.

— shooting—CB-A., MER.

— — during stool—SUL.

— — tearing, during stool—NA-M.

— tensive—LYC.

— throbbing, excoriative, constrictive—MER.

Itching—ALM., AM-C., ANA., CAL.,
CB-V., CAU., K-CA., LYC., NI-X.,
PHO., SEP., SIL., SUL., ZIN.

Moisture—ANA.

Discharge, whitish-yellow mucus—
ANT.

— mucus—GRP.

— — from ever open anus—
PHO.

Congestion—SEP.

Inflammation—MER.

— swelling, throbbing, excoriative
pain and constriction, alternating
with sore throat (of syphilitic
origin)—BEL., MER., NI-X., SUL.

Bleeding—AM-C., CB-V.

— during stool—CB-V., CAU., SEP.

Swelling—MER.

Hæmorrhoids—AM-C., CB-V., GRP.,
K-CA., NA-M., NI-X., PHO.,
SUL.

— fluent—AM-C.

— extrusion of—CAU., SEP.

— — — during stool—CAL., NI-X.

— painful—ANA., CB-V., GRP., NA-M.

— excoriation-pain after stool—
GRP.

— itching—NI-X.

Fissure, with sore pain—MER.

— between piles, burning pain—
GRP.

Fistula—CAU.

DEFÆCATION.

Irregular and difficult—NI-X.

Difficult—AM-C., ANT., BAR.

— only after great straining—LYC.

— owing to too large fæces—K-CA.

— owing to costiveness—K-CA.

— with tearing shooting pains in
anus and rectum—NA-M.

Urging—NI-X., PHO.

— frequent, with painless evacuation
of soft fæces—COF.

— ineffectual—SEP.

— ineffectual owing to very hard
stool—LYC.

— with tearing in abdomen—PHO.

Involuntary—ZIN.

— of flatulent fæces—CAL.

— while urinating—SUL.

Before Defæcation.

Great urging—PHO.

During Defæcation.

Anxiety—K-CA.

Burning in rectum—NA-M., SEP.

Cutting in rectum—CAU.

Tearing, shooting pain in anus
and rectum—NA-M.

Shooting in anus—SUL.

Protrusion of piles, with burning
pain—CAL.

— — — with itching—NI-X.

Prolapsus of rectum—SEP., SUL.

Blood comes out of anus—CB-V.,
CAU., SEP.

Discharge of prostatic fluid—
ALM., HEP.

After Defæcation.

Pain in anus—LYC., NI-X.

Excoriation pain—MER.

— pain in hæmorrhoids—GRP.

Exhaustion, bruised feeling—CAL.

STOOLS.

Frequent—CB-A., COF., NA-M., NI-X.,
PET., PH-X.

Insufficient—BAR., CB-V., GRP.,
NA-C., SEP.

Costiveness—ANT., CAL., LYC., MAG.,
NI-X., SIL.

— and difficult defæcation—K-CA.

— with ineffectual straining—
SIL.

Delayed—SEP., SIL.

Every other day—K-CA., NA-M.

Every two or three days—SUL.

Constipation—AM-C., AM-M., ARN.,
ARS., BRY., CAL., CB-V., CAU.,
GUI., IOD., K-CA., MEN., OPI.,
PLB., SIL., ZIN.

— long continued—NA-M.

— long continued with costiveness
and hardness of hepatic
region—GRP.

— for several days—LYC.

— with ineffectual efforts—CON.

Constipation and diarrhœa alter-
nately (old people)—ANT.

— when travelling—PLA.

Burning with violent colic—ARS.

Dry—NI-X., PHO.

Thin form—MU-X., SUL.

Too large, with difficulty passed—
K-CA.

Lumpy—BAR.

— difficult—MAN.

— hard—PET.

— — difficult, unsatisfactory, de-
layed—MG-M.

Hard—ANT., BAR., CAL., SUL.

— every other day—CON.

— with ineffectual straining—LYC.

Loose—CAL., GRP., NA-M.

— tendency to—NI-X.

Pappy, frequent—MAN., SIL.

Soft—COF., SEP.

— and liquid—ZIN.

Thin, pale—CB-V.

White—CAU.

Bright-coloured—CAU.

— mucous—CB-V.

Oily, glistening—CAU.

Mucous—ARN., K-CA., SEP.

— mixed with blood—ARN.

— with tenesmus—ARN.

Blood with—AM-C., AM-M., ANA.,
CB-V., PHO., SAR.

— stool covered with—CON.

Diarrhœa—CHI., COF., COL., CON., PET.

— painless—NI-X.

— chronic—MG-M., PHO.

— non-fæculent—ARN., RHE.

— green—ARS.

— consisting of small stools, mostly
composed of mucus accompanied
by fæcal motions and straining
—NX-V.

Diarrhoea and vomiting—CAM.
 — with belly-ache—AM-C.
 — with pains in bowels—SIL.
 — weakening, with much borboryg-
 mus (cholérine)—PH-X.
 — caused by milk—LYC.
 — weakness from prolonged—CHI.
 Purging, weakness from excessive—
 CHI.
 Dysentery—SUL., VER.
 — autumnal—MR-C.
 — bilious—ARN.
 — without diarrhoea—NX-V.
 Ascarides—CAL.
 Lumbrici—LYC.
 Tapeworm—GRP., PHO.

FLATUS.

Great discharge of—GRP.
 Excessive—CB-V.
 Frequent discharge of—MAN.
 Continual discharge of—K-CA.
 Deficient—K-CA., LYC.
 Difficult discharge of—SIL.
 — discharge of, m.—HEP.

Before Discharge of.

Pressive pain in rectum—K-CA.

During Discharge of.

Cutting in abdomen—CON.

URINARY ORGANS.

Kidneys.

Nephralgia—ACO.

Bladder.

Pressure in, as if urine would
 come—CON.
 Pain, cutting, and in rectum—LYC.
 — shooting, pinching, extending to
 urethra, n., in bed—LYC.

Catarrh—TAX.

Catarrh of, with dysuria—DUL.

Paralysis—ARS.

Urethra.

Itching during and after micturi-
 tion—LYC.

Burning—CAL., PET.

— twitching—PHO.

— after micturition—NA-C.

Cutting during micturition—ANT.

Tension—PHO.

Inflammation—CTH.

Hæmorrhage—CAL., LYC.

Discharge, mucous—HEP., NA-M.

— — with burning and sacral
 pain—ANT.

Gonorrhœa—COP., PTR., THU.

— sycotic—NI-X. (alternately with
 THU.) THU.

— inflammatory stage—CAN., CTH.

Gleet—NA-M.

Stricture—CLE., PET.

Micturition.

Frequent—ANT., BAR., CAL., K-CA.,
 SIL., UVA.

— with urging—LYC.

Nocturnal—ALM., AM-C., CUP., GRP.,
 IOD., K-CA., NA-M., PH-X., SEP.

— every hour—NA-M.

Urging—BAR., K-CA., LYC., NA-C.,
 SEP., SUL.

— anxious, d. and n.—CB-V.

— with thirst—CAU.

Painful—NI-X.

Involuntary—UVA.

— when coughing, sneezing or
 walking—CAU., NA-M., ZIN.

— when walking—ZIN.

Incontinence—ACO., NI-X.

Enuresis, d. and n.—CAU.
 — nocturna—CB-V., HEP., PET.,
 SEP., SIL., SUL.
 Dribbling, involuntary—PET.
 Strangury—ARS., CAM., CTH., CON.,
 PUL.
 Difficult—ARS., CON., TAX.
 Ischuria—CTH.
 Retention, when he wishes to mic-
 turate—ZIN.

During Micturition.

Burning in glans—ANA.
 Cutting in urethra—ANT., CON.
 Smarting—CB-V., PHO., SEP.
 Sudden stoppage of stream—CON.
 Itching in urethra—LYC.
 Involuntary stool—SUL.

After Micturition.

Burning in glans—ANA.
 Itching in urethra—LYC.
 Burning in urethra—NA-C.
 Discharge of prostatic fluid—HEP.

Urine.

Scanty—CB-V., NX-V.
 — in dropsy—DIG.
 Diuresis—SQU., TRX.
 Turbid, white—CON.
 Dark—CB-V., SEP.
 Red—ANT.
 Hæmaturia—CAL.
 — hebdomadal—CHI.
 Purulent—UVA.
 Chyluria—PH-X.
 Fœtid—CB-A., NI-X.
 Scalding—PHO.
 Gravel—LYC.
 Urinary troubles—CLE.

GENITALS (MALE).

Inordinate excitement—NA-M.
 Weakness—SEP.
 Itching—SEP.
 Swelling—ARS.
 Sweat, fœtid—SUL.
 Condylomata—THU. (alternately
 with NI-X.)
 —, chronic—THU. (externally).
 Chancre—MER.

Prepuce.

Itching—SIL.

Glans.

Burning, during and after micturi-
 tion—ANA.
 Soreness—NI-X.
 Ulceration (mercurial)—HEP.

Scrotum.

Swelling—SEP.
 Itching and moisture—PET.

Testicles.

Pain, when touched—PH-X., SEP.
 — gnawing—PH-X.
 — pressive—CB-V.
 Retraction—CAM.
 Hanging down—NI-X.
 Orchitis—CLE.
 Swelling—K-CA., LYC.
 Induration—AUR.
 — after badly treated gonorrhœa
 —CLE.

SEXUAL FUNCTION.

Lascivious thoughts—CAL.
 — — frequent, involuntary—SIL.
 — — unnatural—CB-V.

Excessive sexual desire—ALM., GRP.,
—NA-M.

Venereal excess—SIL.

Erections, strong, e.,—PHO.

— weak—LYC.

— deficient—CAU., CON., HEP.,
K-CA., LYC., MAG., NI-X.

— morning, deficient—GRP.

— by day—ANA.

— constant at n.—ZIN.

Emissions—AM-C., CB-V., CHI.

— frequent—CAU., LYC., NI-X., PET.,
PHO.

— without erection—GRP.

— deficient—K-CA., LYC.

Dormant sexual desire—GRP.,
K-CA.

Deficient sexual desire—AM-C.,
CAL., HEP., K-CA., LYC., MAG.,
NI-X.

— desire and weakness of sexual
power—SIL.

— power—BAR., CAL., NI-X., SUL.

Impotence—CON., LYC., NA-M.

Coitus, aversion to—LYC.

— feeble—CON., HEP., PHO.

— weakness of, but nervous excite-
ment to—PET.

— erections too short—CAL.

— too speedy ejaculation—CB-V.,
LYC., PHO., SUL., ZIN.

— deficient pleasure—ANA., GRP.

— easy excitement to, merely by
thinking—LYC.

— incessant urging to—PHO.

— irresistible desire for, every n.,
—LYC.

Coitus, during.

Shooting and burning in genitals
during ejaculation—CAL.

Coitus, after.

Weakness, especially of eyes—K-CA.

Exhaustion—AGA., CON.

Seminal loss, weakness from excess-
ive—CHI.

Onanism, weakness from—CHI.

PROSTATE GLAND.

Discharge of prostatic fluid—HEP.,
PET., PLA.

— — — during stool—ALM.,
HEP.

— — — after micturition—
HEP.

GENITALS (FEMALE).

Heat in and on—SEP.

Itching—NA-M.

— (and in anus)—CAL.

— and burning—CB-V.

— and excoriation—CB-V.

— and smarting—K-CA.

Pressing on—SUL.

— and forcing—SEP.

— down, as if all would come out
—NA-C.

Out-pressing above pudendum, into
vagina while stooping—LYC.

Hysterical spasms in uterus and
abdomen, extending to thighs,
and followed by leucorrhœa—
MG-M.

Aversion to coitus—CAU., NA-M.

Nymphomania—HYO., VER.

Sterility (with scanty menses)—
AM-C.

Vulva.

Itching—CON., SIL.

— and burning—SUL.

— burning and gnawing—LYC.

Stitches in labia—CON.
 — — — on lying down—LYC.
 Excoriation—GRP.
 — and betwixt thighs—SEP.
 Soreness between v. and thighs—
 CAU.
 Swelling—CB-V.
 Varicose veins in labia—CAL.

Vagina.

Pain, pressive—CAL.
 — shooting—CON.
 — — up to womb—PHO.
 Flatus, discharge of, from—LYC.

Uterus.

Pressure on prolapsed—CAL.
 — downwards and shooting in
 vagina—CON.
 Pinching and clawing—CON.
 Pain, shooting, in os—CAL.
 Spasms—CON.
 — digging above pudendum, dis-
 tension of belly, stitches in
 left side of chest—CON.
 Labour pains, excessive—COF.
 Deficient labour pains—BOR.
 After pains—CAL., CHA., COF.
 Metrorrhagia — BRY., CAL., COF.,
 HYO., IPE., NA-C., SAB., SU-X.
 Hæmorrhage when nursing—SIL.
 Prolapsus—AUR.
 Malformed os—NA-C.
 Induration—AUR., PLA.
 Furor uterinus—HYO., VER.

MENSTRUATION.

In elderly women—RHS.
 Painful—ZIN.
 Anticipating—AM-C., CAL., K-CA.,
 NA-M., SUL., ZIN.

Anticipating and scanty—SIL.
 — and prolonged—NX-V.
 — and too profuse—CAL., IGN.,
 NX-V.
 Delayed—CAU., GRP., HEP., IOD.,
 MAG., NA-M., PUL.
 — with cutting in abdomen—GRP.
 — and scanty—NA-M.
 Prolonged—NA-M., RHS.
 Profuse—ARS., CAL., CB-V., NA-M.,
 SU-X.
 Too profuse and too long—LYC.
 Scanty—ALM., AM-C., CB-V., CAU.,
 CON., K-CA., SEP., SIL.
 — and short—AM-C.
 — and pale—GRP.
 — and watery—PHO.
 Menstrual discharge, pale—CB-V.,
 GRP., SUL.
 Suppressed—CAL., CRO., FER., SEP.,
 SIL., TAX.
 — in anasarca and ascites—K-CA.
 — from fright—LYC.

Before menses.

Sadness and melancholy—LYC.
 Sadness—NA-M.
 Crossness—NA-M.
 Headache—NA-M., SUL.
 Itching in vulva—SUL.
 Leucorrhœa—BAR., CAL., CB-V., GRP.

At beginning of menses.

Sadness—NA-M.

During menses.

Vexation—ACO.
 Headache—NA-M.
 Vomiting—CB-V.
 — and diarrhœa—AM-M.
 Pain in belly—STN.

Cutting in abdomen—AM-C., CAL.
 Spasms in abdomen—GRP.
 Pressive and contractive pain in belly and back—AM-M.
 Fermentation—PHO.
 Distension of abdomen—ZIN.
 Spasmodic pain in hypogastrium—NA-M.
 Pain in liver—PH-X.
 Pressing in genitals—AM-C.
 Tearing in genitals—AM-C.
 Pain in mammæ—GRP.
 Tearing in back—AM-C.
 Pain in sacrum—AM-M., CAL.
 Itching, eruption, and excoriation between legs—K-CA.
 Down-pressure and drawing in thighs—CON.
 Tearing in feet—AM-M.
 Pain—ALM., GRP., NA-C.
 Bruised pains—SEP.
 Weakness—GRP.
 Obligated to lie down—AM-C.

After menses.

Headache—NA-M.
 Leucorrhœa—GRP.

LEUCORRHŒA.

Leucorrhœa — ALM., AM-C., CB-A., CB-V., CAU., CON., DIC., K-CA., LYC., MAG., NA-M., NI-X., PHO., STN., SUL., ZIN.
 — profuse—AM-C.
 — long continued—MEZ.
 — like water—AM-C., GRP.
 — yellow water—SEP.
 — like milk, in gushes, preceded by cutting in umbilical region—SIL.
 — putrid—NA-C.

Leucorrhœa, white, acrid, causing burning—CON.
 — acrid—AM-C., ARS., NA-M.
 — — causing excoriation — ARS., SIL.
 — with itching and soreness—ANA.
 — burning, itching—CAL.
 — — smarting—CB-A.
 — with smarting of pudendum—HEP.
 — smarting, excoriating—CON.
 — preceded by cutting in hypogastrium—LYC.
 — — spasms in uterus and abdomen—MG-M.
 — coming when urinating—SIL.
 — just before menses—BAR., CAL.
 — before menses—CB-V., GRP.
 — after menses—GRP.
 — — coitus—NA-C.

MAMMÆ.

Itching—ALM.
 Pain, shooting—NA-M.
 Cancerous ulcer—CLE.
 — — with shooting, burning pain and smell of old cheese—HEP.
 Induration, painful—CB-A., CON.
 — nodular—NI-X.
 Atrophy—NI-X
 Milk, too profuse—CON.
 — weakness from great loss of—CHI.
 — fever, after child-birth—CAL.
 Suckling, sufferings from too prolonged—CHI.

Nipples.

Itching—SUL.

**RESPIRATION, ORGANS OF.—
NOSE.**

- Sneezing, aborted—NA-M., NI-X., SIL.
 — frequent, CAL., CON.
 — excessive—SIL.
 — tearing in nape to shoulders—AM-M.
 Tendency to coryza—ALM.
 Coryza—BAR., CAL., CB-V., LYC., NI-X., PET., SEP., SUL., ZIN.
 — fluent—LYC., SUL.
 — — frequent—SIL.
 — — copious—SUL.
 — — which removes chronic stuffed nose—SIL.
 — stuffed—AM-C., CAL., CB-A., CAU., K-CA., LYC., MAG., NA-M., NI-X., PHO., PLA., SEP., SIL., SUL.
 — — chronic—SAR.
 — — morning—CAL., CON.
 — — for many years—CON., SIL.
 — on getting cold—GRP.
 — from slight draught, going off by perspiration—NA-C.
 — with loss of taste and smell—PUL.
 — and sneezing—NA-M.
 — and cough—ALM., LYC., NA-C.
 — continued, with cough—NA-C.
 — long-continued—AM-C., ANA., SIL.
 — every other day—NA-C.

LARYNX.

- Itching (glottis)—CAL.
 Tenderness—GRP.
 Scraping—ALM., GRP., HEP.
 Roughness—PHO., PH-X., SUL., SU-X.
 Constriction, suffocative—VER.
 Pain in thyroid cartilage when touched—ALM.

Catarrh—SAM.

- changes into coryza—SEP.
 — suffocative—AMB., ARS., CAL., COF.
 — and pain, during measles—CB-V.
 Rattling, when lying on side—ANA.
 Mucus from—PHO.
 Ulceration—CAL.
 Cough—ALM., AM-C., AM-M., CAL., GRP., HEP., IOD., K-CA., LYC., NA-C., TAX., ZIN.
 — severe—PHO. (and SEP. alternately)
 — chronic—PHO.
 — short—CAU.
 — — long-continued—NA-M.
 — dry—CAL., NX-V.
 — — m., chronic—LYC.
 — — n.—PET.
 — — d. and n.—LYC.
 — suffocative, n.—PET., SIL.
 — — IGN.
 — — after scarlatina—CHA.
 — — spasmodic, atn. in bed—NA-M.
 — whooping — CIN., CON., CUP. DRO., LED.
 — — after a chill—DUL.
 — convulsive—CON.
 — difficult—LYC.
 — from tickling in throat—AM-C., PHO.
 — tickling, when walking and breathing deeply—NA-M.
 — — PHO.
 — tickling, irritation, with constipation—SEP.
 — from creeping in larynx—SUL.
 — — scraping in larynx—PH-X.
 — causing headache, as if forehead would burst—NA M.
 — and coryza—ALM., LYC., NA-C

Cough, with hoarseness—AM-C., CAL., CAM., DUL.
 — with hoarseness and rawness on chest—PHO.
 — with expectoration—ANA., LYC.
 — with mucous expectoration—SIL.
 — with mucous expectoration, m.—PH-X.
 — with copious expectoration—PUL., SQU.
 — with salt expectoration, m. and e.—SEP.
 — with purulent expectoration—K-CA., LYC., SIL.
 — with bloody expectoration—NIT.
 — feverish, with hæmoptysis and stitches in chest—SUL.
 — with stomach-ache—CAL.
 — with vomiting—NI-X., PHO.
 — with shock through chest—LYC.
 — with spasm of chest—K-CA.
 — with oppression of chest—NA-M.
 — with sacral shooting—AM-C.
 — in morning—CAL., IOD., NA-M.
 — by day—AM-C., NI-X.
 — by night—AM-C., BAR., CAL., GRP., HEP., K-CA., SUL.
 — nocturnal, with stitches in larynx—PHO.
 — in open air—NIT.
 — on lying down, n.—NI-X., PET.
 — on going upstairs—NIT.
 — after drinking—LYC.
 — on holding in breath—NIT.
 — from laughing—PHO.
 — in scrofulous subjects—CON.
Croup, membranous—ACO., HEP., (or alternately with SPO.) MER. (?) SPO. (alone or preceded by ACO.)
Phthisis of—DRO., MAN., NI-X.
Diseases of—MAN.

TRACHEA.

Catarrh—ALM.
 — of windpipe and chest—ALM.
Diseases of—MAN.

VOICE.

Weakness—ANG.
 Extinct—HEP. (mercurial), HYO.
 Hoarseness—K-CA., NA-M., NI-X., PET., SEP., SIL.
 — long continued—CB-V., CAU., MAN.
 — in m.—CB-V.
 — with cough—AM-C., CAL., CAM., DUL.
 Speaking difficult, with scrapy sore throat—HEP.
 — causes weakness of chest—PH-X.
 — fatigues—CAL.
 Singing, not clear—GRP.

EXPECTORATION.

Detached with difficulty—SEP.
 Can't cough it up—CAU.
 White mucus—BEL.
 Yellow, foetid—CAL.
 Purulent—K-CA., LYC., SIL.
 — salt—NA-C.
 Salt, with cough, m. and e.—SEP.
 Bloody—NIT.

CHEST.

Tickling—PHO.
 Roughness—NI-X.
 Fulness—SUL.
 Full of phlegm—BAR., CAL.
 Weight on—PHO., SUL.
 Tightness—ALM., AM-C., CB-V., GRP., NA-M., NI-X., NIT., SU-X., VER.
 — spasmodic—K-CA.

- Tightness, suffocative, n.—SUL.
 — cannot lie with head low—NIT.
 — and short breath—NA-C., SIL.
 — oppression and shortness of breath when walking, going up hill, and lying in bed, n.—SEP.
 — with whistling and râles in chest and visible palpitation of heart—SUL.
 — in m.—CON., K-CA.
 — at n.—CAL.
 — when at rest—SIL.
 — when working—AM-M.
 — when working with hands—NA-M.
 — when walking quickly—K-CA.
 — on going up hill—ARS.
 — on waking, m.—CON.
 Constriction—NX-V., VER.
 Oppression—GRP., SEP.
 — with nocturnal cough—BAR.
 — with short breathing when working—LYC.
 Catarrh, chronic—STN., TAX.
 Congestion—AUR.
 Ebullition—SEP.
 Spasm—GRP., K-CA.
 Pain under l. breast when lying on it—PHO.
 — from movement—SEP.
 — in side, when breathing and coughing—SEP.
 — burning—CAL., SUL.
 — — rising up like heartburn—LYC.
 — — in upper part of chest—AM-C.
 — sore—CB-V.
 — sore, burning—PHO.
 — sore, in middle—SEP.
 — bruised—LYC.
 Pain, pressure on—CAL., PHO., SIL.
 — — when coughing and sneezing—SIL.
 — — on l. lowest rib—LYC.
 — pressive, shooting—NA-C.
 Spasmodic constriction, after speaking—HEP.
 Stitches—CB-V., GUI.
 — in side—PET.
 — chronic, in side—PHO.
 — left side—LYC., SEP.
 — in l. side, also when touched—PHO.
 — during mental work—SEP.
 — on moving—CAL.
 — in left side when bending to that side—CAL.
 — when coughing—NA-M.
 — when breathing deep—NA-M., NIT.
 — through to l. scapula—SUL.
 Pain, shooting, worse when moving—BRY.
 — — through to back—SIL.
 — — under l. ribs—SIL.
 — tensive—NA-M.
 — tearing from upper part of l. lung to shoulder joint—AM-C.
 — jerking—CON.
 Weakness from speaking—PH-X.
 Fatigue, from singing—SUL.
 Pleurodynia—ACO., ARN.
 Pleurisy—ACO., LED., SQU.
 Hæmoptysis—ARS.
 Pneumonia—SQU.
 Lungs, suppuration of, with stitches—CHI.
 Phthisis—DRO., STN.
 — suppurative—K-CA., LYC.
 — with foetid purulent expectoration—GUI.

Angina pectoris—ARS.

Hydrothorax—CB-V., CCH.

RESPIRATION.

Short—AM-C., CAL., CAU., LYC., NI-X.

— with inability to speak much—
PH-X.

— when at rest—SIL.

— when working—LYC., SEP., SIL.

— when walking—CB-V., CON.

— when walking quickly—NA-M.,
SIL.

Oppressed, in going up hill—ARS.

Panting, when at work—NI-X.

— when walking quick—SIL.

Loud, panting—PHO.

Whistling—K-CA.

Wheezing, at n. in bed—NA-M.

Stertorous—NA-M.

Difficult—ALM., CAP., BEL., NA-C.,
PHO., RHO., SUL.

Dyspnœa—AMB., AUR., IGN., IOD.,
K-CA., VER.

— paroxysmal, spasmodic—IPE.

— of children—LYC.

— when stooping—CAL.

Asthma—ACO., ÆSC., IPE., LED.,
NX-V.

— humid—STN.

— spasmodic—IPE., NX-V., VER.

— — hebdomadal—CHI., IGN.

— hypochondriacal—CCH.

— nocturnal—CON.

— with hydrothorax—CCH.

— Millar's—MSC.

Suffocation, feeling of—CAM.

— spasms of—IPE.

— attack of, with tightness of
chest—AUR., VER.

— at n., lying—ARS.

— caused by drinking—BEL.

Suffocation with anxiety—CAM.

Loss of breath when lying on back
—SIL.

— — — when stooping—SIL.

— — — when running—SIL.

— — — when coughing—SIL.

Asphyxia—SUL. (fumes).

Stitches in r. scapula when breathing
—AM-M.

CHEST WALLS.

Stitches—AM-C.

Gone to sleep—GRP.

Brown spots—CB-V.

Herpes—PET.

Sternum.

Aching—ARS.

Pressure on—SEP., SUL.

Stitches—ARS., CON., SUL.

Pain, tensive—ZIN.

Throbbing—SIL.

Muscles.

Prickling, shooting—CAL.

HEART.

Anguish—ARS., CAL., CAM.

Tenderness—CAM.

Stitches—CAU.

Palpitation—ALM., AUR., BAR., BIS.,
CAL., CAU., K-CA., MAN., OLN.,
PET., SEP., ZIN.

— stopping the breath—ZIN.

— anxious—LYC., NA-C., NA-M., ZIN.

— with precordial anguish and fly-
ing heat—CAL.

— at night—CAL.

— when sitting—PHO.

— on every movement of body—
NA-M.

Palpitation and stitches, preventing lying on l. side—LYC.
 — and ebullition of blood, on waking, m.—K-CA.
 Irregular, spasmodic movements—ZIN.
 Cessation of beats, stopping breath—ZIN.
 Weakness of—AUR.
 Syncope—CHI.

PULSE.

Quick—ACO.
 Slow—CAM., DIG.
 Suppressed—CAM.

BLOOD-VESSELS

Varicose veins—ARS., CAL., LYC., NA-M.
 — — pain in—CAU.
 — — of pregnant women—LYC.

BLOOD.

Ebullition—PET., SEP.
 — and thirst from drinking a little wine—SIL.
 Hæmorrhages—IPE.
 Loss of, weakness from—CHI.

TEMPERATURE.

Coldness.

Coldness—CAM., CB-V.
 Deficient natural heat—LYC., SEP.
 Chilliness—ANA., CB-V., CAU., NI-X., NA-M., PUL., SIL., SUL.
 — disagreeable—ALM.
 — internal—NA-M.
 — of left side—NA-C.
 — in the morning—CAL.
 — in the evening—ALM., AM-C.
 — in bed every e.—PHO.

Chilliness after epileptic fit—CUP.
 — and restlessness—NA-M.

Shivering.

Tendency to, by day—K-CA.
 With racking pains in limbs and anxious restlessness, e.—ARS.
 After every movement—ARS.
 Rigor, febrile—CAM.
 — frequent, by d.—SIL.

Heat—BRY.

Flushes of—CAL., CB-V., LYC., PHO., SEP., SUL.
 — — with sweat—HEP.
 — — with palpitation and precordial anguish—CAL.
 Attacks of, when sitting, and when walking in open air—SEP
 Nocturnal—PET.
 From anger—SEP.
 When speaking about important things—SEP.
 And anxiety at n.—CAL.
 In bed, m.—K-CA.

FEVER.

With colic—VER.
 With predominant chilliness—BRY.
 With night sweats (mercurial)—HEP.
 Inflammatory—ACO.
 Gastric—BRY.
 Bilious—COL.
 Acute bilious after anger, with heat of face, unquenchable thirst, taste of bile, nausea, anxiety, restlessness—CHA.
 Dysenteric—NX-V.
 Worm, in scrofulous subjects—SIL.
 Hectic—STN.
 Puerperal—VER.

Milk, after confinement—CAL.

Epidemic—STR.

Some epidemic—DUL.

Measles—ACO.

Scarlet—BEL., IPE.

— burning heat, drowsy stupefaction, agonizing tossing about, with vomiting, diarrhoea, convulsions—OPI.

— prophylactic—BEL.

Rötheln—ACO., COF.

— with great restlessness, anxiety and heat—ACO.

— with pains in head and throat, and lacrimose disposition—COF.

In afternoon, chill or heat—NI-X.

Intermittent—ACO., AM-M., ANT., ARN. (alone or alternately with IPE.), ARS., BEL., CAL., CAP. (alone or alternately with CIN.), CB-A., CB-V., CHI., CIN. (alone or alternately with CAP.), GEU., HEP., IPE., (alternately with ARN., or NX-V.), MEN., NA-M., NX-V. (alternately with IPE.), OPI., PUL., SPI., SUL.

— endemic in marshy localities—CHI.

— quotidian—ARS., IGN.

— — with drawing pains in legs—NIT.

— tertian, first heat of face, then chilliness—CAL.

— tertian, with sour vomiting after chill and bloated face and hands—LYC.

— quartan—CHI., HEL.

— hebdomadal—CHI.

Intermittent, consisting of only outward coldness or only inward heat with dark urine, cold sweat of body or of forehead—VER.

— chill commences immediately after taking hot soup—ALM.

— evening, first chill, then heat of face with cold feet—PET.

— heat before chill—NX-V.

— with long duration of heat—IGN.

— with thirst during chill, not during heat—IGN.

— with great sensitiveness and irritability—IGN.

— with vomiting, and bulimy—CIN.

— with too great contractility of muscular fibre—LAU.

— with immobile pupils, pressive, tensive pain in scrobiculus and umbilicus, tension throughout body, sopor, occasional sweat with relief, amelioration by eating pork, aggravation by east wind—OPI.

— commencing afternoon, with tension of stomach, vertigo, confusion of mind, hypochondriacal ideas, anxiety and exhaustion—NX-V.

— pains after—LED.

— aggravated by cinchona—NA-M.

Continued—ARS., CAM., NX-V.

Low-nervous—(typhoid ?)—CAM.

Typhoid—BRY., COC.

— sees people and faces not present—ARS.

— with extreme anxiety—ARS.

- Typhoid, with pusillanimity, weeping, timidity, fear of death—ARS.
- with thirst, but only wets lips, cannot drink much, cold feet and hands—ARS.
- with nausea and sinking in stomach—ARS.
- with sudden fits of suffocation—ARS.
- always wants to change his bed—ARS.
- patient attempts to rise but falls from extreme weakness—ARS.
- after cholera—BRY. (alternately with RHS.).
- Typhus—BRY. (alternately with RHS.).
- with delirium and mania—HYO.
- with lethargy—ÆTH-NITR.
- with shooting pains in head, throat, chest, abdomen, worse on movement, heat, restlessness—BRY.
- with shooting pain in various parts when at rest, prostration, harassing cough—RHS.
- malignant—CAM.

NECK.

- Easily sprained and thence painful—CAL.
- Pain in nape—AM-C., GRP.
- drawing and scraping up to occiput, d. and n.—LYC.
- pressive in nape—NA-M.
- shooting—BAR.
- Tension in nape—CON., SUL.
- Stiffness—BAR., CAL., CB-V., CAU.

- Stiffness of nape—K-CA., LYC., MAG. NA-C., NI-X., PHO., SEP.
- — — from over-lifting—LYC.
- of one side—LYC.
- Swelling—IOD., PHO.
- hard, of one side—LYC.
- Glandular swellings in nape—SIL.
- Swollen and stiff, being easily sprained—CAL.
- Weakness of muscles—K-CA.
- of nape—SIL.
- Eruption on nape—PET.
- Herpes on nape—PET.

Cervical vertebræ.

- Sore pain in lowest v.—CON.

BACK.

- Pain—NI-X., PET., SEP., ZIN.
- at n.—CAL., LYC., NA-M.
- preventing him standing—PET.
- when walking—CAU.
- after manual labour—SUL.
- burning—CB-A.
- contractive—GRP.
- digging, cutting, pressive—SEP.
- as if broken—PHO.
- as if broken on the wheel—SIL.
- dislocative—CAL.
- drawing—CB-V., K-CA., SUL.
- — pressive—NA-M.
- — and tension—AM-C.
- shooting—SIL.
- tearing—SIL.
- — and cramp—SEP.
- tensive—NA-M.
- Stiffness—SEP.
- painful, when rising from seat—CAU.
- Horription—CHA.
- Chilliness—SEP.

Weariness—NA-M.

Weakness—SIL.

Itching eruption—SEP.

Pimples, itching—CB-V.

Scoliosis—BAR., CAL., PH-X., PHO.,
SIL., SUL.

Lumbar Region.

Pain, shooting, over pelvis when
sitting and lying—SIL.

Lumbago—COL.

Sacrum.

Pain—BAR., CAL., K-CA., NI-X., SEP.,
SUL., ZIN.

— also when touched—SIL.

— from a fall—K-CA.

— preventing standing—PET.

— when at rest—ALM.

— raw, sore—NA-C.

— as if bruised or broken—GRP.

— paralytic, bruised—NA-M.

— drawing, to middle of back—
K-CA.

— — spasmodic, compelling him
to lie down, and preventing
him rising—SIL.

— — and tension—AM-C.

— cutting—NA-M.

— sharp—NA-M.

— shooting on rising from stooping
—LYC.

— throbbing—SEP.

Stiffness—AM-M., BAR., CAU.

Creaking—SUL.

Weakness—SIL.

— when walking—SEP.

Scapulæ.

Pain, drawing and tearing—CAU.

Stitches—NIT.

Right Scapula.

Stitches when breathing—AM-M.

Betwixt Scapulæ.

Pain, drawing—HEP.

— bruised—SIL.

Stiffness—K-CA.

LIMBS.

Itching and biting—LYC.

Gone to sleep—CAL., CB-V., K-CA.,
LYC., PET., SIL., SUL.

Pain—ACO.

— bruised—CAL., CB-V., CON.

— —, evening—SIL.

— — m. on rising—CB-V.

— drawing—CAM., GRP., HEP.,
K-CA., LYC.

— pressive, drawing—NA-M.

— gouty, shooting—GUI.

— tearing—LYC., NI-X., PHO., SIL.

— — after a chill—DUL.

— — shooting, causing contrac-
tions, the pains are excited
by the slightest movement
and are accompanied by heat
—GUI.

— as from sprain and over-lifting—
CB-V.

Horripilation—CHA.

Trembling—ALM.

Restlessness and throbbing—SEP.

Cramp—CAL., SIL.

Jerking, by day—CB-V.

— when sitting or lying—SUL.

— and twitching when awake or
asleep—LYC.

— — — SEP.

Twitching—ALM.

—, day and night—SIL.

Muscular twitching—SEP.

Sprain, tendency to—GRP.
 Stretching—ARS.
 — when sitting—ALM.
 — and extending, frequently—SEP.
 Weariness—CAL., LYC., PLA.
 Over-tired, as if—CON.
 Weakness, sudden—CON.
 — when walking in open air—
 AM-C.
 — paralytic, with dizziness—AM-M.
 Paresis, e.—SIL.
 Paralysis—ACO., COC.
 Insensibility—LYC.

JOINTS.

Pain, intolerable—MAN.
 — drawing—SUL.
 — — and tension—AM-C.
 — shooting, burning—RHO.
 — — at n.—SIL.
 Cracking and stiffness—PET.
 Stiffness, and want of suppleness in
 wrists, knees, ankles—SEP.

BONES OF LIMBS.

Pain at night—AUR.
 — from abuse of mercury—LYC.
 — intolerable, of periosteum—MAN.
 Crooking—AM-C., IOD.

UPPER EXTREMITIES.

Formication—SUL.
 Gone to sleep—GRP., K-OA.
 — — on waking, m.—MG-M.,
 SEP.
 — — when lain on—BAR., SIL.
 — — — when raised—LYC.
 Pain at n.—CAL.
 — on raising them—PHO.
 — when hanging or stretched out
 in bed—ALM.

Pain, drawing—CAU., LYC., SIL., ZIN.
 — paralytic drawing—MG-M.
 — — — so that he must let it
 hang down—SEP.
 — drawing and tearing, n.—CAL.
 — stitches, during bodily exertion
 —SEP.
 — tearing—CAL., SIL.
 — tearing and shooting in arms and
 scapulæ—PHO.
 — — towards ulcer on mamma—
 HEP.
 — tensive—ANA.
 Tension in.—SEP.
 Stiffness—AM-C.
 Cramp—CAL.
 Jerking, during siesta—LYC.
 Heaviness, cannot hold them up long
 —SIL.
 Paralytic heaviness—ALM., NA-M.
 Weariness—NA-M., SEP.
 — m., in bed—IOD., K-CA.
 Weakness—ANA., K-CA., LYC., SUL.
 — sudden, like paralysis—CAL.
 Paresis and trembling from slight
 work—SIL.
 Paralysis—FRI.
 Swelling—SUL.
 Eruptions—CAU.
 Pimples—PH-X.
 Pain in deltoid, on raising arm—
 BAR.
 Pain in bones, n.—LYC.
 Warts—SIL.

Shoulders.

Pressure on—K-CA.
 Pain, bruised, after vexation—COL.
 Soreness—CON.
 Pain, dislocative—SEP.
 — — when moving—LYC., MAG.

Pain, pressive—NA-C., NI-X.

— shooting—NI-X.

— tearing—LYC.

— — also at n., with formication in fingers, and inability to move the arm on account of the pain—MAG.

Spasmodic numbness, n.—LYC.

Twitching—SUL.

Axilla.

Sweat—SEP.

— foetid—HEP.

Scurf, in—NA-M.

Eczema, exuding under l.—SEP.

Boil—PH-X.

Upper Arm.

Gone to sleep—K-CA.

Pain, bruised—CAL.

— digging—NA-M.

— pressive, drawing—MU-X.

Forearm.

Pain, shooting—ANA.

Tension—SEP.

Commencing paralysis, lets things fall out of hand—SIL.

Weight—ANA.

Elbow.

Pain, when grasped—CB-V.

— drawing—SUL.

— — tearing, to shoulder—ARS.

— pressive—CAU.

Stiffness—K-CA.

Painful inflammation of ligaments, with redness and flexion of arm—ANT.

Tumour, encysted—HEP.

Pain in bone, n.—LYC.

Hands.

Dying away, when grasping—CAL.

Numbness—LYC.

Full feeling, when grasping—CAU.

Burning, also in feet—AM-C.

Pain, cutting—NA-C.

— tearing—PET.

Sweat—CAL.

Cold sweat—SEP.

Weakness, and feet—SAR.

Trembling—ANA. (r.), PHO.

Trembling when walking—K-CA.

— when doing fine work—SUL.

Cramp—GRP.

Cold—CAM., CON., NA-C., NA-M., SUL.

Heat—CB-V., PHO.

Dryness—LYC.

Dry feeling, m.—ZIN.

Rough skin—NI-X.

Swelling—CAL.

Rhagades—ALM., MAG.

Chaps on hands and fingers, bleeding in winter—PET.

Callosities, horny—GRP.

Wrist.

Painfulness of old sprain—AM-C.

Pain, drawing—SUL.

Stitches—NA-M.

— when working—ALM.

Pain, shooting, when moving—SEP.

— — up arm, n.—SIL.

— paralytic—K-CA.

Stiffness and want of suppleness—SEP.

Gouty stiffness—LYC.

— nodes—CAL.

Spots, brown—PET.

Palm.

Burning—SEP.

Sweat—CON., SUL.

Fingers.

Formication—SIL.
 — on tips—SUL.
 Numbness and dying away—CAL.
 — of tips, also of toes—PHO.
 Gone to sleep—AM-C., BAR., CAL.,
 IOD., NI-X.
 — — — on rising, m.—ZIN.
 — — — and formication—NA-M.
 — — —, little finger—LYC.
 Dying off—AM-C., CAL., HEP., SUL.
 — — at n.—AM-C.
 — — when grasping—AM-C.
 Pain, shooting, up to elbows—
 CAU.
 — tearing—LYC.
 Stiffness—AM-C.
 — awkwardness and weakness—
 SIL.
 — when working—LYC.
 Cramp—LYC.
 Jerking together, while sewing—
 K-CA.
 Drawn crooked—K-CA., LYC.
 Weakness—CAL.
 Paresis—CAL.
 Swelling, when arm hangs—AM-C.
 Inflammatory swelling and suppura-
 tion of little finger—MAN.
 Excoriation between—GRP.
 Herpes between—NI-X.
 Panaritium—ALM., SIL.
 Ulcers on tips with burning pain—
 ARS.
 Cartilaginous lumps—SUL.

Finger joints.

Pain, drawing—SUL.
 — tearing—LYC.
 — on pressure—SIL.
 Gouty stiffness—CB-V., LYC., PET.

Redness, swelling and gouty tear-
 ing—LYC.

Gouty nodes—CAL., GRP., LYC.

Ulcers—SEP.

Finger nails.

White spots—NI-X.

Deformed—SEP.

Thumb.

Dislocative pain in joint—GRP.

LOWER EXTREMITIES.

Running, as of a mouse—SEP.

Gone to sleep—GRP.

— — — stiffness, numbness at
 night—ALM.

— — — when sitting—ANT., CAL.

— — — especially after working
 —SEP.

Pain, burning—K-CA.

— drawing—BAR., NA-M.

— — and tension—SIL.

— tearing—BAR., CAL.

— — at n.—K-CA., LYC.

— — pressive—K-CA.

Violent pains—ANT.

Pains as if in marrow of bones—
 AGA.

Heaviness—CAL., SUL.

— with uncheerfulness—CAL.

Coldness—NI-X., SEP.

Restlessness—CB-V., CON., GRP.

— at n.—LYC., NI-X.

Cramp—CAL., CAM.

Stiffness—CAL.

Weariness—AM-C.

Paralysis, with mental weakness—
 RRS.

Spots, red—SUL.

Excoriation, betwixt—GRP.

Ulcers—CAL.
Shortening of—MEZ.

Nates.

Cramp—GRP.
Swelling—PH-X.
Boil—PH-X.

Hip.

Pain, dislocative—NA-M.
— drawing—CON.
— sharp—NA-M.
— shooting—ARS.
— tearing—ARS.
Sciatica—CB-A., TER.
— making him limp—CB-A.
— the hip joint seems bound with iron clasps to pelvis and sacrum, with pains periodically darting from loins to thigh—COL.

Left hip.

Tearing, shooting, dislocative pain AM-M.

Above hip.

Pressure and compression—CON.

Thighs.

Itching—NI-X.
Formicating shooting in muscles—NA-C.
Numbness—GRP.
Pain, on rising from seat—NI-X.
— bruised, when going up stairs—CAL.
— pressive, in muscles—SIL.
— shooting—ARS.
— — when treading—CAL.
— — when walking quickly—SUL.

Pain, stitch-like jerks, making him draw up the limb—SEP.

— tearing—ARS.
— — shooting from upper border of pelvis to groin and thigh anteriorly—SEP.

Coldness, with sweat on legs below knee, in bed, m.—SUL.

Herpes—GRP.

Varicose veins—CAL.

Itching ulcer—SIL.

Knee.

Gone to sleep—CB-V.
Pain, bruised—ARS.
— drawing—PHO., SUL.
— — paralytic—MG-M.
— — when sitting—CAL.
— — when walking—CAL.
— pressive—MG-M.
— — drawing—MU-X.
— shooting—CAL., PET.
— — when standing—CAL.
— — when sitting—CAL.
— tearing—CAL., LYC.
— — down tibia to instep—LYC.

Stiffness—LYC.

— and want of suppleness—SEP.

Weakness—NI-X., SUL.

Fatigue—ANA., CON., NA-M.

Herpes—CB-V., GRP., PET.

Swelling—CAL., LYC., SIL.

Hough.

Pain, burning, smarting, itching—LYC.

— tearing, n.—LYC.

Shortening, painful, of tendons—NA-M.

Herpes—GRP., NA-M.

Prurigo—ARS.

Leg, below knee.

Formication in calves—SUL.
 Formicating horripilation in shins
 —K-CA.
 Numbness of calves—SIL.
 Pain, burning—LYC.
 — contractive in calves when walk-
 ing—LYC.
 — drawing—SIL.
 — — and in big toe—SEP.
 — — when sitting—AM-C., CB-A.
 — — and shooting—CB-A.
 — shooting, in tibia—SEP.
 — tearing in tibia—ARS.
 Cramp of calves—CAM., COL., CON.,
 GRP., LYC., NA-C., SEP.
 — — — at n.—CB-V.
 — — — after exertion, e.—SIL.
 — and tension of calves when walk-
 ing after sitting—NI-X.
 Jerking and restlessness, n.—LYC.
 Twitching in calves—NI-X., PHO.
 Weariness of calves—NA-M.
 Red spots—CAL.
 Erysipelas—SUL.
 Boils—MAG.
 Ulcers, old, with tearing, itching
 and burning at n.—LYC.
 — — with burning and shooting
 pain—ARS.
 — with unhealthy complexion—
 SIL.
 Swelling—K-CA., SEP.
 — of tibia—PHO.
 Lumps—NA-C.

Feet.
 Dying away, evening—CAL.
 Gone to sleep, e.—SIL.
 Pain, burning—GRP., K-CA., NA-M.,
 SEP.

Pain, burning, also in hands—AM-C.
 — — and prickling—SEP.
 — cutting—NA-C.
 — tearing—LYC.
 Coldness—ALM., AM-M., CAL., CAJ.,
 CON., K-CA., LYC., MU-X.,
 NA-C., NA-M., PET., PLA.,
 SEP., SIL., SUL., SU-X.
 — at n.—PHO., SAR.
 — in bed—GRP., K-CA.
 Heaviness—NA-M.
 Cramp—LYC.
 Restlessness—SUL.
 Jerking by d., also at n. before
 going to sleep—PHO.
 Twitching during siesta—SEP.
 Weariness—ARS.
 Fatigue from walking—LYC.
 Weakness, and hands—SAR.
 Sweat—AM-C., CAL., CB-V., CUP.,
 MG.M., PH-X., SEP., SIL., SUL.
 — profuse—LYC.
 — cold—LYC.
 — foetid—BAR., K-CA., NI-X.
 — suppressed—CUP., SEP.
 — — and cold feet—SIL.
 Chilblains—SUL.
 — painful—ZIN.
 Swelling—AM-C., CAU., GRP., NA-C.,
 NA-M., PET., PH-X., SEP., SIL.,
 SU-X., VER.
 Insensibility—CB-V.
 Fœtor—SIL.

Dorsum.
 Pain, pressive—NA-C.
 — shooting—SEP.

Heel.
 Pain, shooting—AM-C.
 — — when treading—GRP., NI-X.

Sole.

Formication and gone to sleep—SEP.
 Pain, when walking—CAU., LYC.
 — ulcerative, when walking—PHO.
 — burning—ANA., CAL., CUP., MAN.
 — from walking—LYC.
 — shooting, when treading—NA-C.
 Cramp—AM-C.
 Ulcers—ARS.
 Pemphigus ulcers—ARS.
 Horny places—ANT.
 Hard, painful callosities—SIL.
 Corn—ANT.
 Swelling—CAL., LYC.
 When scratched a voluptuous tickling that almost drives him mad—SIL.

Ankles.

Pain when walking—CAU.
 Tired pain when sitting—ALM.
 Pain, ulcerative, on touching and treading—NA-M.
 — dislocative—SUL.
 — shooting, when treading—SIL.
 Sprained and dislocated, tendency to be—NA-C.
 Stiffness—K-CA., SUL.
 — and want of suppleness—SEP.
 — after sitting—ZIN.
 Swelling—LYC.
 Itching ulcer—SIL.

Toes.

Formication on tips—SUL.
 Numbness of tips, also of fingers—PHO.
 Pain, when walking—CAU.
 Burning sensation under—ALM.
 Coldness and stiffness—SUL.
 Cramp—LYC.

Giving way when walking—LYC.
 Drawn crooked—K-CA.
 Redness and swelling, with shooting pain—CB-V.
 Chilblains, painful—NI-X.
 Eroding wheals—SUL.
 Festering—GRP.
 Ulcers, obstinate, caused by pemphigus blisters, with elevated borders, moist red flat base—PET.
 Pemphigus ulcers—ARS., GRP.
 Horny skin—GRP.
 Corns—CAL., LYC., NA-M., PET., PH-X., SIL.
 — tenderness of—K-CA.
 — painful—CAL., LYC., NI-X.
 — burning, shooting, and tearing pains in—AM-C.
 — stitches in—SEP., SIL.

Toe nails.

Thick, deformed—GRP.

Big Toe.

Sensitiveness—CAL.
 Pain, excoriation, on walking, in ball—ARS.
 — dislocative, n., in bed, in ball—AM-C.
 — drawing, and in leg—SEP.
 — shooting and burning in ball—K-CA.
 Ulceration of, with shooting pain—SIL.
 Painful lymphatic swelling on ball—BAR.
 Horny excrescence under nail—ANT.

SKIN.

Itching—CON., MAG., SIL., SUL.
 — when heated, by d.—LYC.

- Itching in e., before retiring—LYC.
 — nocturnal—MEZ.
 Quivering from feet to head with
 dizziness—CAL.
 Tenderness—CON.
 Burning—ARS.
 Black pores (comedones)—NI-X.
 Ecchymoses from slight blows—SUL.
 Corns—AM-C., CAL., K-CA., LYC.,
 NA-M., NI-X., PET., PH-X., SEP.
 Burns—TER.
 Boils—ARN., CAL., LYC.
 — on nates and under axilla —PH-X.
 — on leg—MAG.
 — prevention of—ARN.
 Buboës, plague—ARS.
 Carbuncles—ARS., SIL.
 Chilblains—CB-A.
 — painful—NI-X., PET.
 — on feet—SUL.
 Condylomata, sycotic—NI-X., THU.
 Crusta lactea—DUL., HEP.
 Eczema, moist—CON., DUL.
 — suppurating—DUL.
 — exuding, under axilla—SEP.
 — on face—COL.
 Eruptions—ACO., AGA., CLE., RHO.,
 VIO.
 — chronic—CLE., VER.
 — on scalp—OLN., PET.
 — exuding and itching on scalp
 and behind ears—MEZ.
 — — papular, on face—GRP.
 — on head—BAR., CB-A., CLE.
 — scurfy, on head—K-CA.
 — on and behind ears—BAR.
 — on lobe of ear—BAR.
 — on face—BAR.
 — itching, on face and body and
 swollen cervical glands
 —AM-C
- Eruptions on lips—ARS.
 — on chest—PET.
 — painful, on neck and chest—LYC.
 — on nape—PET.
 — itching, on back—SEP.
 — on arms—CAU.
 — with intolerable voluptuous
 tickling, itching, creeping,
 gnawing, which after scratch-
 ing burns—SUL.
 — scabby—CLE.
 — scabby, behind ears—GRP.
 — scabby, on hairy scalp—ARS.
 — suppurating, with burning pain,
 on face—CIC.
 Erysipelas—CAM., RHS., SAM.
 — of face—CB-A., GRP., HEP., RHS.,
 SOL.
 — facial, liability to—GRP., SUL.
 — of leg below knee—SUL.
 Erythema nodosum—NA-C.
 Excoriations in children—GRP.
 Herpes—CB-V., DUL., GRP., K-CA.,
 NA-C., PH-X., RHS., VER.
 — on face—CON.
 — on chin—SIL.
 — round mouth—NA-M.
 — on chest—PET.
 — on nape—PET.
 — under axilla—CB-A.
 — between fingers—NI-X.
 — on thigh—GRP.
 — on knee—CB-V., PET.
 — on hough—GRP., NA-M.
 — with glandular swellings—DUL.
 Miliary eruption, rough—CAL.
 — — itching—AGA.
 Pimples on forehead—NA-M., PH-X.
 — on nose—SIL.
 — on and in nose—SIL.
 — on face—NA-M.

- Pimples on bluish-red base, chiefly on face—MER.
 — itching, on face—CON.
 — on chin—PH-X.
 — itching, on back—CB-V.
 — on arms—PH-X.
 Prurigo—NI-X.
 — in hough—ARS.
 Rhagades—ALM., LYC., MAG., PET.
 Scabies—HEP., MER., NX-V., SUL.
 Scurfiness—CAL.
 Spots, brown—CON.
 — brown on body—PHO.
 — — on chest, belly, and back—SEP.
 — brownish-red—NI-X.
 — round, copper coloured—MER.
 — red on legs—CAL., SUL.
 — — itching—CON.
 — — — and burning—K-CA.
 — yellow—SUL.
 — — on abdomen and chest—PHO.
 Tinea capitis—GRP., PET.
 Unhealthy, festering—GRP.
 Ulcers—ACO.
 — chronic—CUP.
 — smooth, pale, shallow on scalp, penis, etc.—MER.
 — eroding, on face—CON.
 — wart-like, on cheek—ARS.
 — cancerous, of lips—CLE.
 — above navel—ARS.
 — cancerous, of breast—CLE.
 — on fingers and toe-joints—SEP.
 — on legs—CAL., LYC.
 — — — with shooting, burning pains—ARS.
 — — — with unhealthy complexion—SIL.
 — fiat, painless on leg, without redness, with uneven, jagged ground and dirty pus—PH-X.
- Ulcers, foetid on legs, that bleed easily—CB-V.
 — on thigh and ankle, itching—SIL.
 — on feet—BAR.
 — on toes, caused by pemphigus blisters, with ulcerated borders, moist, red, flat surface—PET.
 — foetor of—SIL.
 — proud flesh in—PET.
 — itching of—PH-X.
 — burning pain in—ARS.
 Ulcerations, tendency to, after scarlatina—CHA.
 Urticaria—CB-V., SUL.
 — from great exertion—CON.
 — itching, in open-air, even in face—NI-X.
 Warts—AM-C., BAR., CAL. NA-C., NI-X.
 — in eyebrows—CAU.
 — on nose—CAU.
 — on face—K-CA.
 Wheals, eroding on toes—SUL.
 Wounds, shooting, cutting, burning in—NA-C.
 Sweat—AM-C.
 — in the morning—CB-A., CB-V., NA-M., PHO., SEP., SUL.
 — febrile, by day—LYC.
 — d. and n.—SUL.
 — too easy and profuse on moving—NA-M.
 — by day, tendency to—HEP., ZIN.
 — nocturnal—AM-M., BAR., CAL., CB-V., CAU., GRP., HEP., IOD., K-CA., NI-X., PET., PH-X., SEP., SIL., SUL., ZIN.
 — — alternating with dryness—NA-C.
 — when sitting—ANA., SEP.

Sweat, profuse when working—SUL.
 — from moderate work or movement—LYC.
 — profuse, from moderate exercise—CAL.
 — on slight exertion—GRP.
 — profuse, on slightest exertion—NA-C., SEP.
 — when walking—NA-M.
 — from moderate walking—SIL.
 — — — in open air—CB-A., K-CA.
 — after heat—ARS.
 — cold—IGN.
 — — anxious—NA-C.
 — sour, m.,—SEP.
 — — every n.—SUL.
 — — profuse, n.—SIL.
 — fetid, nocturnal—NI-X.
 — exhausting, especially on thighs—CB-A.
 — debilitating—NIT.
 — weakness from profuse—CHI.
 — inability to—K-CA.
 — long continued deficiency of—GRP.
 Dryness—CAL., IOD., LYC., NA-C., NI X.

GLANDS.

Swollen—CAL. (alternately with SUL.), DIG., LYC., SIL., TAX.
 Hard and painful—BEL., CON.

Thyroid.

Swelling—CAL., CAU.
 Goitre—AM-C., K-CA., NA-M., SPO.

Cervical.

Swollen—CAL., CAU., NI-X.
 — with itching eruptions on face and body—AM-C.

Induration with shooting pain—CB-A.

BONES.

Cold feeling—ZIN.
 Nodes, with nocturnal boring pains—MER.
 Exostosis—SIL., ZIN.
 Caries—MER.
 — after mechanical injuries—MER.
 — palatal and nasal—AUR.
 Swelling of periosteum—CLE.

GENERAL SENSIBILITY.

Irritability—VAL.
 Over excitability of nerves—STN.
 Weakness of nerves—SIL.
 Over-sensitiveness to pain—CHA., CHI.
 Hyperæsthesia—CON.
 — of senses—CUP.
 Sensitiveness to cold—ANT., CAL., CAU.
 — — — and draughts—ANA.
 — — — air—CB-A., SEP.
 — to air and wind—SUL.
 Cannot bear to be touched—ANT.
 Nervous sufferings from excessive delicacy and sensitiveness of senses—CUP.
 Dulness of senses—CAP., MAN.
 Irritability, defective—ANA.
 Insensibility—CAM., ZIN.
 — of arms and legs—LYC.

GENERAL MOTION.

Agility—COF.
 Unsteadiness—NA-C.
 Uncertainty in walking (child)—CAU.
 Fall, apt to (child)—CAU.

Falling to ground, sudden, when standing or walking—MAG.
 Trembling—ARS., CB-V., IGN.
 — inward—SUL.
 Tremors, after injuries—ARN.
 Tremor of nerves, n.—NA-M.
 Twitchings—IGN., SUL.
 Jerking and twitching—BAR., LYC.
 — — of single limbs or whole body, asleep or awake—LYC.
 — in sleep, n.—SIL.
 Chorea—CUP., STR.
 Spasmodic affections—DUL.
 Spasms, hypochondriacal—STN.
 — tonic of hypochondriacal—MSC.
 Hysterical fits—CON., STN.
 Convulsions—IGN., VER.
 — of children—LAU., MSC.
 — with delirium—DUL.
 — with tremor—AGA., CAM.
 — in measles and small-pox—TEA.
 — resembling epilepsy—HYO.
 Epilepsy—BEL., CAM., CON., CUP., MAG., NX-V., SIL., STN.
 — nocturnal, at full moon, with screaming—CAL.
 — caused by mortification—IGN.
 — caused by fright—IGN.
 Tetanus—IPE., LAU., MSC., VER.
 Raphania—SOL.

GENERAL SYMPTOMS.

Pulsation in whole body—PHO.
 Uneasiness—ARN.
 Heaviness—BAR.
 Dislike to walking—AM-C.
 Long of learning to walk—SIL.
 Difficulty of movement and laziness—SEP.
 Unwieldiness—NA-M.
 Laxity of whole body—NA-C., SEP.

Easily tired by walking—SEP.
 Weariness—CON., CUP.
 — in bed, m.—CON.
 — on waking—LYC.
 — great, from moderate walking in open air—CAL.
 — after walking—PH-X.
 — from talking—SUL.
 Fatigue from long walk—CAU.
 Exhaustion—CAL., LYC., NA-M.
 — so as to fall after walking a little—NA-C.
 — attacks of—SEP.
 — from over-exertion—TEA.
 — from excessive sexual indulgence—AGA.
 — hysterical—NA-M.
 Loss of strength—SEP.
 Weakness—ARN., ARS., BAR., CAL., CHI., NA-C., NI-X., SIL.
 — trembling—ANA., CAU., HEP. (after smoking), K-CA., NI-X. SEP.
 —, morning—CAL., NI-X.
 — after a short walk—CAL.
 — on waking—SEP.
 — internal—LYC.
 — as if coming from stomach—MG-M.
 — long continued, and heaviness of feet—NI-X.
 — from loss of saliva—CHI.
 — from excessive purging—CHI.
 — from loss of semen—CHI.
 — from loss of milk—CHI.
 — from loss of blood—CHI.
 — from loss of humours—CHI.
 — after acute fevers—CHI.
 — from profuse sweating—CHI.
 — from profuse suppuration—CHI.
 — after childbed—K-CA.

- Fainting and spasms—SUL.
 — fits, hysterical—NX-M.
 — when lying on side—SIL.
 Throbbing here and there—CB-V.
 Pains, nocturnal—CON., NA-M.
 — —, from mercury—DUL.
 — after tooth extraction—ARN.
 — aggravated or induced by touch-
 ing—CHI.
 — after dislocations and fractures—
 ARN.
 — burning, in various parts—SEP.
 — as if broken on the wheel—SIL.
 — shooting—SUL.
 — shooting here and there—CON.
 — shooting, worse when at rest—
 RHS.
 — spasmodic, with great sadness—
 COC.
 — cause anxiety, trembling, and
 sweat—NA-C.
 — in old scars and wounds at change
 of weather—NI-X.
 — aggravated by movement—BRY.
 — — by rest—RHS.
 — ameliorated by movement—
 RHS.
 — — by rest—BRY.
 Sufferings from talking too much—
 NA-M.
 — from prolonged mental labour—
 NX-V.
 — from joyful emotion—COF.
 — from vexation—NA-M., SEP.
 — emotional, from excessive pain
 —CHA.
 — from excesses in alcohol—NX-V.
 — from yesterday's wine intoxi-
 cation—CB-V.
 — from a sedentary life—NX-V.
 Over-exertion, sufferings from—RHS.
- Over-lift, tendency to—K-CA., LYC.
 NA-C., NA-M., PHO., SEP.
 Overlifting, sufferings from—ARN.,
 RHS., SUL.
 — apt to be hurt by—CB-A., LYC.
 — pain in left hypogastrium from
 —CB-V.
 Arsenic, sufferings from abuse of—
 IPE.
 Cinchona-bark, bad effects of mis-
 use of—CB-V.
 Cinchona-cachexy—ARN., BEL., IPE.
 Coffee, sufferings from—CHA., NX-V.
 Iron, sufferings from abuse of—
 HEP., PUL.
 Lead-disease—MER.
 Mercury, sufferings from misuse of
 —ACO., AUR., CAM., CHI.,
 CLE., HEP., NI-X., OPI., SUL.
 — limb-pains caused by abuse of—
 GUI.
 Narcotics, bad effects of—CHA.
 Opium, bad effects of—COL.
 Salt, sufferings from excess in—
 ÆTH-NITR.
 Stramonium, stupefaction caused by
 —TAB.
 Veratrum, poisoning by—COF.
 Cold, slight, causes frost-bites, inflam-
 mation, itching of limbs—NI-X.
 Cold air, aversion to—NA-C., PET.
 Catches cold easily—ANA., BAR.,
 CAL., CB-V., GRP., K-CA., LYC.,
 MG-M., NA-C., NA-M., SEP.
 — — — and therefrom pinching
 and cutting in abdomen—
 NI-X.
 — — from exposing feet—SIL.
 A chill, causing diarrhoea—DUL.
 — with symptoms of suffocation—
 IPE.



- A chill, followed by fever—ACO.
 — causing pains—COF.
 — followed by pains and lacrimose
 humour—COF.
 — sufferings caused by—DUL., NX-V
 Wet weather, sensitiveness to—
 MU-X.
 Contusions, sufferings from—ARN.,
 RHS.
 Effects of falls, blows, contusions,
 sprains, lacerations—ARN.
 Bruises, and wounds with blunt in-
 struments—ARN.
 Sprains—ARN., RHS.
 — tendency to—NA-C., NA-M., SIL.
 Bullet wounds—ARN.
 Hæmorrhage—IPE., MIL.
 — from all orifices of body—IPE.
 Inflammation, acute local—ACO., BEL.
 Chronic diseases with predominance
 of coldness and deficiency of
 animal heat—LED.
 Rheumatism, chronic—DUL.
 Nodes, gouty—AUR.
 — mercurial—CON.
 Angina pectoris—ARS.
 Apoplexy—CRO., NX-V.
 — serous—BEL.
- Apparent death by drowning, suffo-
 cation or freezing—COF.
 Cancer—ARS., CON.
 Cholera, commencement of—CAM.
 — second stage—CUP., VER.
 — typhoid state—BRY.
 — prophylactic—CAM., CUP.
 Diabetes—ARG., TRX.
 Dropsy—CCH., DIG., EUB., HEL.,
 SAM., SOL., TER.
 — with deficient urinary secretion
 —DIG.
 — acute, with suppression of urine
 —SQU.
 — with remitting fever—HEL.
 — anasarca and ascites—K-CA.
 Emaciation—NA-M.
 Gangrene, moist—CHI.
 Hydrophobia—BEL., HYO., LAU.,
 STR., VER.
 Hysteria—ACO., CHA., CON., HYO.,
 NX-V.
 Influenza—ACO., CAM., NX-V.
 Jaundice—CHI., TAX.
 Paralytic affections—DUL.
 Paralysis, painless—OLN.
 Syphilis—MER.
 Tumours, fungous—CLL.

The following symptoms of SILICA, relating to sleep, were accidentally omitted; "Drowsiness, afternoon; Frequent yawning; Long of falling asleep at n. in bed; Too light sleep at n.; Many dreams and frequent waking; Many dreams every n.; Anxious dreams; Snoring in sleep; Starting in sleep; Jerking of body during sleep, n.; Raving, with anxious dreams, n.; Talking in sleep."

NITROUS ÆTHER occurs twice in the repertory, at pages 46 and 58, abbreviated "ÆTH-NITR." It was omitted by mistake from the list of medicines at page 7.

INDEX.

	PAGE		PAGE
INTRODUCTION - - -	3	PROSTATE GLAND - - -	37
HAHNEMANN'S MEDICINES - - -	7	GENITALS (FEMALE) - - -	37
REPERTORY - - -	9	MENSTRUATION - - -	38
INTELLECTION - - -	9	LEUCORRHEA- - - -	39
EMOTION - - -	10	MAMME - - -	39
SLEEP - - -	12	NOSE (AS ORGAN OF RESPIRA-	
HEAD - - -	13	TION)- - - -	40
EYES - - -	16	LARYNX - - -	40
EARS - - -	19	TRACHEA - - -	41
NOSE - - -	20	VOICE- - -	41
FACE - - -	21	EXPECTORATION - - -	41
JAWS - - -	21	CHEST - - -	41
LIPS - - -	22	RESPIRATION - - -	43
TEETH - - -	22	CHEST WALLS - - -	43
GUMS - - -	23	HEART - - -	43
TONGUE - - -	23	PULSE - - -	44
TASTE - - -	23	BLOOD-VESSELS - - -	44
SALIVARY GLANDS - - -	24	BLOOD - - -	44
MOUTH - - -	24	TEMPERATURE - - -	44
THROAT - - -	24	FEVER - - -	44
APPETITE- - -	25	NECK - - -	46
THIRST - - -	26	BACK - - -	46
STOMACH - - -	26	LIMBS - - -	47
SYMPTOMS RELATING TO EATING	29	JOINTS - - -	48
ABDOMEN- - -	30	BONES OF LIMBS- - -	48
RECTUM - - -	32	UPPER EXTREMITIES- - -	48
ANUS - - -	33	LOWER EXTREMITIES - - -	50
DEFÆCATION - - -	33	SKIN - - -	53
STOOLS - - -	34	GLANDS - - -	56
FLATUS - - -	35	BONES - - -	56
URINARY ORGANS - - -	35	GENERAL SENSIBILITY - - -	56
GENITALS (MALE) - - -	36	GENERAL MOTION - - -	56
SEXUAL FUNCTION - - -	36	GENERAL SYMPTOMS - - -	57