

Tanner (Jm)
THE

HOMŒOPATHIST'S
POCKET REFERENCE.

(5)

TRANSLATED FROM THE GERMAN.

COMPILED AND ARRANGED
WITH CONSIDERABLE
ADDITIONS AND IMPROVEMENTS,

BY

LIBRARY
DR. JOHN TANNER
SURGEON GENERAL'S OFFICE
JUN - 1 1839
166167.
Philadelphia.

PUBLISHED BY THE AUTHOR.

No. 104 Chesnut Street.

.....
1838.

WBK
T164h
1838

Film 8304, Item 2

ENTERED according to the "Act of Congress," in the year 1838, by Dr. Jno. Tanner, in the Clerk's Office of the District Court of the Eastern District of Pennsylvania.

P R E F A C E.

The author of this little work presents it with much diffidence to the notice of the profession and the Public. From the experience he has had in the science of Homœopathy, he has discovered that a pocket manual containing a description of the symptoms incident to the common diseases of the human system, with a classification of their appropriate remedies, would constitute a very important assistant to the practitioner, and could not fail to be regarded as a highly useful addition to the library of the Homœopathist. It is solely with this view that he has undertaken the compilation of the following pages. Should his work, small as it is, and imperfect as it must under all the circumstances necessarily be, find favour with those for whose especial use and benefit it was intended, and moreover have a tendency much to be desired, to be found servicable in promoting the alleviation of disease, the Author will be more than repaid for the anxiety, labour and pains he has experienced in its compilation and arrangement. He is fully aware that this work contains some irregu-

P R E F A C E.

larities both of matter and style ; notwithstanding his most studious efforts to make it as perfect as was possible. He offers in extenuation the labour attendant upon a condensation of the important subjects about which it professes to treat, and the many and great difficulties incident to a correct translation and abbreviation of the language from which it is taken. It is possible that this book may fall into the hands of those who, though ignorant of the Science of Homœopathy, might have the assurance to undertake its practice, the propriety therefore, of abbreviating the names of the medicines that are referred to in it will at once be obvious.

Upon reference to the Repertory it will be observed that the names of diseases are alphabetically arranged, and their peculiar symptoms and appropriate remedies affixed.

JNO. TANNER.

No copies of this work are genuine but those which are stamped on the title page with the Authors seal.

ERRATA.

- Page 25, line 11th from the bottom, for *Sickness* read *Thick-ness*.
- Page 26, line 2d from the bottom, for *Seccor* read *Secal. cor.*
- “ 27 do. 10 do. do. do. for *S.* read *s. in stib. & sol.*
- “ 29 “ 4th do. do. top, for *Plosph* read *Phosph.*
- “ 31 “ 2d do. do. top, for *affliction* read *affection.*
- “ 31, lines 15 & 16 do. top, for *Am. Carb.* read *Am. carb.*
- “ 31, line 17 from do. top, for *Calc. Carb.* read *Calc. carb.*
- Page 32, line 3d from the bottom, for *rhus.* read *Rhus.*
- “ 35, line 8 do. do. top, for *Arns.* read *Arn.*
- “ 35, lines 11 & 12 do. top, for *Escaping of b.* read *Es-caping.*
- Page 35, line 17 from the top, place the comma after *blood*, and and not after *first*.
- Page 36, line 11 from the top, for *prolapsis* read *prolapsus.*

THE ONLY
HOMŒOPATHIC PHARMACY
IN THE UNITED STATES.

DOCTOR J. TANNER,

No. 104 Chesnut Street, 6 doors above Third Street, Philadelphia.

Informs the *Homœopathic Physicians* and the *friends of Homœopathia*, that he has for sale all the principal

MEDICINAL PREPARATIONS;

also, *pure Spirits of Wine*, distilled in glass retorts; refined *Saccharum Lactis*, in quarter, half and one pound bottles; *Phials, Corks, Pellets, &c. &c. &c.*

Dr. T. prepares *Physicians' and Family Medicine Chests*, containing from ten to two hundred and fifty phials; also, *single phials* of Medicine, and *Packages of Powders* for immediate use, with directions.

At home for consultation every day, from 7 till 10 A. M., and from 3 till 7 P. M.

January 15th, 1838.

P. S. All orders, by post or otherwise, attended to without delay. Persons calling when the Doctor is not at home, will please leave their directions on the slate.

IN THE TREATMENT OF THE SICK AC-
CORDING TO HAHNEMANN'S METHOD.

The patient is allowed :

Beef and Mutton, baked, roasted or boiled ; fresh
or smoked Tongue ; raw, lean Ham.

Venison and wild Fowl.

Turkey, Dunghill Fowls and Pigeons.

Fresh Fish having scales.

Butter which is not rancid, fresh Cheese, the dif-
ferent preparations of Milk, raw or soft boiled
eggs, or eggs in soups (except in cases of Diar-
rhœa), Meat Soups, Broths and Jellies.

All kinds of Bread and Biscuit (except Soda Bis-
cuit and other bread made with the addition of
unusual substances).

Puddings, Dumplings or Noodles of Wheat, In-
dian, Rice and Oat-meal, not too heavy, fat, nor
spiced.

Cakes composed of Meal, Eggs, Butter in small
quantity and Sugar.

Food prepared of Arrow-root, Tapioca, Sago,
Salep, Oat-meal and the like.

Irish Potatoes, sweet Potatoes, Turnips, Car-

rots, Cabbage, Cauliflower, Spinage, and green Peas or Beans, (except in Colic and Diarrhœa), Rice, Hominy, Pearl-Barley, Groats, dried Peas or Beans.

Roasted or boiled, fresh or dried Fruit, as Prunes, dried Currants, fresh ripe sweet Apples, Peaches, Strawberries, Raspberries, Gooseberries, and other sweet berries and Grapes (except in Colic and Diarrhœa).

Water, pure, or sweetened with sugar, Currant Jelly, Raspberry or Strawberry Syrup, Toast water.

Milk which is several hours old, or boiled milk, fresh Whey, Egg tea.

Decoctions of Barley, Malt, Oat-meal, Rice, dried Fruit.

Cocoa boiled with Milk or water, pure plain Chocolate, weak black tea.

Salt moderately used, Sugar.

Every article of food which disagrees with the patient, though perfectly wholesome for others, should by him be avoided.

Allowed in small quantities and occasionally, unless stricken out by the Physician :

Salted meat, not too old, and soaked in fresh water previous to boiling, boiled ham, salt Fish, and the like.

Veal of half grown calves, lean Pork, wild Ducks, Rabbits, hard boiled Eggs.

Buckwheat Cakes, Pastry.

Acid fruits, Cider and Cider Vinegar.

Asparagus, fresh and preserved Pears, Cherries, Melons, boiled Indian Corn.

Lemonade, Buttermilk (except in nervous diseases) in very small quantities.

In relation to all articles to which the patient is so accustomed that it is difficult for him to abstain from their use, as well as with respect to many influences which he cannot avoid, he must confer particularly with his physician.

Forbidden.

Old smoked salted meat and salted Fish, old rancid Butter and Cheese, Lard, fat Pork, Geese, Ducks, Turtles and Terrapins, Fish not having scales, as Catfish, Eels, Lobsters, Crabs, Clams, and soups prepared from these articles of Food.—All blood and food prepared with blood, and much animal fat. All kinds of Sausages, particularly such as are smoked.—The flesh of all young animals.—All soups highly seasoned and sauces; drawn Butter, Pepperpot, Beef tea, (except it be boiled with the flesh for half an hour.) All kinds of Cakes or Pastry prepared with much Fat or Aromatics, Honey.—All kinds of coloured sugar work prepared by the confectioner, red sugar, sugared almonds or peach-kernels. Nuts of all kinds. (All kinds of coloured toys, if the colours be not fixed, are to be withheld from Children.)

Tomatoes, Celery, Horse-Radish, Garlick, Parsley,

Red or Cayenne Pepper, Mustard, Saffron, Nutmeg, Vanilla, Laurel leaves, Bitter Almonds, Cloves, Coriander, Fennel, Anise.—Coffee, green Tea, spiced Chocolate.

All kinds of spirituous liquors, Brandy, Rum, Whiskey, Gin, Spirits, etc. Liquors or Cordials and other drinks, cold or warm, which are prepared with spirituous liquors or spices, as strong Grog or Punch, Negus, Slings and the like. (To some Parties, for example Workers in Metals, Grog largely diluted with water, may be allowed.)

All artificial and natural Mineral Waters, Mead, Spruce-beer, Soda-Beer, Porter, Ale.

Wine-Vinegar, Beer-Vinegar, adulterated Vinegar and diluted Mineral Acids,—The use of Tobacco.

When either by accident or forgetfulness a patient has taken one of these forbidden articles, his physician ought to be promptly informed of it, in order that the proper measures may be taken to arrest injurious disturbances.

STRICTLY FORBIDDEN are all Medicines not prescribed by the physician and all domestic remedies so called, whether internally or externally employed, and for whatever purpose intended: viz. all kinds of pills, syrups, electuaries, lozenges, oils, distilled waters, as mint water, cinnamon, water, etc. essences so called, as the essence of pepper mint;

all kinds of teas prepared of herbs or roots, as balm, chamomile, mint, sassafras, elm, etc. Irritating substances applied to the skin, as garlic, onions, mustard, yeast, Spanish-flies, oil of turpentine, and all kinds of plasters, salves, ointments or embrocations, even of spirits oil, or fat (except by special permission), are likewise forbidden—together with all kinds of laxative injections prepared with salt, oil, or other additions. (Injections of luke-warm water, and in some cases water moderately cold, are allowed, though without any addition.)

Blood-letting by the lancet, by leeches, or cups, or dry cupping, are prohibited.

All perfumery, particularly musk and substances smelling of musk, flowers or plants used for their smell, hartshorn, camphor, Cologne-water, eau de Luce, aromatic waters or pomatum, scented soaps and the like, and the use of every kind of paint or cosmetic, must be avoided. All kinds of tooth-powders, even that of charcoal, and brushes which have ever been used with such tooth-powders, must be dispensed with. (Perfectly clean and moderately firm brushes and pure water are sufficient for cleaning the teeth.) The practice of wearing about the person next the skin coral, amber, metallic substances and the like, is forbidden, and metals used in the mouth for plugging the teeth, or forming a part of the fixtures for artificial teeth, often have injurious effects, and as much as possible should be avoided.

The cure is disturbed by hot baths or those pre-

pared with herbs, sulphur and other additions. Be careful in using matches, not to inhale the vapour of the burning sulphur.—Keep the feet dry and warm.

The patient when practicable should use moderate exercise in the open air for an hour every day.

The room used by the patient, and especially his lodging room, should be daily well ventilated, particularly in the morning and at noon.

Woollen or medicated hareskins-clothing worn next the skin is injurious; linen, cotton, or leather only should be used.

In all diseases of internal parts, the use of stays or corsets impedes the cure, or renders it difficult.

The practice of rocking in rocking-chairs hinders the cure of all diseases of the abdomen, particularly in females.

An active life promotes, while a passive or sedentary life hinders the cure. Labour which exercises the body must be daily used, as far as the strength will conveniently permit. All fatigue must be avoided.

Much reading, particularly of novels and romances, and other productions which have a tendency to excite or inflame the mind, is injurious. The visiting of Theatres is seldom allowed for the patient, and card playing not at all.

Converse injurious to the mind, sensual excitement, and all secret sins of thought, undermine the health and impede the cure.

Avarice, envy, the pursuit of pleasure, long continued grief, anxiety, vexation, or the stings of conscience, produce and sustain diseases. In such cases the disease can only be cured when the cause of the mental affection is to be ascribed to the morbid state of the body.

Homocopathic medicines should be kept in a place not exposed to moisture or heat and perfectly free from odours. The powders should be taken precisely at the prescribed time, and especially a medicine which is designed for the morning should not be taken in the evening, and conversely. Medicines in the morning should be taken fasting, immediately on rising from bed and rinsing the mouth, and medicines for evening on going to bed. After taking the medicine the patient should remain for half an hour free from mental or bodily exertion, and without eating or drinking, smoking, snuffing, or chewing tobacco. If the word 'dry' be written upon a powder, it is to be taken in its dry state immediately into the mouth, and the patient, as before directed, is to refrain from drinking for some time afterwards; but if a powder be not so marked, it may be dissolved and taken in a clean tea-spoonful of pure water, or dry.

A vial for smelling should not be opened at unseasonable times, and only when used. On this occasion the open mouth of the vial is to be held to one nostril, and the air contained therein inhaled once. The more sensible and irritable the patient, the more lightly and gently must the pro-

cess of smelling be performed. In the case of a child, one hand is to be held over his mouth, and at the same time the mouth of the open vial to his nostrils, or the operation may be more readily effected whilst the child is asleep.—The smelling should not be performed too strongly nor be too often repeated—the directions of the physician in these respects should be closely observed.

When a paper containing a powder to be employed by smelling is to be used, it should be opened, and used as already directed for vials.

If the patient be directed to take the powder ‘in water,’ he must use two perfectly clean glass tumblers which have recently contained nothing strong nor acrid; one of the tumblers is to be half filled with pure rain or river water, to which the powder is to be added and duly mixed, by pouring the ingredients five or six times from the one tumbler into the other. A table-spoonful of the mixture for adults, or a tea-spoonful for children is to be taken at the time prescribed, or as often as the patient shall be worse. The glasses and spoon should not afterwards be used for other medicines or for other purposes, until they shall have been well washed and exposed to a strong heat for half an hour.

EXTRACTS
FROM THE
HOMOEOPATHIC ORGANON
OF
HAHNEMANN.

ACONITE. Pages 16 & 17

The most violent pleuritic fever is cured by the above medicine, within twenty-four hours, avoiding the *vegetable acids*.

Inflammatory acute fever.

Stitch in the side.

AGARICUS MUSCARIUS. p. 46

Convulsions accompanied with tremour.

In a species of epilepsy.

ARBUTUS UVA URSI. p. 47

Where the urinary discharge is purulent.

ANISEED, OIL OF p. 47

It allays pains of the stomach, flatulent colic caused by purgatives.

ARNICA MONTANA.

p. 54

The effects of a blow, fall, or contusion; feel pains in the side, &c., and consequently the malady itself, occasioned by such contusion.

ARSENIC.

p. 65

Cancer in the face.

Angina pectoris.

Dyspnœa approaching even to suffocation.

Strong oppression of the chest.

BELLADONNA.

p. 17 & 54

Inflammatory irritation.

Hydrophobia.

Different kinds of madness and melancholy.

Amaurosis, with coloured spots before the eyes.

Sore throat.

CANTHARIDES.

p. 62, 3

Retention of urine, with ineffectual efforts to urinate.

Painful ischury.

Recent inflammatory gonorrhœa.

Inflammation of the urethra.

CINCHONA.

p. 52

Exhaustion, indigestion, and loss of appetite resulting from acute fevers.

Fainting. Bleeding.

CLEMATIS.

p. 49

General chronic eruptions.

COLCHICUM.

p. 47

A species of dropsy.

A small quantity of urine of a dark red colour.

Asthma.

CUPRUM.

p. 66.

Convulsions. Chorea. Epilepsy.

DICTAMNUS.

p. 48

Leucorrhœa of long standing.

DULCAMARA.

p. 50

The most violent diseases emanating from colds.

Convulsions attended with delirium.

Herpetic eruptions.

EUPHRASIA.

p. 89

Inflammation of the eyes.

JALAP.

p. 48

Gripes, restlessness, and screaming in young children.

MERCURY.

p. 20, 68, 72

Firmly rooted syphilis.

Swelling of the tongue and pharynx.

Angina, with purpura.

Melancholy, with secretion of saliva.

Malignant quinsy.

Ulcerous inflammation of the mouth, with aphtha and fœtor of breath.

Caries from injuries of the bones.

Ulcers in the throat (*not venereal.*)

MILLEFOIL.

p. 47

•• Hæmorrhages.

Excessive hæmorrhoidal flux.

Hæmoptysis.

Uterine hæmorrhage.

Epistaxis.

MOSCHUS.

p. 61

Spasmodic constriction of the chest, without cough.

NITRIC ACID.

p. 64

Salivation and ulceration of the mouth from the use of mercury.

NUX MOSCHATA.

p. 49

Hysterical fainting fits.

OPIUM.

p. 58, 72

Complaints in the head.

A case resembling the agonies of death, in a fever attended with coma, where the patient de-

prived of speech, lay extended, the eyes open, the limbs stiff, the pulse small and intermittent.

Lethargic fevers.

Obstinate case of nervous disease, symptoms were, insensibility, numbness of the arms, legs, and belly.

Obstinate constipation.

Iliac passion.

PARSLEY (juice.)

p. 72

In dysury, so frequent among children.

In ordinary cases of gonorrhœa.

PLUMBUM.

p. 67

Obstinate constipation.

Iliac passion.

Obstinate hypochondriasis.

POTASH.

p. 64

Tetanus.

PULSATILLA.

p. 14

Sudden affections in the stomach, with frequent nauseous eructations, depression of mind, cold feet, hands, &c.

RHEUM.

p. 72

Diarrhœa.

ROSE WATER.

p. 49

Ophthalmic diseases.

EXTRACTS FROM THE ORGANON.

RHUS.

p. 50

Paralysis of the lower extremities, attended with weakness of the intellectual organs.

Various kinds of Herpes.

SABINA.

p. 72

Uterine hæmorrhage.

SAXIFRAGE.

“

Mucous angina.

SAMBUCUS.

p. 51

Pains in the face.

A species of dropsy.

Œdematous swelling.

SCILLA MARATIMA.

p. 31

Pleurisy.

Inflammation of the lungs.

SENNA.

p. 48, 76

A kind of colic.

Insomnolency.

Flatulency and agitation of the blood.

SOLANUM.

p. 51

Swelling of the entire body.

STANNUM.

p. 67

A {species of phthisis, hectic fever, chronic catarrh, and mucous asthma.

Pains in the stomach.

STRAMONIUM.

p. 52, 76

Demonomania, and other convulsions.
 Involuntary movement of the limbs.
 Weak memory.
 Melancholy alternating with madness.
 Choraë.
 Mental derangement.

SULPHURIC ACID.

p. 15

Gastric complaints.

SULPHUR.

p. 64

Dysentery.
 Hæmorrhoidal diseases, attended with tenesmus.
 Hæmorrhoidal colics.

TABACUM.

p. 46

Vertigo, nausea and anxiety.

TEA.

p. 58

Anxiety.
 Palpitation of the heart.

VERATRUM.

p. 45

Cholera morbus.

WINE.

p. 57

Pure inflammatory fevers.
 Inflammation of the brain.
 Feverish delirium.

THE MEDICINES

Composing the *Materia Medica Homœopathica* are viz:

Acetum, Vinegar.	Anacardium, The Malacca bean.
Aconitum. Wolf's bane.	Angustura, Angustura bark.
Actæa, The elder tree.	Antimonii sulphuretum, Antimony.
Æthusa.	Antimonii (& potassæ) tartras. Tarter emetic.
Allium cepa. Onion-Garlic.	Aquilegia vulgaris, Common columbine.
Agnus castus, The chaste tree.	Aranea diadema, The birch-tree spider.
Alcohol, Spirits of wine.	Argentum, Silver.
Alkekengi, Wintercherry.	Arnica montana, Leopard's bane.
Aloe spicata, The aloe plant.	Arsenicum album, Arsenic.
Alumina, Pure clay.	Artemisia judaica, or Cina, Wormseed.
Amanita, Bug agaric.	Arum maculatum, Common wakerobin.
Ambra, Ambergris.	Asafœtida, A stinking gum.
Ammoniæ carbonas, Carbonate of Ammonia.	Asarum europ. Asarabacca.
Ammoniæ murias, Muriate of Ammonia.	

Atriplex olida,
Stinking orach, or goosefoot.

Aurum foliatum,
Gold leaf.

Aurum muriaticum,
Muriate of gold.

Badiaga,
A Russian alga, (a water plant.)

Barytæ carbonas,
Carbonate of barytes.

Barytæ murias,
Muriate of barytes.

Belladonna,
Deadly nightshade.

Berberis vulgaris,
Common barberry.

Bismuthi subnitras,
Subnitrate of bismuth.

Borax veneta.

Bovista,
Puff-ball.

Bromum.

Brucea antidysenterica,
Angustura bark.

Brilliant,
Diamond.

Bryonia alba,
White bryony.

Caladium seguinum,

Calcis carbonas,
Carbonate of lime.

Calcis phosphas,
Phosphate of lime.

Calcis sulphuretum,
Sulphuret of lime.

Camphora,
Camphor.

Cannabis sativa,
The hemp plant.

Cantharides,
Spanish fly.

Capsicum annum,
Cayenne pepper.

Carbo animalis,
Animal charcoal.

Carbo vegetabilis,
Vegetable charcoal.

Carbo chart,
Charcoal from paper.

Castoreum,
Castor.

Causticum,
Lunar caustic.

Chamomilla,
Chamomile.

Chelidonium majus,
Great celandine.

Chenopodium olidum,
The stinking orach.

Chiococca racemosa,

Cicuta virosa,
Water hemlock.

Cinchona, or china,
Peruvian bark.

Cinamomum,
Cinnamon.

Cinnabaris,
Vermillion.

Citricum acidum,
Citric acid.

Clematis erecta,
The upright virgin's bower.

Coccinella,
Cock chaffer.

Cocculus suberosus,
Indian cockels.

Coffea arabica,
Coffee.

Coffea tosta,
Burnt coffee.

Colchicum autumnale,
Common meadow saffron.

Colocynthis c.
Bitter cucumber.

Conium maculatum,
Hemlock.

Copaiba,
Balsam capaivæ.

Corallia rubra,
Red coral.

Crocus sativus o.
Saffron.

Cubeba piper,
Cubeb.

Cuprum metallicum,
Copper.

Curcas,
The cassada plant.

Cyclamen e.
Sow-bread.

Daphne indica,

Dolichos pruriens,
Cow-itch.

Dictamnus albus,
Lastard dittany.

Digitalis,
Fox glove.

Drosera,
Sun-dew.

Dulcamara,
Bitter-sweet.

Epeira diadema,
Cross spider (web).

Euphorbium,
Spurge.

Eupatorium perf.
Thoroughwort, boneset.

Euphrasia.

Eyebright.

Evonymus,
Spindle tree.

Ferrum,
Iron.

Ferri oxydum magneticum,
The Loadstone, Magnet.

Filix mas,
Male fern.

Fragaria,
Strawberry.

Graphites, or plumbago,
Black lead.

Giatiola officinal,
Hedge hysop.

Guajacum officinal,
Common lignum vitæ, or Pock
wood.

Helleborus niger,
 Christmas rose.
 Hepar sulphuris,
 Liver of sulphur.
 Herpetin, from herpes,
 The tetter.
 Hydrargyrum met,
 Mercury, or quicksilver.
 Hydrargyri chloridum corrosi,
 Corrosive sublimate.
 Hydrarg. sulph. rubrum,
 Cinnabar, or red sulphuret of
 mercury.
 Hydrophobin,
 From hydrophobia.
 Hyoscyamus niger,
 Black henbane.
 Jalapa,
 The jalap plant.
 Jambos,
 The Malabar plumb tree.
 Ignatii fabæ,
 St. Ignatius bean.
 Illicium anisatum,
 Star anniseed.
 Indigo,
 Anil, or indigo plant.
 Ipecacuanha.
 Iodine.
 Kalmia,
 American laurel.
 Krameria,
 A plant.
 Kreosotum,
 Kreosote.

Lachesis.
 Lactuca virosa,
 Strong-scented lettuce.
 Lanium album,
 Dead nettle.
 Laurocerasus,
 Poison, or cherry laurel.
 Lcdum palustre,
 Marsh tea.
 Lobelia inflata,
 Indian tobacco.
 Fuligo lychni,
 Pure lamp-black.
 Lycopodium clavatum,
 Club moss—wolf's claw.
 Magnesia carbonas,
 Carbonate of magnesia.
 Magnesia murias,
 Muriate of magnesia.
 Magnesia sulphas,
 Epsom salt.
 Manganis oxydum,
 Manganese.
 Marum verum,
 Marum germander.
 Menyanthes,
 Buck bean.
 Mephitis putorius,
 Skunk.
 Merc. solub. H.
 Mezereum,
 Spurge olive.
 Millefolium,
 Common yarrow.

- Moschus,
 Musk.
- Muriatcium acidum,
 Muriatic acid.
- Myristica, or nux moschata,
 Nutmeg.
- Niccolum carbonicum,
 Nickle.
- Nigella sativæ,
 Fennel flower.
- Nitri acidum,
 Nitric acid.
- Nux vomica,
 Poison nut.
- Oleander.
 The rose bay.
- Oleum animale aethereum,
 Animal oil.
- Oniscus asellus,
 Wood louse.
- Opium,
 The juice of white poppy,
 Laudanum.
- Pæonia officinalis,
 Peony.
- Paris quadrifolia,
 True love.
- Petroleum,
 Rock oil.
- Petroselinum,
 Common parsley.
- Persicaria, Asmart.
- Persicum papus,
 Peach down.
- Phellandrium,
 Water fennel.
- Phosphate Hydrary,
 Phosphate of mercury.
 Phosphorus.
- Phosphoric acid.
- Platina.
- Plumbum aceticum,
 Lead.
- Potassæ carb. or Kali carb.
 Carbonate of pottassa.
- Potassa nitras, Nitrum, or Na-
 trum,
 Nitrate of potassa.
- Potassæ jodidum, or kali hydri-
 odicum.
- Prunus spinosa,
 Sloe tree.
- P. orinum,
 Prom psora, the itch.
- Pulsatilla pratensis,
 The wind flower.
- Ranunculus bulbosus,
 Bulbous-rooted crow foot.
- Ranunculus sceleratus,
 Marsh crow foot.
- Rheum palmatum,
 Rhubarb.
- Rhododendron chrys,
 Yellow rhododendron.

- Rhus vernix and radicans,
 A poison plant.
 Rhus toxicodendron,
 See toxicodendron.
 Rhuta,
 Common rue.
 Sabadilla.
 Indian caustic barley.
 Sabina,
 The barren savin-tree.
 Sambucus nigra,
 The elder tree.
 Sambuci cortex,
 Inner bark of the elder tree.
 Sapo,
 Soap.
 Sassaparilla.

 Scilla maritima,
 The officinal squill.
 Secale coruntum,
 Blighted corn,
 Ergot, or spurred rye.
 Selenium.
 Senega,
 The rattlesnake milkwort.
 Senna.
 Egyptian cassia.
 Sepiæ succus,
 The juice of the cuttle-fish.
 Sericum,
 Silk.
 Silicea,
 Silicious earth.
- Sodæ boras, or Natrum boraci-
 cum,
 Borax.
 Sodæ carbonas, or Natrum car-
 bonicum,
 Carbonate of soda.
 Soda Nitras, or Natrum nitricum.
 Sodæ sulphas, or Natrum sul-
 phuricum,
 Glauber salts.
 Sodii chloretum, or Natrum
 muriaticum,
 Common culinary salt.
 Solanum mammosum,
 Night shade.
 Solanum nigrum,
 The garden night shade.
 Spigelia anthelmia,
 Indian pink.
 Spongia marina tosta,
 Burnt sponge.
 Stannum,
 Tin.
 Staphisagria,
 Staveacre.
 Stramonium,
 Thom apple.
 Strontianæ carbonas.

 Succinum,
 Amber.
 Sulphur,
 Brimstone.
 Sulphuricum acidum,
 Sulphuric acid.

Tabacum, Tobacco.	Uva ursi, Bear's berry.
Tanacetum vulgare, Common tansy.	Vaccinin.
Taraxacum, Dandelion.	Valerian.
Tartaricum acidum, Tartaric acid.	Veratrum album, White hellebore.
Terebinthinæ oleum, Oil of turpentine.	Verbascum thapsus, Yellow mullein.
Thea cæsarea, Imperial tea.	Vinca minor, The less periwinkle.
Theridion.	Vinum, Wine.
Thuya occidentalis, The tree of life, (the juice.)	Viola oderata, Sweet violet.
Tiglii oleum, Croton tiglium, Croton oil.	Viola tricolor, Heart's ease.
Tongo, dipterix odorata.	Vitrum solub., Solution of glass.
Toxicodendron, The poison oak—sumach.	Zincum, Zinc.
Urea.	Zingiber, Ginger.

NAMES

Of *Medicines, Articles, and Words*, less used than the preceding.

Alcohol.
 Amygdala,
 Almond.
 Armoracia,
 Horse radish.
 Oleum,
 Oil.
 Rad,
 Root.
 " Carbo ligni,
 Charcoal.
 Aqua distillatæ,
 Distilled water.
 Acacia gummi,
 Gum arabic.
 Maranta,
 Arrow root.
 Magnes artificialis,
 Magnet.
 Magnes polus arcticus,
 North pole, Magnet of the
 Magnus polus australis,
 Magnet of the south pole.
 Saccharum,
 Sugar.
 Saccharum lactis,
 Sugar of milk.

Globus saccharum,
 Pellets of sugar.

Cold cream,

A preparation used on inflamed suppurations from the poison of rhus toxicodendron, burns, &c., made by rectifying mutton suet, and adding, whilst hot, rose water.

Spiritus nitri dulcis,
 Sweet spirits of nitre.

Sinapis alba,
 Mustard (the seed.)


....

ARNICA WASH.

In using the above wash, I generally put 6 or 8 drops in a tumbler about one-third full of water, and bathe the affected parts twice or oftener during the day.

This wash should never be used when the skin is broken, or the wound open.

In applying arsenic or silicia to an open wound, I prefer using the globules of the 30th dilution, by dropping one or two into the wound.



REPERTORY

OF

SYMPTOMS AND REMEDIES

CONTAINED IN THE

HOMOEOPATHIST'S POCKET REFERENCE.

ABDOMEN.

Hard, bloated, in children,	-	-	Silic.
Bloated	-	-	Caust. <i>Natr. mur.</i>
Bloated by wind,	-	-	Graph.
Accumulation of wind in the	-	-	<i>Natr.</i>
Burning in the	-	-	Lycopo.
Sickness, hardness of the	-	-	Calc.
Thickness in mothers	-	-	Sepia.
Extended,	-	-	Carbo. veg.
Hardness of the	-	-	Graph.
Knorring and rumbling in the, by motion of the body,	-	-	Silic.
Loud knorring in the	-	-	<i>Natr. mur.</i>
Empty sensation in the	-	-	Sep.
Heaviness in the	-	-	Graph.
Inactivity and coldness in the	-	-	Kali. carb.
Hardening in the	-	-	Lycop.

Old painful hardening of the right side of the
Mur. magn.

Fullness after eating - - - Silic.

Fullness early when awaking - - - Con.

Vomiturition, after breakfast - - - Phosph.

Sore feeling when walking on the pave-
ment, in the - - - - - Con.

Emptiness in the - - - - - Petrol.

INFLAMMATION OF THE ABDOMEN, in a lying-in woman,
Bella. Bry. Nux. v. Canth.

(Sub inflammatory kind) after ineffectual ap-
plication of Bellad. - - - - - Hyosc.

In a lying-in woman, with remaining placenta,
Acon. Bell. Bry.

DISEASES OF THE ABDOMEN, - Anacard. Bellad.

With violent burning, and tearing
asunder pains of the entrails, - Euphorb.

Long continued abdominal disease, (diarrhœa,
cutting pains in the belly and limbs,) cured by

Petrol. Phosph. and Calc.

Sub inflammatory state, - - - - - Bellad.

ABORTION.

To prevent, - - - - - Nux v.

Prevention by frequent doses of Sabina.

With metrorrhagia - Ipec. Sab. Ferr.

(2 doses) - - - - - Cham.

Results of - - - - - Bella. Bryon.

To cause - - - - - Sabina, Seccor.

Calc. Nux v. Zinc, Sepia.

AFFECTION.

Exalted nervous, in lying-in women, where, notwithstanding the necessity of sleep, no rest is to be had, - - - - Coffea.
 Great nervous - - - - Calc. Lycop.
 From speaking - - - - Calc. Sulph.

AFFLICTION. (See *Disposition of Mind.*)

AFTER PAINS, with a sensation as if one should go to stool, - - - - Nux v.
 Too vehement, Coffea c., farther, Cham. Puls.
 (and, after the experience of Dr. Franz, almost as a specific, Arnica.)

AGITATION OF THE BLOOD. (See *Blood.*)

AMAUROSIS.

Phosph., Caust., Natr. mur., Silic., Sulph.
 Incipient, Spigel. Tart. Stib. Merc. Sol. and Euphra. China, Bellad.
 Periodical - - - - Valer.

ANGINA. (See *Throat, Croup, &c.*)

ANCLE.

Ulcerous pain in the ancle from walking or touching, - - - - Natr. mur.
 Swelling of the - - - - Lycop.
 Itching ulcer on the - - - - Silic.
 Stitches in the a, when walking - - - - Silic.

ANGER.

Sudden fit of, in persons of violent temper,	Nux v.
From just indignation - -	Staph.
Should mental alienation follow -	Platina.
In small children, with loss of breath, or falling into fits - - - -	Cham.
In small children, when they weep and cry much (with cough) - - - -	Bry.
In small children when they cry continually,	Bellad. Hepar.

ANUS.

Congestion of blood therein -	Sepia.
Bleeding from the anus (bleeding piles)	Amm. c.
Knots of blood in the -	Nat. mur. Kali c.
Itching of the - -	Kali c.
Flow of slime from the, always open	Phosp.
Pains in the a., after eating and stool,	Lycop.

ANXIETY, SADNESS, &c.

Natr. Phosp. <i>Natr. mur.</i> Petrol.	
At night in bed - -	Sepia.
With uneasiness and flying heat -	Sepia.
When sick with fear of death	Nitric acid.
At night, driving one from bed,	Graph, Ars.
Before going to stool - - -	Kali c.
Great - - - -	Caust.
Great in the evening - -	Ambra.
With dolefulness and inclination to weep, obsti- nacy, sensibility, fear of being alone,	Lycop.

PENSIVENESS, AFFLICTION.—Cannab. Canth. Plumb.
 Secal. cor. Coloc. Hyosc. Ipec.—Ars. Bell.
 Carbo. v. Cham. Coff. Phosp. Verat.

AGONY, Carbo. v. Graph. Sepia. Plosp. Arn. Sulph.
 Nocturnal, with great melancholic uneasiness, ex-
 citing suicide, - - Puls. Ignat. Ars.
 With trembling and sweat, when in pain, Natr.

APPETITE.

Immoderate, midday and evening, Natr. mur.
 Too strong, Sulph. (longing for something re-
 freshing, Phosph.)

Loss of - - Calc. Natr. mur.
 Loss of, early - - Ammon.
 Loss of, after the first morsel - *Lycop.* Petrol.
 Loss of, for bread - - Natr. mur.

APOPLEXY.

Ipecac. Arn. *Hyosc.* Bryon. Camph. Nux v. *Bell.*
Stram. Merc.

In an old man (3 doses) - Baryta acet.
 After misuse of Coffee (with inguinal hernia)
 Nux and Arn. (*Sanguina*.) as preservative in
 many cases. - - - Acon.
 From congestion of the blood, Arn. Bell. Coff.
 Ipec. Merc. Nux.

Nervous, - *Arn.* *Bellad.* *Coffea.* *Hyosc.* *Stram.*
 And epileptic fits alternating, - Hyosc.

Apoplectic lameness, - - Anacard.

ARMS.

Commencement of lameness in the fore arm, the

hand involuntarily lets fall any thing it has hold of,	- - - -	Silic.
Lamed weakness of the	-	Natr. mur.
Warts on the	- - - -	Silic.
Numbness of the upper arms,	-	Kali c.
Numbness occasioned by lifting	-	Lycop.
Numbness occasioned by lying on the table or lying on the arm,	- - - -	Silic.
Numbness and pain in the arm upon which one lies,	- - - -	Silic.
Numbness of the a. early on awaking,	Mur. mag.	
Numbness of the arms, breast and legs,	Graph.	
Numbness of the arms and legs, particularly after hard work,	- - - -	Sep.
Loss of strength in the	- -	Lycop.
Lameness and trembling of the arms from little work,	- - - -	Silic.
Weakness of the	- - - -	Sep.
Sudden weakness, like lameness	-	Calc.
Pain in the bones of the, (at night,)	-	Lycop.
Nocturnal spasmodic cramps in the	-	Lycop.
Nocturnal drawing and tearing in the	Calc.	
Tearing in the	- -	Lycop. Silic.
Tearing stitches in the arms and shoulder blades,		Phosph.
Straining in the	- - - -	Sepia.
Drawing pain in the	-	Lycop. Silic.

ARTHROCACE, - Colocynth.

ARTHRITIS. (See *Gout.*)

ASTHMA.

- Connected with an affliction of the abdominal
 organs, - - - Baryt. acet.
 Bryon. and Nux v. (alternating)
 Spasmodic, - Valer. Colch. Plumb. acet.
 Do. with too great a distention of the belly from
 wind, - - Ol. ani. æth. Kali c.
 In scrophulous children, - - Ambra.
 With accumulation of slime, - - Bryon.
 In hypochondriacs, with a feeling as if the
 clothes were too tight, contracting the breast
 and abdomen, similar to hæmorrhoidal conges-
 tion, - - - - - Nux v.
 Euphorb. Zinc. -
 Connected with hydrothorax, Am. Carb. Carb. v.
 Am. Carb. Graph. Nitric acid, - Sep. Phos.
 Nocturnal, - - - - Calc. Carb.
 With suffocating anxiety in the evening after
 laying down, - - - - Ars.
 With short breath, - - - - Natr.
 Early, - - - - - Kali c.
 From manual labour, - - - - Natr. mur.
 With whistling and snoring on the breast, with
 visible heart-beating, - Antimon.
 Tart. Stib. Anacard. Phosph.
 ASTHMA MILLARI, - - - Ipec. late, Arsen. Samb.
 (when Ipec. does not give immediate relief give
 Opium.) - - - -
 ASTHMATIC PAINS, - - - - Puls.

ATROPHIA—MARASMUS.

Bellad. Ars. China. Nux v. Puls. and China.

Or hectic state, with short exhausting cough in children, - - - Merc. subl.

With the glands of the throat swollen, dry itching of the scalp, (tinea capitis,) Baryt.

MARASMUS.

In an old man of 90 years - - - Cicuta.

Weakness of the body and mind in old men, Baryt. acet. Con. Opium.

In a boy with paleness, great weakness, frequent fluid stools, continual perspiration, particularly at night, China, (3 doses Ferrum between.)

Debility, with other complaints from too long suckling, - - - - - China.

(See *Cachexie*.)

AVERSION.

To warm food - - - - - Silic.

To black bread - - - - - Lycopo.

To meat (nausea) *Nitric acid. Petrol.* Carbo. v.

To the open air - - - - - Petrol.

To work, - Phosph. Graph. Nitr. acid, *Conium.*

To eating, the food will not go down - Sepia.

To meat and milk - - - - - Sepia.

BACK.

Itching eruption on the - - - Sepia.

Susceptible of cold - - - Sepia.

Tearing and cramp in the - - - Sepia.

Tearing in the back and trunk, excruciating, Silic. rhus.

Stitches in the back - - - Silic.

Stiffness of the - - - Sepia.

Stiffness, painful, particularly on rising after sitting, - - - - - Caust.
 Pains in the - - - - - Rhus. Nitr. acid.
 Sweat on the - - - - - Lycop. Sepia.
 Pain in the back and marrow, mostly at night, Calc. Lycop.
 Drawing pains in the Carbo. v. Kali c. Sulph.
 Straining, spraining, pains in the back, Calc.
 Stitches in the back, to the stomach under the left ribs by fits - - - - - Con.

SMALL OF THE BACK.

Stitches in it, after stooping - - - - - Lycop.
 Pains in the Baryt. Nitric acid, Kalic. Sulph.
 Spasmodic drawing in the, as well without as by touching, with inability to stand erect, forcing one to lie down, - - - - - Silic.
 From falling (pains therein) - - - - - Kali c.
 Sharp cutting pains in the - - - - - Natr. mur.
 Sharp pains extending to the hips, Natr. mur.
 Extending pains - - - - - Natr. mur.
 Pains therein, with inability to stand, Petrol.
 Drawing pains from the small of the back towards the midst, - - - - - Kali c.
 Stiffness therein, compelling one to stoop, Bryon.
 Periodical pains returning every 3d day, increased by motion, - - - - - Nux v.

BALDNESS, - - - - - Lycop.

BASHFUL—SHY.

Before men and in society - - - - - Natrum.
 About business - - - - - Sepia.

BELLY.

Bloatedness of the	- - -	Natrum.
Do. of the belly and stomach at the same time,	- - -	Lycop.
Bloated very much, with costiveness,		Mur. mag.
Weak, in children	- - -	Caustic.
Pressure of the upper belly	- - -	Caust.
Swelling of the	- - -	Natr. mur.
Pinching in the	- - -	Lycop.
Growling in the	- - -	Phosph.
Growling and rumbling after eating	-	Sepia.
Rumbling in the	-	Nitr. acid. Phosph. Con.
Clucking in the	- - -	Lycop.
Stitching in the left side, when walking,		Sulph.
Stitching by touching	- - -	Nitr. acid.
Stubbing in the left side of the	-	Natr. mur.

UNDER BELLY.

Ulcerous pain in the under belly	-	Nitr. acid.
Feeling of hardness as from something fixed therein,	- - -	Sep.
Tearing in the, with much pressing to stool,		Pho.
Cutting in the same without diarrhœa		Silic.
Oppressing contraction	- - -	Conium.

BELLYACHE—STOMACHACHE.

Pressing, pinching, without diarrhœa	-	Calc.
Pressing, stitching, without diarrhœa	-	Calc.
With diarrhœa	- - -	Silic.
Early, in bed	- - -	Phosph.
After drinking	- - -	Sulph.

(See *Stomach*, &c.)

BILIOUS FEVER, AND BILIOUS NERVOUS FEVER. (See *Fevers.*)

BLADDER.

Gravel in the - - - - Sarsap.
 Polypus of the - - Calc. Lycop. & Sulp.
INFLAMMATION OF THE BLADDER, - Canthar.

BLACK VOMIT. (*Melaena.*)

Arns. Ars. Nux v. Bell. Stram. at last antipsorics.
 Spirits sulph. and Petrol.

BLOOD.

Escaping of b. from the auus (bleeding piles),
 Ammon. c.

Escaping of b. when going to stool - Phosph.

Extravasation of b. in the eye - Clemat.

Blood blisters - - - - - Ars.

Vomiting blood - - - - - Hyosc.

Vomiting blood at first, with great excitement of
 the arterial system, first, Acon. then Nux v.—
 after a relapse from overfilling the stomach,
 Puls.

Flow of blood (hæmorrhage) from the uterus
 after delivery, with very dark coloured blood,
 Crocus; when the blood is lighter in colour
 (light red) and flows with pain similar to child-
 bed, Sabina; also, according to circumstances,
 Bell. Nux v. Ipec.

Flow of blood (hæmorrhage) from the uterus
 with convulsive movements of the limbs, Hyos.

- (Loss of blood) from the uterus when suckling, Sil.
 Flow of blood from the uterus after abortion,
 clots of black blood, with morbid excitement of
 the sexual organs, - - Platina.
 Flow of blood from the uterus, with continual
 pressing towards the sexual organs, as if the
 bowels would fall out, - Bell. and Platina.
 From the uterus, - Bryon. and China, Ferr.
 Rathania. Calc. Cham.
 From the uterus, with continual pressing for-
 ward, as if a prolapsis of the womb or vagina
 would arise, with violent pains in the back,
 Bell. and Platina.
 Flow of blood (as a by-action) from too strong a
 dose of mercury as antidote, - Arnica.
 To urine blood, - - Calc.
 To urine b. after preceding gleet, - Cantharis.
 Merc. sol. and Puls.
 To urine blood, with burning when urinating,
 Mezer.
 Coughing up blood, Acon. Arn. Puls. Nux v. Chin.
 Coughing up blood, discharge of warm blood from
 the mouth, then coughing with light red ex-
 pectoration, - - Millefoil. China.
 Coughing up blood, chronic (hæmorrhage),
 Rhus. Ledum.
 Spitting blood (hæmoptysis), Acon. then Puls.
 Blood sponge (soft cancer), - Phosph.
 Bloody diarrhœa, (see *dysenteric diarrhœa*), Puls.
 Bile (or felons), - - Lycop.

BLEEDING.

- From the eyes of little children, Cha. Bell. Nux v.
 Of ulcers with stench - - - Carbo. v.
 At the nose during rest at night - Rhus.
 Do. do. do. of tough thick, dark, blood, Crocus.
 Lycop. Nitr. acid, Phosp. Silic. Sulph.
 At the nose, from suppressed menses, Bryon.
 From the nose, lungs and stomach, in a feeble,
 meagre, irritable person, Cham. and Crocus.
 Mosch.
 At the nose - - - Acon.
 Agitation of blood - - - Petrol.
 Do. do. do. with heart beating, Sepia.
 Do. do. do. towards the heart Sulph
 Do. do. do. from drinking little wine, Silic.

BLUE DISEASE. (*Cyanopathy.*)

Digital. given in large and often repeated doses.

BODY.

- (Cachexia) bad habit of body, Puls. & Bell. Nux
 and China. Ars. and Bell. Cupr. (swelling of the
 whole body, a kind of dropsy, Solan. nigrum.)
 (A kind of marasmus) in an old man, Cicuta.
 Weakness of body and mind in old men,
 Baryt. acet. Con. Op.
Dullness and Heaviness of the body, Natr. mur.
Inactivity and Heaviness of the body after rising
 from bed in the morning, Sepia. Natr. mur.

Deficiency of Warmth in the body, Lycop. Sep.

BILES.—ULCER.—SORE.

Biles on the under part of the leg, Magn. Arn
Bell. Nux and Arn.

Biles on the forehead and other parts, Ledum.

Without pain, soft biles on the head (Atheroma),
Calc. Arn.

Easily bleeding stinking *ulcers* on the shin, with
burning pain and sleeplessness, with restless-
ness of the body, - - Carb. veg.

Stench from *ulcers*, - - Silicea.

Proud flesh in *ulcers*, - - Petrol.

On the joints of the fingers and toes, Sepia.

On the shin, - - Calc.

On the upper part of the leg and ankle an itching
ulcer, - - Silic.

On the under leg an *ulcer*, with sickly complex-
ion, - - Silic.

On the under leg with nocturnal tearing, itching,
and burning, - - Lycop.

Small filthy *ulcers* on the whole body (except the
face), after taking cold, burning, smarting,
alleviation of the pains by warmth, leanness,
Arsen.

With bloody stinking suppuration, with high
borders and bleeding, - - Arsen.

Gangrenous *ulcer* on the great toe, burning par-
ticularly at night, with racking, - Arsen.

With penetrating putrid secretion of matter, or
with bad watery matter, - Arsen. Asa.

- Old *ulcers*, - - - - - Cupr.
 Ill corrosive - - - - - Mezer.
Ulcers long continuing on the feet, - Silic.
 Ulcers in the throat, tonsils, &c. from the mis-
 use of mercury, Bellad. Ars. Cham. China.
 On the throat, fistulous ulcers, with hard edges,
 (see *Carbuncle*), - - - - - Silic.
 On the shin bone, medley disagreeable colours
 before the opening of the abscess, not per-
 mitting the slightest touch, when the Ulcer
 opens there is discharged an ill smelling filthy
 ichor, affection of the periostium and *even of*
 the bones, - - - - - Silicea.
 On the shin, with inflammatory swelling and
 redness, the Ulcers itching and stinging, Natr.
 Fistulous, - - - - - Calc.
 On the finger, - - - - - Silic. Sulph.
 On the back of the hand, fistulous, Sul. Sil. Cal.
 On the feet, - - - - - Silic. Bella.
 After the misuse of mercury, - - - - - Silic.
 Fistulous ulcers, close to the lowest ribs,
 Sulph. Antim. c.
 In the ears, - - - - - Silic.
 Upon the left check, bloody filthy water dis-
 charged, with discoloured ground (bottom) and
 with raised edges, - - - - - Bellad.
 On the right under leg, three moist (watery) Ul-
 ers, smarting when moving, Acon. Bell. Calc.
 With stubbing suppuration, and therein stitching,
 throbbing, pressing asunder, and urging pains,
 Bellad.

Inveterate, around which a clear red swelling is formed, caused by catching cold, with tearing pain therein, - - - Nux v.

Tetter like ulcers on the skin of the joint (ankle) of the foot, secreting much filthy water, Graph.

BONES. (CARIES.)

Rottenness of the same, - - - Asa.

Asa. Silic. Calc. Mezer. Sulph. Nitric acid.

Caries on the middle finger, - - - Silic.

On the thighs, and driving up of the Radius, Sep. Nitric acid.

Inflammation of the Bones, Puls. Mezer. Sabin.
Calc. Silic. Lycop.

Swelling of the Bones.

Particularly, the bones of the face, - Staphis.
(Raised swelling of the bones,) - Dulc. Staph.
Sulph. Rhus. Calc. Lycopo. Puls. Mezer. Sabina. and Silicea.

Almost to breaking, - Asa. Silic. Mezer. Sulph.
then again Asa. Silic. and Sulph. (II.)

Of the whole Tarsus (instep) of the right foot, commencing with violent pains, threatening to burst, - - - (2 doses) Merc. solub.

Disease of the Bones, - Asa. (Ruta) Mezer.

Venerial and mercurial, Aur. Baryt. Phos. acid.

Pain in the Bones.

In the upper jaw bones, - Aurum.

Of the *arm*, with hindered motion, great uneasiness, compelling one to change his position of

ten, pain like dislocation in the limbs, Merc. sol. China. Ferr. Cocul. Puls. Bell. and Ledum.

BRAIN.

Affection of the brain in consequence of suppressed Measles, backward boring with the head on the pillow, perspiration of the head, twitching, backward drawing of the head towards the vertebræ, Bellad. (Increased vomiting of slime with sleeplessness, was cured by Cham.)

With inflammatory affection of the breast, Acon. Bryon. Acon. Bellad. and (Acon. repeatedly.)

Inflammation of the Brain, - Bellad. and Bryon. Bellad. 2 doses, between which - Cham.

Nervous, Bryon. Hyosc. (Arn.) Bell. Bryon. Cupr.

Membranes of the brain.

Rheumatic inflammatory complaints, first, Acon. then Bellad. Phosph. acid. Rhus. Merc. Hyosc. with great sopor, Opium; in more natural sleep, with twitching of the limbs, groaning, restless motions, absence of mind after awaking, with fixed look, desperate mien, with inclination to fly, great and fearful cry, clinging to things within reach, attended with strong fever heat, redness of the face, &c. Stram.

With but little complaints of headache, lying still without answering, apparently senseless, without being unconscious, Spi. nitric æther.

Dropsy of the brain. Acute Acon. and Bell. alternating with Merc. solub. and Rhus.

Acute - Aconit. Bellad. and Opium.

BREAST. (*Mamma.*)

- Erysipelatous inflammation of the b. with pricking tearing pains, and stoppage of milk, (also the same state after weaning children,) Bellad.
- Inflammatory state before the commencement of suppuration, Bryon. (X°), a plaster of elder syrup, in eminent or already begun suppuration, - - - Phosph.
- Destructive (virulent) abscess of the b. Phosph.
- Hardness in the b. - - - Merc.
- Hardness (obdurateness) of the glands of the b. in new born children, - Cham.
- Inflammation (Phlegmone) of the b. with ulcers containing stinking matter, callous borders, swelling of the breast bone, and cessation of menses, - - - Silic.
- Diseased breasts from taking cold, or emotions while suckling children, hard knots remaining, Cham.
- Ulcerous, with partial obdurateness and phthysical symptoms, - - - Silic.
- Knots in the breast, - - - Carbo. ani.
- Knots in the breast, small, moveable and painful, Bellad.
- Knots in the breasts, with bursted nipples, which are covered with yellow coloured scales, from under which oozes a sharp moisture, - Sulph. Graph. Lycop.
- Stitches in the b. - - - Natr. mur.
- Soreness of the nipples, Sulph. Graph. Calc.
Lycop. Sepia.

BREAST. (*Pectus.*)

Narrowness of the,	-	Natr. mur.
Oppression at the,	-	Graph. Carbo. v.
Oppression at the breast after eating too much food, with a feeling of (a load) heaviness,		Sulph.
Burning in the,	-	Calc.
Burning in (or near) the,	-	Sulph.
Burning in (or near) the b. as heart-burn, cardialgia, waterbrash, (Pyrosis),	-	Lycop.
Fixed pressure under the left ribs,		Silic. Lycop.
Pressing with cough and sneezing,	-	Silic.
Pressing in the breast-bone,	-	Sulph.
Itching of the breast,	-	Phosph.
Beating of the breast-bone	-	Silic.
Wheezing in the breast,	-	Kali carb.
Phlegm on the b. with cough,	-	Natr. mur.
Phlegm on the b. with night cough,		Baryta.
Pain in the b. from moving,	-	Sepia.
Pain under the left b. when lying upon,		Phosph.
Pain in the sides when breathing and coughing,		Sepia.
Stitches in the sides of the, when moving,		Calc.
Stitching in the left side,	-	Sepia. Silic.
Stitching in the b. and through to the back,		Sil.
Stiching in the b. when coughing,		Natr. mur.
Stitch in the b. bone,	-	Conium.
Stitch (<i>chronic</i>) in the side,	-	Phosph.
Stitch in the breast from study,	-	Sepia.
Stich under the ribs,	-	Carb. veg.

Tightening (straining) pain in the breast, Natr. mur.
Agitation of the breast - Sepia.
Catarrhal complaints of the breast, - Verbas.
Chronic complaint of the breast, Zinc. Ranunc.
Pains (like sores) in the breast, Sep. Carb. veg.

INFLAMMATION OF THE BREAST. (*Pneumonia—Pleuritis.*)

Aconite as the first remedy always, sometimes in often repeated doses, as in the 40 cases which are mentioned in the *Archives*, Vol. 8, 2d part, p.165, where Aconite repeated every 24 hours, in 2 or 3 days erased the disease, sometimes conforming to circumstances,

Bryon. with or without Sulph.
Bryon. alone, or subsequently applying Nux v.
Arnica.

With inclination to go over to the nervous state after evacuations of blood, and (*hæmorrhagia pulmonum*) bleeding of the lungs,

China. repeatedly (2 doses.)

Treated very successfully by Dr. Weber, with Acon. and Bryon.

Pleurisy, *Arnica. Scilla.*

With painful lameness of the hip joints, Scilla.
Sulph. and Calc.

Where in the first stage there is already much expectoration of slime, after Aconit. Scilla.
with nervous symptoms, Bellad., often afterwards, - - Hyosc. or Stram.

(Complicated) with burning pains in the small of the back, asthmatic fits, particularly at night, with burning eruption (blisters) on the mouth - Acon. Ars. Spirit sulph.

Pneumonia.

With vehement headache, vomiting belly-ache, diarrhœa, and delirium at night, after applying, without effect, Aconit. Spirit sulph. then Aconit. and Bryon.

Complicated, with pauses (catching the breath) during respiration, uneasiness and anxiety, scarcely perceptible moving of the breast, bellyache, with ineffectual efforts to stool, crawling out of (ascarides) worms, bluish lips, dry burning skin, small hard intermitting trembling pulse, constipation.—The fits of *stitches* were always preceded by perspiration, and instantly ensuing burning heat and foregoing redness of the face, Acon. (Bryon. and Nux without effect), Opi. with the best effect.

Aconit.—after two days, the cough and stitches in the side having continued, - Cannabis.

With symptoms which announce an affection of the diaphragm, viz. eructation with stitches, hiccoughing, &c., Phosph. acid in repeated doses.

With short, anxious, oppressive breath, alternately shivering (cold) and heat in the last stage, - - - Camph.

Rheumatic—the pleura being more affected than the lungs, where it is at the commencement

more latent (hidden), or where the prevalent inflammatory state has subsided, by means of Aconit. and Bryon.—where the complaints are increased, not by breathing, but more by moving and rest, and where walking in the open air alleviates, - Senega.

Nervous, - - - Aconit. Bell. and Bry.

Nervous, - - - - - Rhus.

Nervous, with an inflammatory affection of the liver, and symptoms of jaundice; Nux, Bell. and Hyosc.

Cramp in the Breast, - Colch. Mosch. Lauroce.

In the muscles of the b. with twitching in other parts, - - - - - Stram.

With asthma, throbbing of the heart and pressing in the stomach, after suppressed menstruation, - - - - - Puls.

Vehement, hysterical, - - - - - Cupr.

Phlegm on the Breast, - - - - - Baryta.

Dropsy on the Breast, Op. Bryon. China. Helleb. Colchicum. Carbo. veg. Ammon. mur.

BREATH.

Short, - - - - - Ammon. c. Natr.

Short, in walking, - - - - - Carb. v. Natr.

Short, by running, panting, Silic. Natr. m.

Short, from little work, - - - - - Silic. Natr. m.

Short, in children, - - - - - Lycop.

Difficult, - - - - - Sulph. Natr. Phosph.

Difficult, with whistling in the breast, Kali c.

Loss of breath from stooping, Calc. Silic.

Loss of breath from running and coughing, Silic.
 Loss of breath, by lying on the back, Silic.

BRONCHITIS, Nux v. Sam. (See *Catarrhal Fever*.)

CACHEXIA.

Puls. Nux v. Bellad. and China, - Coccu.
 In a child, with swelling of the glands of the
 throat, thick belly, vomiting of the food, green-
 ish diarrhœa twice a day for 3 days, contain-
 ing also undigested food, Bellad. and Ars.
 Caused by premature birth, Puls. and 3 dos. Chi.
 (See *Atrophia*.)

CANCER.

Of the breast, arising from a thrust, *Conium* in-
 ternally and externally, and *Cham.* interme-
 diate.

Of the lip (cancer labiorum), - Bellad.
 Of the lips, Nux and Con. (the latter also exter-
 nally.)

Conium, one drop of the 1st Dil. and externally
 washing the cancer with the strong extract.

Cancer of the Womb. (Cancer uteri.)

Diminution of the boring, burning and stitching
 pain by - - - - - Ars. and Bell.

Cancer of the Stomach, alleviating medicine, Nux v.
Soft cancer in the eye, - Bellad. often repeated.

Uteri incipens, attended with prolapsis—apply, ex-
 ternally, a sponge, with a weak infusion of
 Bellad., then, during a fortnight, every 48

hours, Bellad. (20 Dil.), and then, for 4 weeks,
every fourth day, - - - Arsen.

CARBUNCLE. (*Furuncle, Abscess gangrenous.*)

Arnica., a drop of the tinct. in 1 oz. of water; if
applied for a quarter of an hour, they will
disappear.

On the perinæum and adjacent parts, Antim. c.
Silic.

CARIES. (*See Bones.*)

CATARACTA.

Puls. Cannab. Opium, Euphra.

CATALEPSY, Acon. Stram.

CATARRHAL AFFECTIONS.

General, with acute and constant pain in the
head, thirst, loss of appetite, hot skin, distress,
weakness, &c. - - - Acon.

**CATARRHAL FEVER, AND CATARRHAL
GASTRIC FEVER.** (*See Fevers.*)

CHEST.

Pain in the c. deep seated, - Puls.
Alarming affections of the c. - Silic.
(*See Breast.*)

CHILD BEARING.

Retarded by deficiency of pains, Puls.—in im-
moderately violent pains, - Coffea. Mez.

CHILDBED FEVER. (See *Fevers.*)

CHILDREN.

- ASTHMA in scrofulous children, - Ambr.
Short breath in c. - - - Lycop.
Inflammation of the eyes in newborn c. (with
 Aphthæ), - Cham. and Merc. sol.
Inflammation of the eyes in infants, first, Acon.
 then Sulph. and Calc.
 CROUP—first, Acon., after 6 hours Spong., and, if
 necessary, after 36 hours, - Calc. sulph.
 Or Acon. Hepar. Mosch. Phosph. Spong. Bellad.
 Croup, cured only by, Calc. sulph. (Sambuc?)
 Croup in the last stage, - Mosch.
Chronic Eruption on the face of c. (like blos-
 soms,) crusty pimples, Rhus. Ignat. Sulph.
 Hepar.
Weak belly in c. - - - Caust.
 Weakness of mind in c. (silliness), - Hyosc.
 Bleeding from the eyes of little c. Cham. Bell.
 Nux.
Vomiting cough after hooping cough, the child
 vomits slime in coughing, day and night, and
 a kind of matter with insupportable smell,
 (the meals eaten are not vomited), Nux.
 Hardness of the glands of the breast in new
 born c. - - - Cham.
 Cachexia, in a c. (See *Cachexia.*)
 Obstinacy, - - - Lycop.
 Teething fever, Bellad. Nux.
 Teething complaints, Phosph. Calc. Sep. (smell
 X^o) Nux, Cham. Bellad

- Diarrhœa* in a child, with much pain, Jalap. (I^{ooo})
Diarrhœa in scrofulous c. - Calc. acet.
Diarrhœa, chronic, from acrimony, Magn. c.
Diarrhœa in teething, or when the teeth are
 breaking through the gums, greenish, watery,
 without pain, with much weakness, Cham.
Epilepsy, a kind of, in c. - - Platina.
 Vomiting, sour, in babies, often with acrid diar-
 rhœa, - - - Calc. acet.
 Vomiting in c. after every drink, with twitching
 and other symptoms, announcing irritation of
 the brain, Ipec. of the 1st Dil. half a drop
 every 4 hours.
 Vomiting in a child, by which worms are thrown
 up, - - - - China.
 Vomiting of food in c. - - - Puls.
 Vomiting after sucking, with rejection of milk, .
 Silic.
Suffocation, danger of, in becoming cold, in c.
 Cham.
Falling (lightly) with uncertainty in walking in c.
 Caust.
Jaundice, particularly in newborn c. Cham.—in
 case of preceding misuse of Cham. China,
 Merc. Sulph.
Cough in a c. when cutting teeth, - Cham.
 Cough, with fits of suffocation, stitching, most
 violent at night, in the evenings, after eating
 and drinking, whereby the child gasps for
 breath without success, with vomiting of food,
 Bryon.

Hooping Cough, in the catarrhal stage, Nux.
 Cina. Droser; *farther*, Ipec. Bellad. Sulph.
 Mosch. Op. Arn. Ars. Bry. China. Hyosc.
 Con. Laurocer. - - - - Cupr.
Wind colic in c. - - - - Bellad. Cham.

EMACIATION. (See *Atrophia*.)

Measles, with inflammatory complaints of the
 throat, &c. - - - - Bellad.

Measles, Aconit. (See, *Measles*.)

Ulcers in the mouth, with putrid taste and smell,
 Nux. also Bellad. Ars.

Mumps, Acon. Bellad. Merc. sol. and subl.

Hepar. Rhus. Bryon. Ign. Puls. Cocc. Capsic.

Nux. Ars. Sulph. Nitric ac.

Scarlatina, - - - - Bellad.

Scarlet rash, - Acon. Puls. Merc.

Restless at night, crying and tossing about,
 Rheum.

Screaming of little babies, without other symp-
 toms, Bellad. (to smell), from too great ex-
 citation, sleeplessness, with inclination to
 sleep, Coffea.

Screaming, with uneasy^r turning of the body,
 Jalap. Sen. Cham.

Cold in the head in c. Nux.

Fright, terror, - (Coffea.) Op.

Fright, terror connected with anger, Acon.

Cramp, backward bending, (Opisthotones,) in c.
 arising from sudden fright after falling, Ignat.

Belly, hard bloated in c. - - - - Silic.

Soreness between the thighs in c. Cham.—in pre-

ceding misuse of Cham.—Ignat. Puls. Sulph.
or Graph, given to the mother.

Worms, discharge of small worms, with itching
and pricking in the anus of c. Ignat.

Worm Fever, with bellyache and convulsions in
c. - - - - - Cicuta. Sabad.

(See *Worms*.)

Convulsions, - - - - - Ipec.

Fearfulness in the evening, Acon. morning, Bell.

Itch, a kind of dry, not infectious, with itching
and crying at night, - - - Verat.

CHILBLAINS, Nitr. ac. Petrol. Phosph.

(See *Freezing*.)

CHILLINESS - Silic. Sulph.

Continual and want of natural warmth, Nat. m.

Deficiency of warmth in the body, Lyc. Sep.

CHOLERA.

Verat, *Verat*. China. Ipec. *Ars.* (*Camph.* & *Verat.*)

CHOLERA ASIATICA.

First, Ipec. some hours after *Verat*.—If the dis-
ease *does not* commence with vomiting, diar-
rhœa, &c., but immediately with sinking,
prostration of strength, fainting, becoming
cold, cramp of the calves, &c., give instantly
Verat.—if speedy relief *is not* had give *Camp.*
spirit. after Hahnemann's method (one drop

every 3 or 5 minutes on sugar, or in water), besides this rubbing and fumigating with camphor—if instead of the tonic convulsions, convulsive motions and twitchings beginning in the fingers and toes are manifest, then give Cupr. (X) repeated (twice in an hour)—if besides the above vomiting, diarrhœa, griping in the stomach, heaviness of the abdomen, &c. presents, Arsen. and Phosph. with these ice-water a little at first. (Medicines to be used yet are, Carbo. veg. Acid hydroc. and Bismuth, sometimes Cham. sulph.)

Remaining diarrhœa, with rumbling in the bowels, Phosph. (X^o)—also, a glyster of ice-cold water, about the full of a coffee cup at a time, every 3, 5 or 7 hours.

(NOTE.—In the remaining Febr. nervosa versatilis, Rhus. (VIII^o) to be given twice or thrice, and then repeated as soon as throwing about in the bed recommences. In other kinds of nervous fevers also, Bryon. (X^o); as a preservative, according to S. Hahnemann, Cupr. (X^o), every week a dose early, fasting and without drinking soon after taking, yet not before the cholera is quite near.—Conforming to Dr. Rumel, a very small dose of Cupr. and Verat. every 4 days alternating.)

CHOLERINE.

The first stage of epidemic cholera.—(Blustering and rumbling in the belly, proceeding from the direction of the under ribs, immediately after which comes diarrhœa, at first sterkorous, then watery white slime (with white and greenish

spots), general warmth of the skin, even sweat, full pulse, warm tongue, deficiency of cramps, &c.—Phosph. $\frac{1}{0}$ $\frac{2}{00}$ $\frac{3}{000}$, sometimes repeated after 18 or 24 hours, also a glyster, as mentioned in *Cholera Asiatica*, and for drink as cold water as possible, one, two, three teaspoonsful, as often as the vehement thirst requires.

(NOTE.—Too frequent drinking of ice-cold water is dangerous, as has been proved by later experience.)

With bad colour of the face, dizziness in the forehead, tongue gluey and tough, so much so that the fingers stick thereto, (characteristic), diarrhœa becoming greenish white, slimy, watery, and with retention of urine, Phosph. acid (I).

CHORÆ ST. VITII. (See *Dance St. Vitti.*)

CINCHONA, bad effects of,
Arn. Ipec. Ferrum. Merc. Verat.

CLAP. (See *Gonorrhœa.*)

CLAUDICATIO, (*spontanæ*) - Bellad.
Luxatio femoris spontanæ, Arn. Bryon. Nitr. ac.
Calc. Silic. Petrol. Phosph. and Graphit. Coloc.

COFFEE DRINKING.

In want of sleep, heart beating, great irritability of the nerves, severe cramp in the stomach,
Nux.

In severe headache, as if the head was riven
 asunder, - - - Ign. or Nux.
 A severe headache on one side, - Nux.
 Other complaints, Cham. Cocc. Ignat. Nux, &c.

COLDS, &c.

COLDNESS, then heat in the face with cold feet,
 Petrol.

Coldness, often internal, - Natr. mur.

Coldness, continual, in the left side, - Natr.

Cold in the head in children, - - Nux.

Cold in the head, Baryta. continual, Calc,

Cold in the head, daily, on becoming cold, Grap.

Cold in the head and cough, - - Lycop.

Cold in the head (every third day) from small
 draft of air, - Natr. Petrol. Sepia.

Cold in the head, with stoppage, Ammon. Calc.

Phosph. Silic. Natr. mur. Lycop. Sepia. Mag.

Cold in the head (flowing) catarrh retarded,
 Sabad. Calc. Lycop.

Cold in the head (flowing), catarrh, with subdued
 chronical stoppage, - - Silic.

Liability to take cold, Calc. Natr. Nitr. acid, Sepia.

Baryta. Lycop. Carbo. v. Natr. mur.

Liability to take cold when having the feet bare,
 Silic.

(NOTE.—In order to prevent the skin being susceptible to cold,
 and to prevent the parts from freezing, bathe with Spirts
 of Camphor.)

COLD WATER.

Disorders from drinking, Op. Carbo. v. Bryon.

Ars. Op. and Bellad.

COLIC.

From taking cold, (in 10 cases,)	Coloc.
Several kinds,	Nux.
With vomiting of food,	Coloc.
Like labour pains,	Kali c. Coccul.
Violent,	Senna.
WIND COLIC,	Cocc.
Deeply seated in the abdomen, and is mostly increased by lying down,	Phosph.
SPASMODIC COLIC (Miserere),	Opium, many doses, Plumb. acet.

COMA, Tart. stib. Tart. emet.

COMPLEXION.

Pale, Zinc.—pale sickly, Sulph.—yellow, Sepia.
Kali c.—dirty, Phosph.

COMPLAINTS.

Of the throat. (See *Throat*.)
Hypochondriac complaints. (See *Hypochondria*.)
Stomach complaints. (See *Stomach*.)
Urine. (See *Urine*.)
Worm. (See *Worms*.)
Pregnancy. (See *Pregnancy*.)
Menstrual. (See *Menses*.)
Children, of. (See *Children*.)

CONVULSIONS.

Bell. Cham. *Ipec.* Hyosc. Cina. Stram. Ver. Nux.
In consequence of ulcers on the fingers, Cocc.
Twitching in both arms without pain, in pregnant women, Bryon.

- With a kind of *aurea epileptica*, Ignat. Camph.
Cupr. acet.
- In a fit like epilepsy, - - Arsen.
- Without consciousness, with fits of starting, spas-
modic breathing, deathlike coldness of the
face and body, weak pulse and agonizing state,
Opium.

CONSTIPATION.

- Ammon. c. Calc. Kali c. Silic. Op. Bryon. Nux, &c.
- Inveterate, lasting 8 days or longer, Nux. and
Verat.
- With cramp in the underbelly, &c. 19 days
without stool, - Plumb. ac. IVth. $\frac{1}{4}$ gr.
- With costiveness and hardening in the region of
the liver, - - - Graph.
- Every third day, - Kali c. Natr. mur.
- Lasting several days, - Lycopo. Silic.
- With frustrated pressing to stool, - Con.
- Lasting several days, with hard knotty stool,
often frustrated pressing to stool, Sulph. (II.),
particularly when it requires to be repeated,
- Many days, particularly after pollution, Thuj.
- Of pregnant women, - Lyc. Nux. Sep.
- Chronic, Bryon. Caust. Graph. Mgs. arc. Natr.
Nux. Op. Plumb. Sulph. Thuj. (See *Costiveness*
and *Stool*.)

CONGESTION.

- Towards different organs, in the climacteric
years, during pregnancy, with persons who

lead a sedentary life, by the immoderate use of spirituous liquors, - - -	Nux.
Lymphatic, - . . .	Bellad.
Towards the head, - - -	Ranunc. b. Merc.
Towards the stomach and abdomen, -	Merc.
Of the head, - - -	Bryon.
Lymphatic congestion, - - -	Bellad.
Collections of lymph, - - -	Antim. c.

CONSUMPTION OF THE LUNGS.

- Pulmonary consumption*, commencing after overheating and subsequently taking cold, Arn.
- Commencing (in a youth 17 years old,) after pneumonia, - - - *Hyosc. China.*
- Commencing after preceding typhus inflammation of the chest, Acon. *Hyosc. Rhus. Lycop.*
- With typhus fever first, *Rhus*, after removing the fever, *Lycop.* (to smell,) *Acon. Nux.*, and *Lycop.*
- Caused by frequent discharge of blood, *China.*
- In a phthisical person in consequence of taking cold frequently, - - - *Dulc.* and *Bryon.*
- Florid, suddenly arising, *Ferr. acet.* and *Puls.*
- Florid, with continual cough and very copious gelatinous bloody (pointed) expectoration, *Laurcer.*
- Slimy*, in a girl 19 years of age, cough several months previous, spitting pieces the size of a dollar of a yellowish, offensive smelling, fastidious tasting matter, when walking in the room, deficiency of breath, with great feeling

of suffocation, *Stannum*, after three weeks.
Arsen.; after 12 days again *Stann.*

Slimy, (*Phthisis puitosa*), *Stann.* then *China.*
 and *Bellad.*

Tuberculous, - - - *Calc. Phosph.*

Tuberculous, commencing *Merc. sol.* (as in-
 termediate medicine,) - - - *Nux.*

Purulent, *Stann. Kali c.* (as intermediate,)
Dulc.

Calc. Carbo. v. Kali c. Lycop. Nitr. Nitr. ac.
Phosph. Sep. Silic. Sulph.

Consumption of the Windpipe, (commencing), *Bellad.*
Hepar. Droser. and Spong. Tinc. acris.

Droser., commencing, *Carbo. v. Caust. Phosph.*
Calc. Kali c.

Stann. Sulph. Nitr. &c. (as intermediate medi-
 cines,) - - - *Nux, Senega.*

CORNEA.

Spots on the c. *Bella. Con. Cannab. Hepar. Aur.*
Ars.

Ulcers in the c. (with fungus hæmatodes), *Bella.*
Calc. Lycopo. Sep. Silic. and repeatedly, *Calc.*

CORNS.

Painful smarting, *Lycop. Calc. Caust. Natr. mur.*
Sulph.

Stitch in the same, - - - *Silic.*

On the sole of the foot, - - - *Antim. c. Nux.*

COSTIVENESS.

Inveterate when Nux. has been applied without effect,	- - -	Verat.
Calc. Lycop.		
With much unsuccessful urging	-	Silic.
And difficult discharge of stool,	-	Kali c.
With constipation, retarded stool,	-	Silic.
(See <i>Constipation and Stool.</i>),		

COUGH.

Dry, (Ammon. Graph. Kali c.)	-	Calc.
Dry, day and night,	- -	Graph.
Dry chronic, after measles,	-	Droser.
Dry cramp cough,	- -	Conium.
Dry early (morning) cough, lasting for years,		Lycop. Natr. m.
Tickling (itching) c.	- -	Phosph.
When walking and breathing deeply,		Natr. m.
Racking, forcing c. in the upper part of the throat,	- - -	Sulph
With headache, as if the forehead would split,		Natr. m.
Short chronic,	- -	Natr. m.
Vehement morning c. with shaking of the whole body, choking, waterbrash, spitting of white, yellowish slime, without taste or smell,		Puls.
Morning and evening, with saltish expectoration,		Sepia.
Only in the morning on awaking,	-	Hepar.
Inveterate evening c.	- -	Iodium.
In the evening in bed,	-	Calc. Petr.

Dry cramp-cough at night,	-	Hyosc.
At night,	-	Baryt. Graph. Kali c. Petr.
Dry suffocating,	-	Silic.
Dry, in sleep,	-	Calc. sulph.
Dry, with stitches in the upper part of the throat,		Phosph.
Evenings and nights, most violent,	-	Capsic.
After drinking,	-	Lycop.
Always after eating and drinking, dry, crampish,		Bryon.
And spitting,	-	Lycop.
With spitting of blood. (See <i>Coughing up Blood</i> .)		
With pus like spitting,	-	Silic. Kali c.
With free expectoration,	-	Kali c.
With spitting of slime,	-	Silic.
With rawness and hoarseness on the breast,		Phosph.
In children, when teething,	-	Cham.
Short,	-	Caust.
In scrofulous persons,	-	Con.
With cramp in the breast,	-	Kali c.
With vehement hoarseness (Nux seldom)		Puls.
		Mang. acet. Sulph. Merc.
Moist, after long-continued colds,		Sep. Tart. stib.
Dry, mornings, after walking,	-	Bryon.
With fits of suffocation,	-	Ipec.
And inveterate cold in the head,	-	Digit.
Different kinds of dry cough, produced by a tickling or scratching sensation in the windpipe (trachea), or with a kind of cramp therein, irritated vomiting, painfulness as if beaten, in the abdomen, &c.	-	Nux.

- Particularly early, with (chronic) hoarseness, when sneezing, ill putrid smell from the throat, Calc.
 In several (single) fits, at night, face red, loss of breath for some moments, vomiting of slime, Hyosc.
 With vomiting of slime and ill-smelling matter. (the food is not vomited) day and night, increased by motion, - - - - - Nux.
 For *Cough in Children, Hooping Cough, &c.*, see *Children*.

COXALGIA. (See *Hip*.)

CRAMP.

- Hyosc. Bellad. (In a child, see *Children*.)
 Several kinds, (Archives, 3d Vol.) - - - - - Cupr.
 In the abdomen, midday, afternoon, and late in the evening, - - - - - Valer.
 EPILEPTIC, - - - - - Calc.
 HYSTERICAL, in sanguine temperaments, alleviated by lying on the back, and pressing the suffering parts, - - - - - Ign.
 Hysterical, of the womb and abdomen, extending to the upper legs, causing a discharge of *Leucorrhœa*, Magn. m.
 In women who are on the eve of child-bearing, Cicuta.
 Of the womb, commencing with raking above the sexual organs, extending over the whole belly, ascending to the chest, with stitches in the left side, - - - - - Conium.
 OF THE DIAPHRAGM, - - - - - Mosch. Stann. Caust.
 In the diaphragm on stooping, - - - - - Natr. m.

- In the windpipe, - - - Nux.
TONIC, in all parts of the body, with rattling in the
throat, uneasy sleep, &c. - - - Nux.
Tonic, (2 doses) Bellad. Mosch. Hyosc. August.
With Trismus (*lock-jaw*), - - - Cicuta. Bella.
State of **Tonic** c. in *Hypochondriacs*, - - - Mosch.
In the under part of the upper legs and calves, with
cramp in the chest, - - - Hyosc.
In the *breast*. (See *Breast*.)
In the *eye*. (See *Eye*.)
Of the *jaw-bone*, - - - Bella. Cicuta. August.
In the *stomach*. (See *Stomach*.)
In the *ear*. (See *Ear*.)
UTERUS, cramp of the, - - - Ign. (See *Menses*.)
CALF, cramp of the, Graph. Lycopo. Natr. Sepia.
After bodily exercise (in the evening), - - - Silic.
When walking after sitting, - - - Silic.
Nocturnal, - - - - - Carbo. v.
Contracting pain when walking, - - - Lycop.
Numbness of the same, - - - Silic. Nux.
At night, and early in the morning, - - - Hyosc.

CRAW. (*Bronchocle.*)

Or *Goitre* of the French, the common name is *Swelled neck*; it is not a rupture, but an enlargement of the thyroid gland. The Germans call it *Kropf*. I have seen but very few cases, chiefly among miners in the interior of Pennsylvania, and they were foreigners. (I never knew of a cure being performed by Iodine,) Spong. Natr. m. (See *Throat*.)

CROUP. (*Angina Membranacea.*) (See *Children*.)

CRUSTA LACTEA.

Bryon. and Baryta acet. - Sarsap. Arsen

CYANOPATHY. (See *Blue Disease*.)

CYPHOSIS.

Newly arisen, Sulph. Puls. Merc. and Mezm.

DANCE ST. VITII. (*Chorea*.)

Ign. Ars. Bella.—Puls. Calc. Sulph.—Hyosc. and
Bella.

China. and Stram.—China. Ign. and Cupr. acet.
Nux. Calc. Lycop.

Conium. Silic. Phosp. Caust. Sulph. Cupr. Crocus.

DEBILITY. (*Weakness*.)

Chronical, - Natr. Nitri. acid

Of body and mind in old men, Baryt. Con. Op.

After severe sickness with inclination to faint
from the slightest motions, (China.) Verat.

DELIRIUM TREMENS. (*Mania a Potu*.)

Bellad. X gttj. in water, a table spoonful every
2 hours.

Bellad. X^{ooo}. Nux v. and Op., Op. and China.
Calc. Hyosc. Stram.

DIARRHŒA.

Now watery, now slimy, under griping in the
bowels often at night, - Cham.

After catching cold,	-	Dulc.
After catching cold, after eating and drinking, griping pains in the belly, with evacuations immediately following, often undigested food, (<i>Lienteria</i> .)	- - -	Bryon.
Chronic of two years,	-	Rhus.
Chronic, Sulph. (VIII ^o), Phosph. Phosph. ac. Petr.		
Chronic in old persons,	-	China.
Chronic with periodical obstruction, with which old persons often suffer,	-	Antim. c.
In women whilst in child-bed, with a kind of driving colic and anxiety, (3 ca.)		Rheu. (III ^o .)
With dysenteric urgings mostly at night,		Sulph. Puls.
Nocturnal, with night blindness,	-	Verat.
Autumnal,	- - -	Ars.
Watery, with drawing pains in the thighs, pro- ceeding from the small of the back,		Nux.
Without pain, almost unnoticed, and discharged involuntarily,	- - -	Hyosc.
In papescent and watery evacuations,		Rheum. (X ^v) and Antimon. c. (X ^o .)
Bloody,	- - -	Dulc. Puls.

NOTE.—Diarrhetic complaints of children, (see *Children*.)

(See *Dysentery*.)

DIABETES.

Scilla. Ledum. Tarax. (See *Urine*.)

DISEASE.

Of the bones. (See *Caries*.)

Mercurial, manifesting itself in gangrenous affections of the inside of the mouth and throat,

Bellad. and Ars.

Combined with *Syphilis*, Nitr. ac. Carbo. (several doses,) Staph. Hepar.

Manifest in inflammation of the nose, ulcerous nostrils, and nightly pains in the head, Aurum.

DISGUST, DISLIKE, DISTASTE.

For fat food, Natr. m., for flesh, - Silic.

DIPLOPIA. (*Double Vision.*)

With cramps or rheumatism of the muscles, and pain in the orbit, - Bella.

DIZZINESS. (*Giddiness, Vertigo.*)

Early, - Carbo. ani. Op. (2d.) Acon.

With bilious slimy vomiting, Con. Bella. Lycop. Petrol. Puls. Silic. Sulph.

DREAMS.

At night, Natr. many d. Con. lively, Petrol.

Anxious, - Calc. Lycop. Silic. Sep.

Dreadful and anxious, with weeping, Graph. Lyc.

Revelling in fantasies at night, Sulph. Calc.

Heavy, then remaining awake several hours,

Natr. m.

DRINKING.

For complaints caused by drinking, Arn. Ars.

China. Cocc. Con. Natr. m. Nux, Rhus. Sil.

Verat.

Chills (cold,) from, - *Ars Caps*, China. Nux.
Verat.
Cough from, - Acon. *Ars*. Hep. Lycop.
Shuddering after d. with gooseskin, Verat.

DROPSY.

Of the skin generally, Helleb. *Ars*. Dulc. Apocyn-
num. (*The fresh root must be used.*)

With pains in all the limbs, with dread of mov-
ing, - Ledum. Bryon. *Ars*.

Of the belly, - - Solan. nig.

Of the belly commencing, Colchi. Kali c.

Resulting from a tonic spasmodic state of the
urinal organs, - - Canth.

Of the breast. (*See Breast.*)

Brain. (*See Brain.*)

Skin. (*See Skin.*)

Scrotum. (*See Scrotum.*)

DRUNKENNESS. (*Intoxication.*)

Bad effects from being drunk on wine, (the day
previous,) - - - Carbo. v.

Agar. Cocc. Con. Graph. Led. Nux. Op. Puls.
Secal.

Further directions may be found in Dr. Her-
ing's "*Domestic Physician.*"

DRY SCAB. (*See Tetter—Ringworm.*)

DYSENTERY.

With vomiting, violent stomachache, bloody
stool, and burning in the anus, - *Ars*.

- Sporadic*, or epidemic autumnal, Merc. sub. and sol. Aloe, Coloc. Nux, Merc. sol. and Sulph. Colch.
- Catarrhal, rheumatic, Acon. China. Puls. Cham. Rhus.
- Bilious inflammatory, Acon. (often), then Nux or Merc. sub.
- Slimy, Puls. Merc. sub. Dulc. Colch. Sulph. ac. (IX) and Sulph.
- Putrid, at the commencement, in eminent inflammability, Acon., if then the local affection of the bowels proceeds, Nux, Ars. Sulph. ac. China. (perhaps also Phosph. and Phosph. ac.)
- Chronic, - - Sulph. Nitric ac. Petrol.
- Dysenteric Diarrhœa*, - - Sulph.
- Autumnal*, in persons who suffer from piles, Sulph.
- Autumnal*, - Calc. sulph. Merc. sub.
- Epidemic gastric, - - Colchi. Staph.

EAR.

- Running from the, - - Carbo. ani.
- Eruption upon or behind the earlap, Baryta.
- Excrescence in the, - - Merc. sol.
- Scurf behind the, - - Graph.
- Rushing in the, Calc. Caust. Nitric ac. Sulph.
- Growling and humming, - Natr. m.
- Growling, humming and crackling, Sulph.
- Flow of matter out of the, - Sulph.
- Flow of pus from the, with soreness of the concha. Merc. sol.

Suppurating and itching in the,	with difficult hearing,	- - -	Ammon c.
Clang, (continual sounding) in the,		-	Silic.
Tingling in the,		-	Lycop.
Throbbing and knocking,		-	Phosph.
Hackling when swallowing,		-	Calc.
Clucking behind the,		-	Baryta
Sounding before the,		-	Calc. Silic.
Knocking in the,		-	Nitric ac.
Pulsating in the,		-	Magn. m.
Rustling or whistling in the,		Natr. m. Carbo. v.	Sulph.
Singing and tingling,		-	Graph.
Humming before the,		-	Calc. Iod.
Humming in the,		Graph. Carb. ani.	
Humming and rushing before the,		Ph. Petrol. Sep.	
Humming and tingling in the,		-	Con.
Dryness of the inner,		Graph. Petrol. Carbo. v.	
Obstruction in the,		-	Nitric ac.
Obstruction in the, finishing with a clap,			Silic.
Sensation of something in the, fullness, &c.			Petr.
<i>Gland under the ear, (Parotis), swelling, hardening,</i>			Con. Bellad.
<i>Earwax, accumulation of,</i>		-	Con.
Earache, boring,		-	Silic.
Stitching,		-	Silic. Kali c.
Tearing, in the left ear,		-	Zinc.
Tearing and stitching in and about the ear,			Con.
Tearing stitches deep in the right ear,			Zinc.
Stitches in the ear, when in the open air,			Con.
			Kali c. Natr.
(NOTE.—Almost as a specific,		-	Zinc.)

Inflammation of the ear, (*Otitis*), Puls. Bella. and
 Merc. sol.
 With nervous symptoms, - Puls.

ECLAMPSIE, - Platin.

EPILEPSY.

Hyosc. Ign. Bell. Cham. Calc. Lycop. Cam. Valer.
 After vehement anger, - - *Ignat.*
 After sudden fright, - - *Hyosc.*
 Of drunkards, Nux, Silic. Sep. Sulph. Graph.
 Carbo. v.
Cupr. Ranunc.

ERECTIONS.

Deficient, - Lyc. Magn. Caust. Kali c.
 Deficient, early, - - Graph.
 Feeble, - - - Lycop.
 Too strong in the evening, - Phosph.
 In-sufficient, of short duration, - - Con.
 Painful, at night, - - - Merc.
 Strong, in bed at night, - Cinnab.
 Strong, lasting some time, - - Canth.
 And pollution at night, - - - Aur.
 Many, particularly at night, - - Staph,
 Many, painful, (and pollution), - Nux.

ERUCTATION,

After eating, - Graph. Kali c. Sep.
 Bitter, - - - Calc. Carb. v.
 Fat, sour, - - - - Lycop.

Loud,	-	-	-	Petrol. Phosph.
Convulsive, sour,	-	-	Phosph. Kali c.	Natr. m.
With taste, after eating,	-	-	-	Silic.
Empty,	-	-	-	Carbo. v.
Empty, after eating,	-	-	-	Natr. m.
Of food,	-	-	-	Sulph. Carb. v.
Taste like fat, after eating,	-	-	-	Carb. v.
Interrupted, with pain,	-	-	-	Carbo. ani.
Nauseous, after eating fat or milk,	-	-	-	Natr. m.
With bad smell, when asleep at night,	-	-	-	Sulph.

ERUPTION.

Of vesicles, blisters,	-	-	-	Dulc. Rhus.
Blossoms and nettlerash,	-	-	-	Hep. Calc. sulph.
Blossoms on the chin, forehead, and throat,	-	-	-	Hep. Calc. sulph.
Blood-blisters on the body, with burning under the skin, and uneasiness at night,	-	-	-	Ars.
(Malignant) changing to ulcers with burning,	-	-	-	Ars.
Blood blisters,	-	-	-	Bella. Ars.
Chronic, purples, (miliary fever,)	-	-	-	Sarsap. Staph.
Chronic, (<i>Lepra</i> ,) Alum, Ars. Carb. v. et ani. Caust. Graph. Natr. Petr. Phosph. Sepia. Silic. Sulph.	-	-	-	
(Archives IX. 3. 101. 126.)	-	-	-	
Chronic,	-	-	-	Rhus. Bryon. and Baryt. acet.
Chronic, from suppressed itch,	-	-	-	Sep.
Purulent, on the face, running together,	-	-	-	Cicut.
Like tetter, alternating, with pain in the breast and diarrhœtic stools,	-	-	-	Rhus.
Swellings, scald head,	-	-	-	Baryt. acet.
Swellings, commonly following cowpox,	-	-	-	Sul. Hep.
Swellings, and nettlerash, after violent exercise,	-	-	-	Nat. m.

(NOTE.—The other eruptions will be found under their proper heads, as *Tetter*, &c.)

MILIARY ERUPTION, as preservative, every other night,
Acon. 6th Dil. (See *Skin*.)

Nettlerash, itching after scratching, burning, before
the eruption a sensation of needle sticking over
the whole body, - - - Dulc.

From violent exercise, overheating, &c. Con. Nat. m.

With burning itching, - - - Rhus.

ERYSIPELAS. (*St. Anthony's Fire*.)

On the face, - - - Bella. Rhus. Euphorb.

With blisters and swelling, Rhus. and Euphorb.

On the foot, with *Feb. nervosa stupida*, Nux.

On the foot, with red swelling, burning pain, and
blue-red spot, - - - Puls.

On the face, caused by toothache, with hardness of
the cheek, blue-coloured swelling and gnawing,
pains in the bones of the face, - Cham.

In the head, with deafness, &c. - Phosph.

EXCITEMENT.

Too great, with illusions, - - - Valer.

EXPECTORATION. (*Spitting*.)

Of matter, (from the breast,) - Kali c.

Yellow with stench, (from the breast,) Calc.

Saltish, purulent, (from the breast,) Natr.

Saltish, with cough early in the evening, Sep.

With difficulty, (from the breast,) - Sep.

EYE.

Biting in the, - - - Silic.

Dizziness of the sight from reading, Silic.

Blood oozing from the,	-	Clem.
Burning and pinching in the e. from reading by candlelight,	-	Calc.
Seeing double and squinting,	-	Hyosc.
Pressure on the e. and falling of the lid,	-	Zinc.
Pressing in the e.	-	Calc. <i>Lycop. Nitri. ac.</i>
Pressing with nocturnal closing by suppuration. (ulceration.)	-	Carbo. v.
Pressing with tears and stinging,	-	Graph.
Pressing pains over the e.	-	Natr. m
Darkness like a grey covering before the e.	-	Silic.
Dark webs waving before the e.	-	Caust.
Dark points and coloured stripes before the e.	-	Con.
Growing dark before the e. by reading and after eating,	-	Calc.
Darkness before the e. by candlelight,	-	Phosph.
Darkness like mist, etc.	-	Bellad.
Fits of sudden blindness for some moments,	-	Silic.
Dimness like feathers,	-	Calc. Lyc. Natr.
Flashes (like fire,) before the e.	-	Silic.
Waving spots before the e.	-	Kali c.
(black spots)	-	Magn. <i>Phosph. Sep. Silic.</i>
Black points flying before the e.	-	Nitri ac.
Sparkling, then growing black,	-	Graph. Lyc.
	-	Caust. Ammon. c.
Like gauze before the,	-	Petr. Sep. Natr. mur.
	-	Sulph.
Itching in the,	-	Calc.

- Itching under the e. with biting, burning after rubbing, - - Con.
- Shortsightedness, - Phosph. Con.
- Longsightedness, cannot read without convex Specs, - Calc. Petrol. Natr. m. Sulph.
- Shunning light (daylight.) - Graph.
- Shunning light, (candlelight.) Lyc. Silic. Con.
Kali. c.
- Shunning light, - Ign. Con. Nux.
- Cold feeling in the e. in the open air., Con.
- Dimness of sight, (like *Leucoma*.) - Phosp.
- Night blindness, Bella. Puls. Verat. Dig. Hyosc.
Stram. Merc. Sol.
- Spec in the e. obstruction of sight, Nitric ac.
- Redness with pain in the angles, - Silic.
- Redness without pain after Rheumatic ophthalmomy, - - Nux.
- Pain from overstraining the e. - Carb. v.
- Chapping of the e. - Natr. m. Iod. *Lyc.*
- Weakness at night, the letters run together,
Silic. Bella. Ruta.
- Suppurating, - - Nitric ac.
- Black points and streaks of light before the e.
Natr. m.
- Black (glare) before the e. - Phosph.
- Growing dark when stooping, Graph. Natr. m.
- Stinging in the e. - Calc. Nitric ac.
- Stinging in the e. by candlelight, - Lycop.
- Stinging, cannot read fine writing, - Natr.
- Day blindness, when all appears like a grey evening
Phosp

- Tears, watering continually, - Euphra.
 Tears, watering, - Kali c. Natr. m. Silic.
 Tears in the open air, - - Calc. Lyc.
 Tears at night, the eyes closed by ulceration, Phosph.
 Dimness, - Phosph. like feathers Natr. m.
 Sudden obscuration of sight at the commencement
 of a tearing and stinging headache. Natr. m.
 Longsightedness, (as in old persons) *Presbyopia*.
 Lyc. Silic. Droser. Hyosc.
 Running together of letters when reading, Graph.
 Cementing of the e. by suppuration, Calc. Lyc.
 The same at night, Sep. Silic. Natr. m. Caust.
 The same early, - - Kali c.
- Inflammation of the eyes.*
 Swelling and redness of the e. burning with redness
 and inflammation of the eyelids, dreading sunlight,
 Sulph (II.)
 Unable to open the e. from adhesion, inflamed with
 burning stinging pain, aggravated in the open air,
 sensation of a cutting substance under the lid,
 (Shunning light.) - - Merc. sol. (II)
 Vehement pressure in the e. by every exertion, with
 blood running under (the whites of) both eyes,
 without swelling or bursting, red lids, swollen, and
 glued together with slime, - Nux.
 Slight, with œdematose swelling, (tumour) cement-
 ing at night, - - Rhus. (X)
 External, (*Taraxis chemosis*), - Nux.
Rheumatic, with inflammation of the cornea, (Corni-
 tis,) Sulph. Spigel. from dimness of the cornea
 (which remained,) Ephra. another (yet more pain-
 ful) extravasation of blood in the albagenia,
 Nux.

- With spots on the cornea, with vehement headache, increasing the dimness, - Euphra.
- With ulcers on the cornea, shunning light, pressing pains surrounding the cavity of the e. Sulph.
- Increasing by fine work in the evening at 11 o'clock China.
- With vehement burning pains - Arsenic.
- Arthritic*, (gouty,) with a raging pressing headache, burning biting pains in the e. congestion of blood to the head, efflux of acid moisture from both eyes - Coloc.
- Arthritic Tinct.* Crocus, - 3 doses dropped into the eyes after some hours, Bellad. and then (*Bella.*) Nux. Spigel. Euphra. Calc. Phosph. and Silic.
- Chronic* with very painful affections of the eyelids, which itch vehemently, the nose cemented by pus. - Euphor.
- Chronic* from latent psora. (besides the medicines used in scrofulous inflammation of the eyes, Sulph. ac. before Sulph. which is here indicated.
- Scrofulous*, Merc. Euphra. Dig. Dulc. Bellad. Ign. Nux. Hep. Cannab.
- Scrofulous with obscuration of the cornea, Magn. c.
- Scrofulous, Bella. as an intermediate medicine of the antipsorics (of which Calc. and Caust. are the principal), and in an inflammatory state of the conjunctiva, if photophobia thereby assisting, is more the effect of exalted irritability of the nerves of the eye, - Con.
- In consequence of contusions, Am. against the following flood of tears, - Euphra.
- From an external injury in the inflammatory state,

Acon. further if psora is displayed, Sulph. in
 scrofulous diathesis, - - - Calc.
 In consequence of a splinter getting into the eye,
 (after it has been removed,) - - - Calc. Sulph.
 After suppressed syphilitic complaints Nitric ac.
 With milkscab, *crusta lactea*, - - - Merc sol.
 A peculiar kind, (Silic. Natr. m.) Clemat (Puls.)
 Heat in the e. with pressing like sand, - - - Phos.
 With cementing at night and tears by day, Lyc.
Cramp in the eye, - - - Acon. & Bella.
Nervous affection of the eye, - - - Senega.
Angles of the eye, sore and biting pain in the same,
 with pressing and painfulness of the eyeball, Ran.

EYELID.

Tetter on the eyelid - - - Bryon. and Sulph.
 Lameness of the eyelids, - - - Nitric ac.
 Cutting in the upper eyelid, - - - Calc.
 Chapping and burning of the - - - Calc.
 Heaviness and falling down of the upper, Sep. Verat.
 Opened with difficulty, - - - Phosph.
 Unable to open the lids at night, - - - Sep
 Closing in the evening, - - - Natr. m.
 Closing with spasmodic cramp, Hyosc. Cham.
 Drawing together early, - - - Sulp.
 Sensibility of the eyelids, with redness after every
 change of the atmosphere, - - - Nux. v.
 Easily inflamed, - - - Staph.
 Cramp in the eyelids, - - - Crocus.
Edge of the eyelid, dry eruption thereon, - - - Dulc.
 Inflammation and Blenorrhœa, - - - (Sulph, Val.)
Ulceration of the, - - - Spigel.
 Knots in the same, in an inflamed state, cementing
 the maibomic glands, - - - Staph.

FACE.

Blossoms on the	-	-	Nitr ac.
Swelling and drawing of the	-	-	Lyc.
Bloatedness,	-	-	Kali c.
Frequent fits of heat in the,	-	-	Lyc.
Flying heat in the,	-	-	Graph. Kali c.
Eruption with itching on the	-	-	Calc. Lyc.
Sweat on the when eating,	-	-	Natr. m.
Faceache, face and toothache,	-	-	Natr.

(See *Prosopalgia*.)

FALLING.

Falling often, suddenly when standing or walking with consciousness.	-	-	Magn.
--	---	---	-------

FAINTING.

In hysterical persons, P.	-	-	Mosch.
At night, evenings, after dinner, or in the open air, from congestion of the breast and head in pregnant women,	-	-	Nux. v.
China, when lying on the side,	-	-	Silic.

FAINTNESS. (Weakness.)

Natr. m. early,	-	-	Nitric ac.
After dinner,	-	-	Nitric ac.
Of the whole body, particularly in the legs, with sudden relaxation when walking,	-	-	Con. Calc.
Trembling,	-	-	Sepia.
Causing one to fall down,	-	-	Natr.

FATIGUE.

Great, from moderate walking in the open air,	-	-	Calc.
In summer,	-	-	Coffea. Verat. China.

FATNESS.

Great (and becoming large,) in young persons,
Calc.

FEAR.

Of being alone, - - Lyc.
Of ghosts, apparitions, &c., - Carbo v.
With faintheartedness, timidity, - Phos.

FEARFULNESS.

Early - - Graph. (Caust.)
Nervous anxiety, - - Kali c.
Calc. Phos. Sep. Con. Natr. m. Sulph.
Body hot, feet cold, - - Puls.

FEET.

In the evening a feeling like mortification, Calc.
Burning in the, - - Graph. Sep.
Numbness (falling asleep,) in the evening, Silic.
Swelling of the feet and legs, Sep. Silic. Natr.
Caust.
Cold, (cold sweat), Lyc. Silic. Natr. Sep. Nitr. ac.
Caust. Con. Sulph.
Cold at night in bed, - Graph. Kali c.
Senselessness of the feet and arms, - Lyc.
Cramp in the, - - Lyc.
Jerks in the feet day and night before sleeping,
Phos.
Cutting pain in the feet and hands, - Natr.
Easily taking cold in the f. - Con.
Twitching of the feet when sleeping in daytime,
Sep.

JOINTS OF THE FEET.

Stiffness of the	-	-	Kali c. Sulph.
Stubbing and inflexibility of the,	-	-	Sep.
Easily sprained and dislocated,	-	-	Natr.

ULCERS ON THE FEET.

Slowly increasing after freezing,	-	-	Silic.
-----------------------------------	---	---	--------

SWELLING OF THE FEET.

Bryon. Nux. Ledum. Ars. Ferr.

Erysipelatous,	-	-	Rhus. and Sulph. (II.)
----------------	---	---	------------------------

STINKING FEET.

FEET SWEAT. Suppressed and cold,	-	-	Silic.
----------------------------------	---	---	--------

FEET, SOLES OF THE.

Lassitude and burning after little walking, Lyc.

When slightly scratching on a small part of the
s. a ticklish voluptuous sensation, so violent
as to make one furious, - Silic

Inflammation of the feet, - - Rhus. (V.

Arnica inwardly, afterwards Tinct. Arn. IV. or
V. gtt. in one oz. water, to bathe with, this is
of great service when caused by mechanical
injuries.

FELON, WHITLÖE. (*Panaritium*.)

Sulph. (2) Rhus. Puls. Silic. Magnes. pol, arc.

On the Fingers, - *Caust. Con. Hep. Mags. aus.*

Merc. Sep.

On the Toes,

Caust. Sep. Silic.

FEVERS.

In the afternoon, chills and heat,	Nitric ac.
Evening intermittent,	Petrol.
With sighing, which is almost always an indication of miliary fever,	Ipec.
Evening,	Arn.
Evening, cold, with heat, with thirst, diarrhoea and gripes after one another,	Rhus.
Evenings with heat in the head, cold feet, burning in the eyes and nose, with pains as if beaten, great thirst, nocturnal heat and sleeplessness,	Rhus.
<i>Gastric, Biliary, Nervous, Catarrhal, Hectic, Intermitting, and Childbed,</i>	Nux.

INFLAMMATORY FEVERS.

<i>Aconit</i> , one or more doses, according to the degree of inflammation,	Bella. Bryon. Nux.
Acute,	Acon.

INTERMITTENT FEVERS.

Always in the evening when lying down with heavy chills, and prodigious cold sweats lasting until morning,	<i>Antim c.</i>
Lasting 3 days with acid vomiting after the chill, bloating of the hands and face,	<i>Lyc.</i>
Attended with vomituration,	<i>Dros.</i>
With thirst during the chills only,	<i>Ign. Carbo v.</i>
Where after the paroxysm there is vomiting once or oftener,	<i>Cina.</i>

Where there is vehement thirst before the chill with much, drinking, though during the fever there is also thirst, but with moderate drinking - - - - - *Arn.*

Where there is no thirst during chill or fever, and where there arises after the paroxysm vehement pressing headache in the forehead, or if some other symptoms joins with the above and *vice versa*, if a fever joins with the latter, - - - - - *Arsen.*

With evening chills without the following heat, - - - - - *Staph.*

With chills and without heat, - - - - - *Verat. Sabad.*

Where there is but slight chills, (or none), but violent heat with thirst and great dizziness, - - - - - *Valer.*

With little chills and much dry heat, - - - - - *Bella. Op.*

Where there is besides the external and internal heat, much shivering at the same time, - - - - - *Cham.*

With paroxysms at night, - - - - - *Rhus.*

With little thirst and gastric complts, - - - - - *Antim. [c.]*

Without thirst when shivering, (cold), but thirst between chills and heat, after the heat or during the sweat, and not in the perfect fever heat, - - - - - *China.*

With chilliness in the abdomen, - - - - - *Trefol.*

With inactivity of the bowels, or with immoderate irritability of the *prima viæ*, and in the typhus of 3 days, - - - - - *Nux. Cocc. Ign. Bella.*

Verat.

Apoplectica, - - - Nux.
 Several kinds of intermittents have been cured
 by, China. - - - Natr. m.
 Some others by, *Sulph. Amm. m.* (X°.) *Calc.*
 In a relapse after suppression by Chin. sulph.
 Rhus.

TEETHING FEVER.

Bella. Nux.

TYPHUS FEVER.

Acon. Nux. Rhus. Puls.
 Contagious typhus, *Bryon.* *Hyosc.* Nux. *Rhus.*
 Puls.

FEBRIS BILIOSA. *Bilious fever.*

Bryon. Cham. Nux. Cocc. Puls. Ign. Merc sol.

CATARRHAL FEVER.

Nux.
 In other kinds of, Cham. Puls. Ign. Bella. Dulc.
 Spigel. Magn. acet, Con.

CATARRHAL GASTRIC FEVER.

Nux.

FEBRIS CATARRHALIS LENTA.

Nux. Rhus. Ars.

GASTRIC FEVER.

Bryon. Nux. *Verat.* *Scilla.* *Antim.*
 After vexation - - - China.

FEBRIS GASTRICO-VENOSA.

Digit.

FEBRIS HELODES. (*Sweat Fever*)*China Samb.*FEBRIS LACTEA. (*Milk Fever.*)

Aconit. Bryon. Coff. Cham. Op. Ign.

FEBRIS LENTA,

Nux. Bella. Cocc. Helleb.

FEBRIS NERVOSA. (*Nervous Fever.*)*Bella. Bryon. Rhus. China. and Arn. China and Puls.*

With inflammatory state of the brain, benumbing
 coma vigil. and cramp in the jaws, *Acon.*
Nux. Bell. Op. and Sulph.

With continual sleep and slight delirium, fixed
 look when accosted, much thirst with inter-
 nal heat, yet the patient always requires to
 be kept covered when sleeping, various mo-
 tions of the mouth, bilious vomitings and at
 night bilious stools, - - Puls.

With predominant complaints of the breast, (an
 image of *Febris hectica* and *Phthisis pituiosa*),
 after *China*. - *Rhus. and Arn. Hyosc.*

After fainting and state like lameness, wild de-
 lirium, visions, fear, precipitation, (talks about
 black men and attempts to escape, *Nux.*
Bella.

In typhus state, - - - *Merc.*
 (Typhus) *gastrica*, *Sulph. Rhus. China. and*
Bryon.
Stupida. - *Phosph. ac. Nux. Op. Hyosc.*
Bella. Zinc, Mur. ac. &c.

FEBRIS NERVOSA BILIOSA.

Nux. Cocc.

FEBRIS RHEUMATICA. (Rheumatic fever.)

With inflammatory affection of the organs of the
 breast, - - - *Acon.*
Gastrica, of an inflammatory character, *Bryon.*
Cham.

FEBRIS PUERPERALIS. (child-bed fever.)

Nux. Cham. Bellad. Rhus. Puls. Coff. Hyosc.

In a predominant irritable state, where very little
 anger increases the symptoms, and where the
 lochia is already white, but suddenly becomes
 bloody, mostly coagulated. . . . *Rhus.*

MILIARY FEVER.

Epidemic, Acon. 2 doses (or more,) and Coffea.

*Epidemic, as preservative, Acon. one drop of
 the 6th Dil. taken every 48 hours.*

The whole body covered with a scarlet redness,
 with blisters like gravel, of rough touch, with
 benumbing headache and pain in the throat,
Bellad.

SCARLET FEVER. (See *Scarlatina*.)FIG WARTS, (*Veneral warts*.)

Thuja. Nitric ac.

FINGERS.

Numbness and pricking therein,	-	Natr. m.
Pricking in the,	- - -	Silic.
Cramp in the,	- -	Lycop.
Frequent lameness of the,	-	Calc.
Stitching from the fingers to the elbows,		Caust.
Stiff from gout knots,	- -	Lycop.
Senselessness and deadness of the,		Calc.
Numbness of the fingers and finger joints,		Phos.
Benumbed by work,	-	Lycop.
<i>Finger joints</i> , ulcers on the same,	-	Sep.
Gouty stiffness on the,	-	Petrol. Carb. an
Bursting or drawing of the,	-	Lyc.
Red, swollen, and gouty drawing of the,		Lyc.

FISTULA.

On the cheek,	-	Calc. Lycop.
On the left side under the short ribs,		Sulph.
		<i>Antim. c.</i>

FLATULENCE.

Without pain,	- -	Carbo v.
Difficult of removal,	-	Lycop. Kali c.
Continual,	-	Kali c.

Accumulation and immoderate discharge of
 wind, - Graph. Nitric ac. Natr.
 Great pain from, - - - Phos.
 Complaints from - - - Carbo v.
 Arising and moving, (or production and chang-
 ing,) - - - Sep.
 Kali c. Calc. Phosp. Silic. Sulph. Carbo, an.
 Graph. Con. Iodium.

FOOD.

Sour food causing complaints, - Natr. m.

FRECKLES.

Lycop. Natr

FRENZY. (*Madness.*)

(See *Disturbance of Mind.*)

FREEZING.

Freezing of the fingers and toes with light red
 swelling, - Nux. Bell. Ign. Sulph.
 In soft and phlegmatic temperaments, - Puls.
 (Frozen limbs,) inflamed, itching, caused by
 slight cold, - Nitric ac. Petrol. Phosph.

FRETFULNESS, PEEVISHNESS.

Graph. Lyc. Nitric ac. Phosph. Silic. Con. Natr. m.
 Kali c.
 Before the menses, - - Natr. m.

Gonorrhæa of the g. - - - Nux.

GLANDS.

Of the neck, swollen as hard as stone, *Baryt.*
Bella. Cham. Dulc.
 Of the under jaw swollen, - *Silic.*
 Of the under jaw often swelling, *Natr. m.*
 Of the under jaw, and of the ears, - *Merc.*
 Of the shoulder, swollen, - *Calc. Sulph.*

GLANDULAR ORGANS.

(Swelling, hardness,) *Bell. Spong. Con. Bryon.*
Silic. Calc. Nitri. ac. Lycop.
Gland under the ear, (Parotis.) See Ear.
Glands of the throat. (See Throat.)

GONORRHŒA.

And pains in the joints, - *Stram.*
Cannabis, the same every 2 days of the pure
 Tinct.
 Arising from impure connection, *Thuja. Mez.*
Natr. m.
 With redness and swelling of the prepuce.
Cinnab.
 With venereal warts - *Nitr. ac. Thuja.*
 And gleet with venereal warts, *Thuja. Nitri. ac.*
Lyc.
 With gleet, *Puls.* particularly at night, *Merc.*
 Commencing (early,) *Thuja. Petros. Cannab.*
Canth. Cop. Merc.
 In the inflammatory state, - *Cannab.*

Suppressed, - - - Puls.
 Chronical, (secondary,) Sulph. Petros. Canth.

GOUT.

Most violent after becoming warm in bed at night, lasting until midnight, Ledum. Similar complaints from secondary Syphilis, Merc. Chronic with small discharge of urine, Sarsap. Gouty complaints, - Guaiac. Sabin. With violent stitches and tearing, worse at night forcing the diseased into motion, Ferr. *Gout knots* on the hand and finger joints, Calc. Graph. Ledum. Staph.

GOUT in the Head. (*See Head.*)

GOUT in the Knees. (*See Knee.*)

GOUT in the Joints. (*See Joints.*)

GRAVEL. (*Stones.*)

In the urethra, - - - Nux. Sarsap
 In the kidneys. (*See Kidneys.*)

GRIEF. (*See Disposition of Mind.*)

GRIPING IN THE BOWELS.

In discharging wind, Con. Lyc. Nitri. ac.
 Petrol. Silic.
 After motion, - - - Sep.
 In the upper belly, - - - Calc. Lyc.
 Daily, - - - Natr. m.

GROINS.

Swelling in the, - - - Nitri. ac.

Rupture of the, painful, Silic. (*See Hernia.*)

GUMS.

Fistula in the,	-	-	Caust. Natr. m.
Swelling of the,	-	-	- Calc. Sep.
Swelling with beating pains,	-	-	Sulph.
Bleeding of the,	-	-	Sep. Carb. v.
Soreness of the,	-	-	Sep.
Tedious suppuration of the g. in one spot,			Caust.

HÆMORRHOIDS. (*Piles.*)

Blind Piles,	-	Nux. Graph. Sulph. Silic.
Bleeding,	-	- Ammon.
Of the bladder,	-	Nux. Antim. c.

HÆMORRHOIDAL COMPLAINTS.

(Nux—particularly in suppressed,) Valer.
 At the same time bleeding at the nose, Carb. v.
 In which a small but continual secretion of
 whitish yellow slime is discharged from the
 anus, - - - Antim. c.
 With pains in the back when sitting, frequent
 perspiration by motion, particularly at night,
 great fatigue, (*to fainting*) after walking, pain
 in the urethra before and after urinating,
 Rhus. Sulph.

HANDS.

Deadness of the hand in grasping,		Calc.
Burning in the palm of the,	-	Sep.
Swelling of the hands,	-	Calc.

Dryness of the,	-	-	-	<i>Lycop.</i>
Heat in the,	-	-	-	Carb. v.
Tearing in the,	-	-	-	Petrol.
And fingers cracked (chapped) and full of blood in winter,	-	-	-	Petrol.
Feeling of fulness, in grasping,	-	-	-	Caust.
Numbness of the,	-	-	-	Lyc.
Trembling of the,	-	-	-	Phosph.
Trembling of the hand when writing,	-	-	-	Kali. c.
Inflammation of the back of the hand with throbbing pain,	-	-	-	Mag. pol. arct.
Perspiration of the hand,	-	-	-	Con.

HAIR.

Falling out in lying-in women,	Sulph.	Natr. m.
Lyc.—when a profuse lochia precedes,	Calc.	
Falling out, (<i>See Head.</i>)		

HARDENING

Of the glandular organs (tongue, testicles, &c.,)	Aur.	Iod.	Sil.
Of the <i>os uteri</i> (with <i>metrorrhagia</i>) from atony of the uterus,	-	China.	Bryon.

HEAD.

Affected by working,	-	-	-	Lyc.
Numbness as if a board was before it,				Calc.
				Petrol.
(Difficult thinking—Sulph.)				
Congestion towards the head,				Lyc. Phos.
Congestion, when stooping,	-	-	-	Sep. Kali. c.

- Dizziness, - - - Kali. c. Natr. m.
 Gloominess, like intoxication, in the evening,—
 gloomy dullness, - - - Silic.
 Numbness, with inability to study, Sepia.
 Ice coldness in the right side, - - - Calc.
 Stooping the head when walking, Sulph.
 Heat in the, - - - Lyc. Silic.
 Itching upon the head, nose and ears, Sep.
 Whistling in the, - - - Kali. c.
 Humming, crawling and raking in the, Sulph.
 Buzzing in the head, - - - Graph.
 Easily taking cold in the external parts, Kali. c.
 Gout in the head, - - - Coloc. Sep. Nux.

Eruption on the head.

(Scarlet)—Nerium oleand, Bella, Baryt, Zinc,
 Calc. Lyc. Sulph. Silic. Graph. Petrol.

Itching moist scurf, protuberances like knots
 on the, - - - Silic.

Scurf on the hairy part of the head, Natr. m.

Blossom like and dry tetter, with itching on
 the hairy part of the head, also clefts in the
 skin, - - - Aurum.

With ulcers on the cornea, Calc. sulph.

HAIR OF THE HEAD.

Falling out, Petrol. Phosp. Sep. Silic. Kali. c.
 Graph.

Falling out with exceedingly troublesome itch-
 ing of the scalp, Antim. c. Staph.

Falling out in suckling women, Natr. m.

Dryness of the hair, - - - Kali. c.

HEAVINESS OF THE HEAD.

Particularly in the back part tying the eyelids,
 Natr. m. Carb. v.

PERSPIRATION OF THE HEAD.

In the evening, - - - Calc. *Silic.*
 When walking in the open air, - Graph.

HEADACHE.

Fits of, forcing one to cry, boring, accompanied with vomiting, commonly called *head gout*,
 Sep.
 Great fulness, as if the head was swollen, Ran.
 With numbness of the head, Phosp.
 Painfulness of the (external) back part of the head when lying, - - Nitri. ac.
 After having the hair cut, Bell. Puls or. Ledum.
 With boring stitching and contraction of the neck, - - - Puls.
 With a crushed feeling, - - Puls.
 With boring in the forehead as if the head would burst asunder, - - Calc.
 With, or caused by, congestion, with swelling of the blood-vessels, - - *Bellad.*
 In the forehead above the eyes, - Baryta.
 Pressing in the back part of the head, Kali. c.
 With pressing straining, - - Lyc.
 With pressing stitching, - - Petrol.
 With dull, gloomy, benumbed pressing in the brain, - - - Caust,

- On one side, tearing and stitching in the eyes,
 and in the bones of the face, - *Silic.*
- From overheating, - - - Carb. v.
- From writing, - - - Kali. c.
- Early, - - - Phosph.
- When awaking, - - - Natr. m.
- Before rising, Calc. Phos. Lyc. Petrol. Sep.
 Nitri. ac. Graph.
- On rising and continuing until midday, Baryt.
 Calc. Lyc. Petrol. Phos. Sep. Silic. Natr. Zinc.
- From the neck to the crown of the head, pre-
 venting night sleep, - - *Silic.*
- On one side, - - - Cicuta.
- With hammering, - - - *Natr. m.*
- Hammering after walking in the open air, forc-
 ing one to lie down, - - Calc.
- Hysterical*, - - - Ign. Valer.
- Hysterical*, bursting and rushing in the head,
 proceeding from the Uterine system, Aurum.
- Throbbing*, - - - *Nitri ac.*
- Do. in the back part of the head, Petrol.
 Sep.
- Do. and clucking, - - Sulph.
- Rushing in the head with heat in the cheeks,
 Calc.
- From reading and writing, - - Calc.
- At night, external tearing and boring, Lyc.
- Nervous*, on one side, Nux. Bella. Mag. pol.
 aust.
- Knocking in the midst of the brain, Calc. *Silic.*

Tearing, external, on the fore part of the head
at certain hours during the day, Natr.

Tearing, with heat in the forehead daily in the
forenoon, - - - Silic.

Tearing, by fits, often forcing one to lie down,
Con.

Do. stitching, forcing to lie down, Natr. m.

Do. and stitching in the sides, this kind
generally arises after dinner. In the back
part of the head, more pressing and drawing;
the first more the cause of other complaints,
i. e. secondary, and the second the primary,
i. e. without other complaints—attended with
pains in the limbs and lameness, Zinc.

Tearing in the forehead, here and there, every
afternoon, - - - Lyc.

Tearing, by fits, above the forehead, temples,
eyes and nose, towards a single tooth, Lyc.

Beating, - - - Natr. m.

In the sun, - - - Natr.

Stitches externally in the side of the head, Phos.

Do. in the temples, - - - Natr. m.

Do. in the top of the head, - - - Con.

Do. in the temples and straining stitches in
the top, - - - Caust.

Daily, - - - Magn. m.

Do. from midday till evening, with heavi-
ness of the forehead as if the brain would
burst through, - - - Silic.

From injury by lifting, - - - Calc.

As if the head would burst and fly into pieces, Silic. Natr. m.
 With drawing and throbbing, Silic. Natr. m.

COLD IN THE HEAD. (*See Colds.*)

HEARING.

Too great sensibility of the same, excitation of
 the nerves, by music, sound, &c. Lyc.
 Natr. Sep.

Loss of Hearing, Cham. Spigel. Phos. ac.
Difficult Hearing, Silic. Iod. Lyc. Nitri. ac.
 Magn. Natr. Phos. Petrol. Sep. Kali. c. Bella.
 Silic. & Petrol.—Puls. & Bella.

After having the hair cut, - Ledum.
 Difficult hearing, (*See Ear.*) Graph.

HEART.

Stitches in the heart, - - Caust.
 Inflammation of the, Bryon. Spigel. Cannab.

PIT OF THE HEART.

Swelling with pain in the back, Calc.
 Pressing in it, ascending from thence towards
 the throat and head, - - Calc.

Gripping in the, Natr. m. after eating, Silic.
 Swollen, and on touching, pain like soreness,
 Natr. m.

Pressing in it at night, - - Calc.
 Throbbing in it, - - Sep.

Painful when touching, Natr. Phos. Silic.
 When pressing on it, painful, - Natr. m.

Pain when walking,	-	-	Sep.
Digging in it,	-	-	Phos. Sulph.
PALPITATION OF THE HEART.			Caust. Kali. c.
When digesting,	-	-	Lyc.
When sitting,	-	-	Phosph.
Anxious,	-	-	Natr. <i>Natr. m.</i>
And blood,	-	-	Sep.
Suffering at the heart, (<i>Chronic.</i>)			
Several doses Aconit, and two doses Aurum,			
<i>Chronic</i> , repeated doses of Aconit and Puls.			

HEARTBURN.

With vomituration,	-	-	Sulph. Calc.
After eating,	-	-	Natr. m.
From fat food,	-	-	Puls.

HEAT,

And anxiety at night,	-	-	Calc.
After eating,	-	-	Phos. Calc.
Flying,	-	-	Phos.
Over the body,	-	-	Lyc.
Fits of flying heat when sitting, or walking in the open air,	-	-	Sep.
Early, in bed,	-	-	Kali. c.

HEAVINESS & INACTIVITY,

Of the body, on rising in the morning, Natr. m. Sep.

HEEL.

Burning, stitching pain with swelling, increased by walking,	-	-	Nux. v.
Stitches in the heel, when treading,			Nitri. ac.

• **HEMERALOPIA.** (See *Night-Blindness.*)

HERNIA.

Nux. Cocculus, and Nux.

Incarcerata, newly arising, - Nux.

Inguinalis in children, (in 2 cases) Aurum.

Inguinalis in a child, (2 doses) Cocculus.

Inguinalis, with weakness of the arm arising from dislocation, Rhus. Nux. Staph. Asarum.

Inguinalis, inclination and forerunner of, Mag. pol. arc.

Inguinalis, painful, - - Silic.

HICCOUGH.

In pregnant women, - - Nux.

Vomiturition and vomiting, - Bryon.

HIPS.

Pressing and squeezing over the hips, also drawing pains in the same, - Con.

Hip Joints, painful lameness of the, Sulph.

Pain in the hip like contraction, - Natr. m.

In consequence of a contraction, Rhus.

Chronic, (2 doses) - - Rhus.

With hectic fever Sulph. Phos. & Silic.

With urinary complaints, - Canth.

Ischias nervosa, - *Bella. Bryon. Merc.*

HOARSENESS.

Bryon. Ars. Puls. Phos. Calc. Petr. Sep. Silic.

Natr. m. Sulph.

Chronic,	-	-	-	Dros.
Early, continual,	-	-	-	Carb. v.
In a girl before the commencement of the Menses,	-	-	Bryon.	Ars. Puls.
Early after awaking, increased when the tem- perature is moist and cool,	-	-	-	Carb. v.
In the evening,	-	-	-	Carb. v.
Loss of the voice with more symptoms of dis- ease,	-	-	-	Phos.
Remaining after taking cold (or without)	-	-	-	Mang. acet.
After Measles with cough and great faintness.	-	-	-	Bry. Bell.

HOOPING-COUGH. (See *Children.*)

HUNGER.

Immoderate,	-	-	-	Carb. v.
Great avidity, gluttony,	-	-	-	Sep.
Greediness,	Petrol.	Iod.	Lyc. Kali. c.	Con.
Greediness, with fulness and satiety after eating a small quantity,	-	-	-	Natr. m. Sulph.
Greediness,	-	-	-	Verat. Silic.
With qualmishness early in the morning, longing for some luxury,	-	-	-	Phos.
After eating,	-	-	-	Phos.

HYDROCELE, - Digital. *Puls.*

In scrofulous persons,	-	-	-	Silic.
------------------------	---	---	---	--------

HYDROPHOBIA, *Bella. Hyosc. Stram. Con.*

HYPOCHONDRIUM,

Boring in the,	-	-	-	Sep.
Straining in the, as if bound by a hoop,	-	-	-	Lyc.

HYPOCHONDRIAC REGIONS.

Pains in the same, in pregnant women. *Puls.*
(*Acon* & *Puls.*)

HYPOCHONDRIASIS.

With *Cinchona* sickness, (m. d.) *Verat.* & *Ipec.*
Nux. *Helleb.*

After Onanism, - - - *China.* *Staph.*

In unmarried men. - - - *Con.*

With unconsciousness for some moments. *Aurum*

Hypochondriac Humour. - - - *Natr.*

Hypochondriac paroxysms. - - - *Con.*

Hypochondriac complaints.

Cramp in the bowels. - - - *Staun.*

HYSTERICIS.

In paroxysms. - - - *Con.* *Nux.*

Libidinous. *Platina,* *Bella,* *Hyosc,* *Thuja,* &c.

And Hypochondriasis. *Plumb. acet.* *Ign.* *Au-*

rum. *Viola oderat.* - - - *Puls.*

Hysterical fainting fits. - - - *Nux.* *Mosch.*

ILEUS. (*Plumb. acet.*)

IMAGINATION.

Morbid, fear of instant death after delivery.

Acon.

IMPOTENCE. (*Nux.* *Agnus. cast.*)

Aversion to connection, lasting for years. *Lyc.*

And deficiency of erections. Con. Tinct. camph.
Mur. ac. & China.

Where erection of the Penis was present, but
where the Penis at the highest point of con-
nection, became limber, without effecting the
discharge of semen. Mag. pol. aus.

INDURATIO ORIFICII UTERI.

(See *Hardening.*)

INCUBUS.

While falling asleep. - Ammon. c.
Nightmare. Acon. Bella. Bry. Con. Ign.
Nitr. Sulph.

INCLINATION, to sweets,—Lyc.

Great, for sugar. - - Kali. c.

INCONTINENTIA URINAE. (See *Urine.*)

INFLAMED SWELLINGS.—Silic.

INFLAMMATION.

Of the *Abdomen, Bladder, Brain, Breast, Ear,*
Eye, Kidneys, Liver, Lymphatic vessels, Nose,
Ratina, Spleen, Stomach, Testicles, Throat,
Tongue, Windpipe, Womb.

(See each under their proper head.)

INFLUENZA.

Obstinate. - Ars. Caust. Dulc. Merc.
As Specific. - - Sabadilla,
Nux. Camph. Senega. (Puls.)

INTOXICATION. Acet. Ammon. in water.

Drunkenness, in stepping out of bed. Graph.

Do. from using Tobacco. Alum.

General, *Agar. Cocc. Con. Graph. Cor. Ledum.*

Nux. Op. Puls. Sec. cor.

INJURIES.

Sprains, Overstraining, Dislocation. Arn. Rhus.

Slight sprains. Natr. Natr. m. Rhus. Sep.

Spraining pains. *Amm. Arn. Bryon. Carb. v.*

Caust. Natr. m. Rhus. Sulph. Zinc.

From lifting, slight. Graph. Natr. Sep. Silic.

Rhus. Natr. m. Kali c. Carb. ani.

Slight, by which the neck becomes thick and stiff, with headache. - - *Calc.*

ISCHURIA. (See Urine.) Aurum.

ITCH. *Spirit. sulph. Tinct. acris.*

Containing a yellowish water, intolerable voluptuous itching, most vehement in the evening, after scratching, smarting soreness. Sulph.(II.)

One dose every five days. Eruption like itch, consisting of itching bursting blossoms, after scratching burning like fire. Merc. acet.

Sepia. (after Sulph III, in the dose of the 1-4 gr. and Spirit Sulph, being unable to withdraw the eruption.)

In children (*see children*)

ITCHING.—Magn.

In the evenings before going to bed—and in the day by becoming heated. - *Lyc.*

General, - *Graph. Magn. Merc. Sulph.*

JAUNDICE.

Merc. Digital. Acon. & China. Bell. Puls. China and Nux.

Cham particularly in new-born children—in a case of preceding misuse of Cham. China Merc. and Sulph.

Of pregnant women. - - *Natr. m.*

Magn. mur. *Natr. Calc. Lyc. Sep. Nitri. ac.*

JAW.

Swelling of the bones of the under jaw. *Silic.*

Nocturnal drawing and stitching in the under jaw. - - - *Silic.*

Cramp in the jaw-bone. (*See Cramp.*)

JOINTS.

Cracking and stiffness of the - *Petrol.*

Nocturnal stitches in all the - *Silic.*

Inflexibility and stubbing of the hand, knee and feet joints, - - - *Sulph.*

Disease of the Joints, - *Baryta. Coloc.*

Swelling of the Joints, painful (Rheumatic).

Mang. ac. Led,

Gout in the Joints, acute, *Bryon. Puls. China.*

Sulph.

Joints of the Hip, Knee and Foot. (see *Hip, Knee and Foot.*)

KIDNEYS.

<i>Inflammation of the,</i>	-	-	Bella.
<i>Gravel in the,</i>	-	-	Lycopo.
<i>Stone in the,</i>	-	-	Sarsap.

KNEE.

Weakness of the knees and calf,		Natr. m.
Fatigued,	- - -	Con.
Tearing in the,	- - -	Lycop.
Stiffness of the,	- - -	Lycop.
Tetter on the,	- - -	Petrol. Lycop.

KNEE JOINT.

Numbness (rigidity) and disjointedness of the,	- - - -	Sep.
Painful shortening of the tendons,		Natr. m.
Spongy excrecence on the,	-	Antim. c.
Also a wax plaster of the same.		

GOUT IN THE KNEES.

With formation of gout-knots, with feeling of lameness, and slight fits every three or four days, similar to intermittent fever, costiveness, &c. - - - - Nux.

<i>Weakness of the Knees,</i>	Natr m. Nitri ac. Sulp.
<i>Pit of the Knee. Tetter in the same,</i>	Natr. m.
Painful shortening of the tendons in the, Natr. m.	
<i>Swelling of the Knees,</i>	Puls. Calc. Lyc. Sulph.
	Silic,

Of bluish red color, not permitting the slightest touch, with violent, tearing, stitching pain,
Silica.

LABOR PAINS.

Too weak. Puls (X) smelling is preferable.
Spurious, - - - Bella Bryon.
At first strong and vigorous, then suddenly ceasing, replaced by trembling of the whole body, violent jerks—ensuing, benumbing sleep, snoring with the mouth open, not awaking on being shook with force, - - - Opi.

LAMENESS. (*Paralysis, Palsy.*)

Of the left arm with a sensation of racking and pushing therein, as if the blood would burst through the veins, - - - Nux.
Numbness of one leg, with gastric complaints, Nux.
Of the right foot, which is cold and insensible with gastric complaints, - - - Nux.
Of the right arm and leg, - - - Cocc.
General, with numbness of the legs, which lie stiff in the bed, feeling as if they did not belong to the body—many doses, alternately, of Bryon and Rhus.
Of the hands and legs, the body has no support, insensibility and coldness of the limbs, Oleand, Cocc. China. Aur.
Of one side of the head down to the foot, Nux. and Cocc. (two doses) Rhus. Nux. Puls. Cocc.

Of one side, with affection of the head, (apoplexy,)	Hyosc. Cocc. and two doses	Rhus.
Of one side alleviated by (Stannum.)		
Of the limbs, alleviated,		Plumb. acet.
Of the bladder,	- -	Cicuta.
Of the lungs,	- -	Antim. c.
Without pain,	- -	Oleand.
Of the mind, thoughtlessness, weakness of memory,	- - -	Anacard.
Weakness of the muscles,	-	Colch.
<i>Complaints of lameness,</i>	- -	August.
Of the upper and under extremities, the affected parts appearing heavy (like lead,) and benumbed, coldness of the shin bones and feet, as if dead,	- - -	Nux.
LARYNCHITIS. (<i>Inflammation of the Larynx,</i>)		
		<i>Samb. & Bella.</i>
LASSITUDE. (Weariness,) on awaking,		Lyc.
LEANNESSE,	- - -	Natr. m.

LEGS.

Burning pain in the same,	- -	Kali. c.
Coldness of the legs and feet,	-	Sep.
Cramp in the legs,	- -	Calc.
Itching, shivering in the shin bones,		Kali. c.
Lameness of the,	- -	Sep.
Stiffness of the,	- -	Calc.
Soreness between the,	- -	Graph.
Drawing pain in the,	- -	Natr. m.
Drawing and straining in the,	-	Silic.

Nocturnal tearing, drawing in the, *Kali. c. Lyc.*
 Heaviness of the, - - Sulph. Calc.
 LEPRA, *Sep. Silic Sulph.*
 Complaints of Leprosy, *Alum. Ars. Carb. an. et.*
veg. Caust. Graph. Natr. Petrol. Phos. Sep.
Silic. Sulph.

LEUCORRHOEA. (*Whites.*)

Amm. Graph. Kali. c. Lyc. Natr. m. Nitri. ac.
 Caust. Carb. an. et. veg. Sulph. Calc.
 Discharge of whites after preceding, cutting in
 the abdomen—burning, itching. *Lyc.*
 Burning, itching, like milk, before the menses.
Calc.
 Like milk, with cutting pains, - *Silic.*
 Flowing when urinating, - *Silic.*
 Yellowish, watery, - - *Sep.*
 Like the washings of flesh, mixed with pustulous
 humour, - - *Cocc.*
 Chronical—with exhausted strength, *Stram.*
 After preceding cachectic state, *China. Nux.*
 Of long standing, - - *Dictam.*
 With suppressed menstruation, - *Sabin.*

LIENTERY. (*See Diarrhœa.*)

The food is evacuated without being digested,
 and this often at night,
 China, Olea, Phos (X^{ooo}) 3d, in 48 hours.

LIFTING. (*See Injuries.*)

LIMBS.

- Lameness of the limbs in the evening as if
 beaten to pieces, - - - Silic.
 Numbness of the,
Petr. Calc. Carb. v. Sulph. Silic. Kali c. Lyc.
 Frozen, inflamed, itching, by slight cold, Nitri. ac
 Faintness, fatigue when walking, Lyc.
 Tearing in the arms and legs, Calc. Nitri. ac.
 Pain like dislocation, or injury from lifting,
 Carb. v.
 Restless and throbbing in all the l. Sep.
 Crushed feeling in the l. after rising early,
 Carb. v.
 Pressing, drawing in the l., Natr. m.
 Drawing in the l., Graph. Lyc.
 Easy trembling and twitching of single limbs
 by day, - - - Carb. v.
 Pain in the Limbs—long lasting in the hollow of
 the bones and joints of the upper arms, *in lying*
upon the arm the pain is alleviated, Ign.
 After taking cold, stitching, pressing pains in
 the arms, worse at night and when lying
 still, - - - Dulc.
 Early, after waking, with violent crushed feel-
 ing, pain from the shoulder joint to the wrist,
 unable to bear covering, when getting up the
 pain is alleviated, and ceases entirely on
 moving about, - - - Verat.
 Tearing, throbbing pain as if all the right shoul-
 der was ulcerated, with twitching in the mus-

cles of the arms when hanging down and warm, increased at night in bed, Thuja.

Drawing, tearing in the ischion (*seat bone*) and in the bones down to the soles of the feet, worse when sitting, and insupportable at night, Cham.

Drawing, stitching pain from the knee to the stomach, worse when in motion and by touching, with lameness and stiff feeling, Nux.

Like boring from the hips to the toes, most violent in the evenings lasting all night,—alleviated by lying the legs at rest, without being able to keep them so longer than a few moments—the pains increased by every motion, thereby the skin becomes senseless (without feeling,) Bry. Merc. sol.

Stitches from the buttocks to the external angle of the feet increased by every motion, with general perspiration, Bryon.

Tearing pains in all the limbs, very violent before mid-day, and by motion, Bryon.

Intolerable racking in the forefingers, arising when quiet, after which the top joint becomes dead; then violent throbbing pains through the whole arm, with continual awakening from sleep during the night, disappearing on moving the arms—2 doses Rhus. between which Byron.

Tearing, stitching pains in the upper leg and arm, from evening till morning, worse on

- moving in the bed, rather alleviated by pressing and warmth—when the pains commence the muscles of the upper leg become hard like bones; pain in the knee as if broken on attempting to walk, - - - Puls.
- With a feeling as if the flesh was beaten loose—or as if the bones were scraped with a piece of glass, - - - Rhus.
- Tearing pain in the extremities and in the back, often cramp in the left calf, pains alleviated sometimes when at rest, and again on moving, worse in the evening and at night, with continual chilliness, faintness, &c. Ars.
- Very violent in the under extremities, Antim. c.
- Very painful inflammation of the muscles of the elbow joint, - - - Antim. c.

LIPS.

- Deadness of the upper lip, - - - Natr. m.
- Bursting, - - - Carb. v.
- Blood blisters on the inside of the upper lip, painful when touching, - - - Natr. m.
- Ulcers on the inside of the - - - Graph.
- Do. on the outside of the, - - - Nitri. ac.
- Do. on the outside of the under l., - - - Silic.
- Swelling of the upper lip, - - - Natr. m.
- Lymphatic, inflammatory swelling of the upper lip, - - - Bella.
- Soreness of the upper lip, - - - Natr. m.
- Dry, skinned lips, - - - Con.

Knots in the upper lips—2 doses.—*Bella.*
Cancer in the Lip.—(See *Cancer*.)

LIVER.

Pressing in it, - - - Kali. c.
 Wrenching pain in it, when stooping, Kali. c.
 Bloating of the Liver, - Antim. c.
Inflammation of the Liver—*Acon* & *Bryon*—*Merc.*
sol. *Bella.* *Puls.* *Cham.*—*Nux.* & *Merc. sol.*
Chronic.—*Natr. Magn. m.* *Lyc.*—*Sulph.*
Acon & *Merc. sol.* (a colic coming on after sub-
 duing the inflammation was cured by,) *Ignat.*

SUFFERING AT THE LIVER.

With fulness and pulsation in the veins, *Asa.*
 With stitches on the right side of the chest,
Ran.
Liver Spots, with pressing and cutting in the region
 of the liver, - - - Carb. an.
Pain in the liver, pressing when walking and
 touching; most violent when lying on the
 right side, - - - Magn. m.
 After eating to excess, - - - Lyc.

LOCK-JAW. (*Trismus*.)

Bella. *Cicuta.*—*Arn.* and *Ipec.* every three
 hours.) - - - Sec. c.

LOCHIA.

Suppressed. - - - *Puls.* (X.)
 Do. with nymphomania, *Verat. Plat.*

Do. (by sudden fright, - Opium.
 Flowing in too great quantity, *Croc. Bry. Calc.*
 Morbid, changed to thin, ill smelling, *Bella.*

LORDOSIS, - *Bella.*

LOINS.

Stitching therein when sitting and lying, *Silic.*

LOOSENESS, continual, &c. *Calc.*

LUMBAGO, *Rhus* (X one gttj.)

LUNGS.

Suppuration of the lungs—*Ledum* (2 doses) as
 intermediate-Cham, and *Opium*, *Kali c.*

Lameness of the Lungs, - *Antim. c.*

Inflammation of the lungs, (See *Breast—Con-*
sumption of the Lungs.)

LYING without sensation, *Opium.*

LYMPHATIC SYSTEM.

Suffering therein, (suppuration stopping,) *Bell.*

Too slow absorbant activity, - *Merc. Spong.*

Immoderately excited absorption, *Cicuta. An-*
tim. c.

Lymphatic congestion. See Congestion.

Inflammation of the Lymphatic vessels, Bella.

Swelling of the Lymphatic vessels, with burning
 pain, *Carb. v.*

Suppurating, (*Ruckert, I., 293.*) *Silic.*

MADNESS. (See *Frenzy*.)

MANIA, - - - - - Stram.

Melancholica, Nux. Stram. Verat. Hyosc. Bella.

Anxiety, seeing apparitions, mistaking and non-comprehension of persons and things, trembling, biting about, seeing double, must be watched and tied, or held, Bella. The remaining fear, with all kinds of grimaces, alternating with a comatose and forgetful state, deep breathing with strong perspiration, (was cured by) - - - - - Opium.

The sick believes he is not at his home, and is always desirous of going away, mistakes, or does not know his friends, anxiety, ferocity, inclination to sleep, but cannot, - - - - - Opium.

Yearly—in one or two fits, - - - - - Verat.

In a lying-in woman, often attacked by epileptic fits; most violent madness, (fury,) misdemeanor towards those she loves, spitting at them, tearing the clothes, crying aloud, singing, whistling, laughing, weeping, kissing the hands of others, &c. Acon. Bella. Hyosc.

Nux repeating the dose three times, - - - - - Verat

By large and repeated doses of, - - - - - Bella.

MANIA-E-POTU. (See *Delirium tremens*.)MARASMUS. (See *Atrophia*.)

MEASLES.

With vehement fever, great heat, uneasiness
and anxiety, - - - - - Acon.

With attending complaints, catarrhal and of the
eyes, - - - - - Puls.

With violent thirst, inflammatory complaints of
the throat, cough, sleeplessness, Bellad.

With immoderate sensibility, weeping, crying,
Coff.

With dry cough remaining, Nux (Bryon.)

In 36 cases of an epidemic, - Acon.

In one case 3 doses Acon and 1 dose Nux.

(Puls. as a preventative, in very small doses re-
peated every four or six days, also alter-
nating (agreeable to the character of the epi-
demic fever) with Acon, in which case Acon
is given first.)

Acon. Coff. Puls.

With catarrh and sore throat, - Carb. v.

After measles, cough, and hoarseness, Dros.

MELÆNA. (See *Black Vomit.*)

MELANCHOLIA.

Caust, (Nux. Archives III., 3. 53.) Nux. Stram.
Verat. Hyosc. Bella.

With fear and absence of mind, not disposed to
talk, mutters to himself, - Platin.

Still, - - - - - Helleb. n.

- After Suppressed miliary eruption, anxiety, day and night without rest, driving from the house, fearing to be alone, driving to commit suicide, Nux. Bella, Ignat. Ars.
- With *Amenorrhoea*, fear of men, distrust, fleeing from home, fear of being poisoned or sold, believes herself bewitched, (at intervals.) Puls. Verat. Hyosc.
- Religious, - - - Verat. Aurum.
- Disposition, alternating with mirth, Tart. stib. Nux. Aurum. Ars.

MEMBRANES.

- Suffering in the mouth, Stomach, Intestines, Chest, Urinal and Sexual organs Mezer. Euphorb.
- Membranes of the Brain* (See Brain.)

MENSES.

- Too early and much too weak, - - - Nux.
- Returning too soon, preceded by drawing pains in the back of the neck, - - - Nux.
- with Spasmodic Pain - - - Cocc.
- Returning much too early, Sulph Carb. v. Kali c. Phos. Calc.
- Much too late and in too small quantity. Natr. m.
- Too late, - - - Graph. Magn.
- Delaying, - - - Caust.
- Suppressed during several months, Sep. Sep & Con.
- Do. a long time by sudden fright, - - - Lyc.
- In too small quantity and of too short duration Amm. e.

- Too little and too pale, - - - *Graph.*
 Much too weak - - - *Silic. Con.*
 Lasting too long and in too great quantity, *Lyc.*
 Lasting much too long. - - - *Natr. m.*
 Pains before the, - - - *Nux.*
 Peevish before the, - - - *Natr. m.*
 Headache before the, - - - *Sulph.*
 Do. before, during and after, - - - *Natr. m.*
 Melancholy before the, - - - *Natr. m.*
 Sadness before, (and when coming on) *Natr. m.*
 With itching eruption and soreness between
 the thighs *Kali c.* with pains in the chest,
 cramp in the abdomen, weakness, *Graph.*
 Pressing downwards and drawing pains in the
 thighs, - - - *Con.*
 During the m. cutting in the abdomen, and grip-
 ing (squeezing) in the small of the back, *Calc.*
 During the, fermentation in the abdomen, *Phos.*
 Pains during the m. - - - *Natr.*
 After the m. a state of inconsolableness and fear,
Nux.
 A kind of menstrual colic, some hours after the
 commencement of the flow, violent pressing of
 the abdomen towards the rectum like stool,
 alleviated by lying quietly, with commence-
 ment of the flow chilliness and fatigue, *Puls.*
Nux.
 Commencement delayed, with sudden cramps op-
 pression and anxiety, cramps in the abdomen
 with weakness like lameness or disturbance,
 and sudden ceasing of the flow attended with
 pressure on the breast as from a heavy
 weight, cramp in the breast, sighing, groan-

ing, knocking on the (crown) top of the head, sometimes beating in the temples, griping bellyaches, fits of qualmishness, to fainting, with convulsive motions of the limbs, Coccul.

Complaints during menstruation, too early (every three weeks) with fits of diarrhœa, qualmishness and chilliness—often general chilliness, ice coldness of the top of the head, hands, feet and nose, (2. doses) Verat.

Complaints during menstruation, continual flow of blood without sensation—a painful hardening of the abdomen, leucorrhœa before the menses—before the regular flow, violent spasmodic contraction of the uterus and pressing down towards the sexual organs and anus, China & Nux. alternating.

Complaints during menstruation, very sparing menses, attended with bellyache, drawing in all the limbs and faintness. Graph.

Complaints during menstruation—suppression of the present flow, Puls. Puls. & Bella. two doses of each, and lastly, Stram. Magn. c.

Complaints from suppression of the m. Puls. & Kali. c.

Kind of complaints occasioned by the m.—A woman aged 26 years who never experienced a flow of the menses, 3 doses Puls. 1 dose of Cocc. between.

METRITIS.

(*Inflammation of the womb.*)

Opium, with remaining undelivered placenta, Bella.

With violent stitching pains in the hip joints, not suffering the slightest motion or touch, with a feeling as if the uterus was broken or loose, falling through the external genitals, alternating with consciousness and delirium,
 Bella. (Nux.)

MILK.

After drinking milk diarrhœa, - Lyc.
 Indigestibility of milk, - Nitri. ac.
 Aversion to milk and flesh, - Sep.

MILK-FEVER. (*See also Fevers.*)

By a mechanical injury of the sexual parts, Arn.

By too great quantities in the breast, Rhus.
 Bella. Bryon.

Flow of milk, - - - - - Calc.
 Secretion of milk.

For augmenting the secretion, - Puls.

When weaning children, for preventing the accumulation of milk, often three cups on both upper arms and on the inner part of the upper legs are of much use, (*Archives X. 2, 51.*)

MILK SCURF. (*See crusta lactea.*)

MIND.

Disturbance of, Tart. stib. Puls. Verat. Nux.
 Stram. Bella.

Besides other irregular imaginings, contempt

- for his wife, beloved before, but now regards her as one very inferior (to himself,) Platin.
- Anacard, - - - - Sep.
- During pregnancy, with fear of black men, with blunted consciousness, fits, Bella & Puls.
(See *Imagination*.)
- Fits of anxiety to such an extent as not to know how to contain herself (oneself,) pressing at the heart, flying heat, desperation in regard to her future state, - - - Puls.
(See *Mania, Melancholy and Frenzy*.)
- Disposition of mind, excited, insulting, Petrol.
- Indifference towards his family, dejectedness, melancholy, - - - Sep.
- Discontented, sorry, angry, over excited, Nitri. ac.
- Irritable, gloomy, sad, dejected, - Con.
- Angry and lowspirited, - - - Sulph.
- Discontented, - - - Phos.
- Do. with heaviness of the legs, Calc
- Desperation on account of bad health (by fits) great disposition to weep, - Calc.
- Weeping, sorrowful thoughts day and night, Caust.
- Anxiety, with dolefulness and inclination to weep, obstinacy, sensibility, fear of being alone, - - - Lyc.
- (See *Vexation, Anxiety, Fretfulness*.)
- Mind out of tone in old persons, - Baryt.
- MISERERE. (See *Spasm oëic Colic*.)

MOUTH.

- Swelling inside of the mouth, Amm. c.
Varicose, swelling of the inside of the mouth
 and of the vessels of the inner throat, Puls.
Dryness of the mouth, Baryt. Sep. Carb. v.
 On and in the m. without thirst, to such an extent
 that these parts are straining (drawn)
 difficult moving of the tongue with great difficulty
 of speech, - - - - - Lyc.
Smell from the mouth, bad, from decayed teeth,
 - - - - - *Rhus.*
 Bad, particularly in girls, in the years of puberty,
 - - - - - Aur.
Taste in the mouth, bitter, Calc. Carb. v. et ani,
 - - - - - Kali. c. Natr. m.
 Bitter, particularly after eating, Natr. Amm. c.
 Bitter, with qualmishness, mostly early, Lyc.
 Like cheese, - - - - - Phos.
 Saltish, the food tastes too salt, - Carb. v.
 Sour, - - - - - Kali. c. Sep.
 Sour after eating, - - - - - Carb. v.
 Bad, in the morning on rising, - Natr.
 Corrupted taste, - - - - - Kali. c.
Ulcers in the mouth, Merc. sol. Spirit. sulph.
 With putrid taste and smell to those who are
 near by (also in children) Nux. also
 Bella. Ars. Kali. sulph. & Nitri. ac. (the two
 latter particularly after the misuse of mercury.)
Foul mouth, (*Stomacace*), - - - - - Capsic.

Angle of the mouth, ulcerous, - Grap't.
Soreness of the mouth, - Phos.

MUMPS. (*Parotitis.*)

Acon. Hepar. Samb. Spong. Bella. Sen. (after
 the misuse of mercury,) Nitri. ac.

NAVEL.

Stitches in the left side of the n. when walking,
 Sulph.
Region of the n. with turning and griping in the
 same, Con.

NECK.

Pain in the n. - Ammon. Graph.
Stiffness of the neck, Baryt. Lyc. Magn. Nitri. ac.
 Kali. c.
Nape of the neck, pressing in the, Natr. m.
Weakness of the muscles of the n. Kali. c.
Straining in the n. - Con.
Swellings in the neck, (Strumous,) Silic.

NERVES.

Affection of the nerves, chronic, diminution of
 the senses without decreasing the conscious-
 ness, sometimes with, and sometimes without
 different complaints of the abdomen or chest,
 Asa.

Exalted nervous affection, (See Affection.)
Nervous pain, (Neuralgia,) Stann.

Nervous fever and nervous bilious fever,
(See *Fevers*.)

NETTLERASH. (See *Eruption*.)

NEURALGIA. (See *Nervous Pain*.)

NIGHTMARE. (See *Incubus*.)

NIGHTBLINDNESS, in four cases *Bella. Verat.*
Hyosc.

NOCTURNAL RESTLESSNESS.

And anxiety at the heart, - - *Ars.*
(See *Sleeplessness and Children*.)

NOSE.

Eruption on the top of the n.	Caust.	Carb. v.
Blossom-like eruption,	-	- <i>Silic.</i>
Suppuration from the n.	-	- <i>Con.</i>
Bad smell from the n.	-	- <i>Phos</i>

Continued flow of slime from the nose,	<i>Phos.</i>
Dry scurf in the nose,	- <i>Graph. Lyc.</i>
Scurf under the nose,	- - <i>Baryt.</i>
Troublesome dryness in the nose,	<i>Baryt. Calc.</i>

Graph. Phos. Nitri. ac. Petr. (without stop-
page, *Sep. Silic. Con. Natr. m. Sulph.*

Old warts on the nose or eyebrows,	<i>Caust.</i>
Chronicle, clayey scaling of the skin of the nose, (Two cases,)	- - <i>Aurum,</i>

Ulcerous soreness of the nose,	Ranunc b.
Ulcerous, (<i>Ozaena</i>) with caries,	Aurum.
Swollen, red with green scabs, and stoppage in the nostrils,	Phos. Antim.
External and internal swelling of the hard and soft parts, with great sensibility,	Anosima,
with dryness of the passage (<i>ducts</i>) of the nose,	Zinc.
Eruption in and on the nose, with burning pain in the open air,	Graphit.
Sore, scurfy, ulcerous nose, and upper and un- der lip,	Graph.
Scurf like, itch always renewing on the nose,	Thuja.
<i>Obstruction in the nose,</i>	Graph. Magn. Natr.
	Petr. Silic.
By yellow stinking pus,	Calc.
Chronical,	Con.
(<i>See Cold in the Head.</i>)	
Inflammation of the nose, external,	Bella.

NOSTRILS.

Ulcerous,	Lyc. Bella.
Stoppage in the nose,	Lyc. Kali. c. Caust. Nitri.
	ac. Con.
Stoppage, lasting several years,	Silic.
Nightly closing by suppuration,	Lyc.
NYMPHOMANIA,	
	Platin. Dulc.
In lying in women,	Grat.
Great, in lying in women,	Zinc.

OBSTINACY.

(Irritability,) - - - - - Lyc.

OBSTRUCTION.

Nux. Sulph. Lyc. Plumb. acet. XII, $\frac{1}{4}$ gr. but
the 30th may be better.

Chronical, stool after eight days, Nux. Bry.
(2d.) (Op.)

With vomiting of excrement and urine, Op.
(See *Stool, Costiveness, and Constipation.*)

OTALGIA, *Pain in the Ear.*

Of a rheumatic nature in children, Zinc.
With periodical deafness, - Spigel.

(See *Ear.*)

OTITIS. (See *Ear.*)

PAIN.

In the head with great debility, (several doses,

Pains in the side (See *side.*)

PALSY. PARALYSIS. (See *Lameness.*)

PANARITIUM. (*Whitlow,*) Puls. Sulph. Silic.
Mag. pol. arc.

PAROTITIS. (See *Mumps.*)

PAROTIS. (See *Ear.*)

PEEVISHNESS. (See *Fretfulness.*)

PEMPHIGUS. *Vesicular Fever,* Dulc. Rhus.

PENIS. (*See Glans Penis.*)

PERIODICITAS.

Or alternating in the morbidic phenomena, Bell.

Antim. c. Marum. verum

Increased state of the disease at the change of
the moon. - - - Silic.

PERSPIRATION.

Under the armpits, - - Sep.

Cessation of, for a long time, - Graphit.

Deficient, with inability to perspire, Kali c.

Ammön. c.

From moderate exercise, Sulph. Lyc. Natr.

Particularly in the face by moderate walking,

Lyc. Sep.

Great inclination to perspire when walking,

Kali. c.

By moderate walking, - - Silic.

Great, by moderate exercise, Calc Graph.

In sitting, - - Sep.

When eating, - - Carb. v.

After eating, - - Sep.

Great on the face, - - Natr. m.

Early, - - Phos.

Sour, - - Sep. Natr. m.

At night, Baryt. Calc. Kali. c. Natr. Natri. ac.

Petrol. Sep. Silic. Carb. v.

Nocturnal, sour, strong smelling, Silic. Sulph.

Continual cold perspiration, as if occasioned by

anxiety, - - - Natr.

Often—nightly, with immoderate erections,
Magn. pol. arct. as the best intermediate
dose, applied with others.

Exhausting, - - - - - China.

In vigorous men, not enfeebled by onanism,
Nux.

Nightly, after onanism, - - - - - China, Sep.

POLYPUS.

In the bladder, - - - - - Calc.

In the nose, slimy, - - - - - Marum ver.

PORES,—black, - - - - - Nitri. ac.

POX. (See *Syphilis*.)

Small pox, - *Acon.* *Ars.* *Bell.* *Stram.* *Merc.* *Op.*

Small pox, black, blighted on the skin, *Ars.* *Mur.* *ac.*

PREGNANCY.

Cramp during pregnancy, - - - - - Hyosc.

Vomiting during p. *Con.* *Ipec.* *Natr.* *m.* *Nux.*

Petrol.

Mind affected during p. - - - - - Puls.

Complaints of p. - - - - - Cham. *Bella.* *Nux.*

Do. do. with loss of blood, - - - - - Phos.

Do. do. with burning pain in the region of
the *fund. uter.*, relieved by pressure and rest,

Bryon.

Stitching, burning pain in the right hypochondrium,

Acon.

Complaints of p.—vomiting, with headache, and
stomachache, *Aconit O gttj.*

Do. of p. with complaints of the underbelly, diz-

ziness, bad taste in the mouth, black under the eyes, suffocating after eating, drawing cramp in the arms, and drawing pains in the legs, *Bryon. Bella, Bryon, Cham, Cocc. Ferr, Ipec. Nux. Puls. Sep. Verat.*

PRESBYOPIA. (See *Eye.*) *Bellad.*

PRIAPISMUS, - *Puls.*

PROLAPSUS.

Of the Rectum, when going to stool, - *Sep.*

The emerging rectum looks quite black, spirting blood, painful when touching, stool only after strong pressing, - - *Merc. sol.*

Prolapsus Ani, *Ars. Colch. Dulc. Magn. Merc. Ruta. Sep. Sulph.*

After stool, - - - *Merc.*

With diarrhœa, - - - *Magn. m.*

Prolapsus Uteri (incompletus), - *Aurum. Nux.*

With hardening of the womb and flow of blood therefrom, *Bella*, several doses, applying it at the same time externally.

Prolapsus Vaginæ, - *Aurum. Merc.*

PROSTATITIS, - *Thuja. Puls.*

PROSOPALGIA.

Spigel, Calc, Lyc. Sep. Baryt. Phosph. Graph.

Verbasc. Mezer. Bella. Bryon. Hepar. Kali c.

Nitri. ac, Nux. Thuja.

Mezer, 2 doses, between which *Cham.*

Hepar III and *Acon III* to smell altg.

PSOITIS, - Digital. Merc. Colocy.

PUDENDA, stitch in the same, - Con.

PUERPERAL FEVER. (See *Fevers*.)

PUFFED.

After eating, - - , Graph. Phos.

PULMONARY CONSUMPTION. (See *Consump.*)

QUALMISHNESS.

Kali c, at night, - - Carb. an.

Early, Graph. Lyc, Phos, Silic, Carb. v. Sulph.

Every morning with headache, pain in and watering
of the eyes, - - - Silic.

When eating, - - - Kali c.

After eating, - - Natr. m. Sulph,

After every meal, (*always after eating*), Silic.

Graph. Phos.

(Vomituration) before meal time, - Sulph.

After overheating exercise, - - Silic.

Continual and vomiting, - - Silic.

Alum, Antim. c. Antim. t. Arn. Ars. Bov. Cocc.

Cupr. Dig. Euphorb. Helleb. Ipec. Merc. Natr.

Nux, Plat. Ran. Silic. Sulph. Verat. Agn, cast.

QUINSEY, (*sore throat*.)

Angina, catarrhal. Inflammatory. Rheumatic,
Bella. Dulo,

Angina, Pharyngea. Uvularis, - Nux,

Angina, Tonsillar, Bella. Merc. Daf. Cham.

After scarlet fever, - - - Nux,

Chronic, with augmentation at night and in cool air,
with prickling, stinging pains after empty swallow-
ing, - - - Merc. sol. Nux.

Angina membranacea. (See *Croup.*)

Angina pectoris. - - - Sambuc.

Angina serosa, (See *Throat.*) - Senega.

RAPHANIA, - Solan. nig.

RECTUM.

Trickling out of moisture from the anus, Sep.

Burning in the R. when going to stool, Natr. m.

Pressing pain in the R. - - Kali c.

Racking in the R. - - - Sep.

Ascarides, - - - Calc.

Running out of slime, - - Graph.

Cutting therein, when going to stool, Caust.

Chapping and throbbing therein, Natr. m.

Inactivity of the R., - - - Kali c

Prolapsus of the Rectum. (See *Prolapsus.*)

RETINITIS. Bella.

RHACHITIS.

Bella. Merc. Sulph. Calc. Silic. Asa.
(See *Lordosis, Cyphosis, Bones.*)

RIDING.

Illness from riding, - - Cocc.

Qualmishness and weakness from R., Petr.

RINGWORM. (See *Tetter.*)

RHEUMATISM.

(*Acute,*) Aconit. Nux. Bryon. Rhus. Antim. c.

(*Acute*.) tearing, extending stitching pains, the affected parts shining red, swollen and stiff, increased at night and on moving, Bryon.

(*Acute*.) wandering pains with swelling and redness of the parts, exacerbation in the evening with continual shivering, - - Puls.

(*Acute*.) on the side on which one turns the pains are more violent, on the opposite side they cease, partially alleviated by pressure, Puls.

(*Acute*.) Straining, tearing pains, more violent when at rest, feeling of numbness and deadness in the diseased parts, which are red and shining, stitching and sore pains when touched, when rising after sitting and in the open air, - - - Puls.

(*Acute*.) with pains increasing at night, Cham.

(*Acute*.) Drawing pains from the shoulders to the points of the fingers, feeling of numbness in the diseased parts, particularly at night; inability to move, - - - Nux.

(*Acute*.) Drawing, changing from time to time into tearing pains, most violent in the joints, and from thence through the bones; returning at intervals, increased in the open air, alleviated by warmth, &c. - Tinct. acris.

(*Acute*.) pressing, tearing pains deep in the bones, carried with the speed of lightning to the neighbouring joints, where arises a kind of pressure which external pressure allevi-

- ates; increased by motion, most violent at night, - - - - Bellad.
- (*Acute*,) Violent pain of dislocation, as if the flesh was loosened from the bones, lameness of the affected parts, cannot be moved voluntarily, - Tart. stib. 2 doses Ignat.
- (*Acute*,) Swelling of the tendons of the muscular biceps, where they are inserted, with stitching and straining pains, inflammatory swelling of half of the fore arm, Antim. c.
- (*Chronic*,) Heaviness and pressing from the shoulder to the fingers, numbness of the latter by change of weather, stitches with cold feeling through the whole arm, lameness of the affected parts, - - - Puls.
- (*Chronic*,) Drawing and stitching in both legs at night, increased by motion, continual feeling of coldness in the suffering parts—Merc. sol. remaining stiffness of the tendons with numbness and insensibility of the legs and toes was cured by, - - - Cocc.
- (*Chronic*,) Sometimes tearing, sometimes shortening pains in the knee, and kneepit, with feeling of infirmness in the joint of the knee, - Arn.
- Tearing, burning and straining pains, - - Zinc.
- Tearing and burning in the limbs, most violent in cold weather, at rest, and by the warmth of the bed, with complaints of lameness, - Rhus.
- In the joints of the upper arms, pain as after immoderate labor, or having been beaten, feeling in the bones as if broken or dislocated, with momentary

alleviation when lying on the suffering parts,
Ignat.

Tearing in the limbs particularly when endeavoring
to walk, - - - China.

After cold, - - - Dulc.

With coldness, shivering over the whole body, and
particularly in single parts, which are really cold,
with violent thirst increased in the evening, the
pressing, stitching, drawing pains often connected
with a feeling of lameness, increased by touching
or pressure, - - - Mezer.

Uteri, - - - Nux. Bryon.

In the neck and muscles of the neck, Bella.

RHEUMATIC PAIN IN THE LIMBS. *Acon. Ant. crud et.*

tart. Arn. Ars. Bella. Bryon. Cham. China. Colch.

Dulc. Ign. Merc. Nux. Puls. Rhod. Rhus. Valer.

In the *Throat*, *Acon. Cyc. Merc. Rhod. Scilla.*

In the *Breast*, - - - *Ambra. Ran.*

In the *Teeth*, - - - *Mgs. arc. Rhus.*

In the *Arms*, - - - *Ant. crud.*

In the under limbs, *Ant. tart. Arn. Bryon. Rhod.*

Rhus. Verat. &c.

RUMINATIO. 2 doses—Phos—Canth.

SADNESS, Ign. Op. Hyosc.

(See *Anxiety* and *Mind*.)

SALIVATION.

From misuse of mercury, *Nitri. ac. Euphorb. &c*

(See *Mouth*.)

SCARLATINA. (*Scarlet Fever.*)

Pure—*Bella.*—Acon & Merc. sol. *Ammon c.* Merc. sol. & Jod. Phos. Rhus. Sulph. Helleb. Phos. ac. *Acon.*

SCARLET RASH, - Acon. Puls. Merc. &c.

SCHIRRHUS, (*See Cancer.*)

SCREAMING. (*See Children.*)

SCROTUM.

Itching and moisture on the, . . . Petrol.

SCROFULA. (*King's Evil.*)

Baryt. Calc. Sulph. - - - (Silic.)

With a kind of phthisical suffering at the breast. 3 doses of Staph.

SCROFULOUS DIATHESIS. *Ars.* Aur. Sulph. Calc. Silic. Con. &c.

SCROFULOUS COMPLAINTS. *Ars.* *Asa.* *Bar.* *Bell.* Calc. *Cocc.* Con. *Dulc.* *Hep.* *Lyc.* *Magn.* *Merc.* *Nux.* *Rhus.* *Sil.* *Staph.* *Sulph.*

SCURVY.

Of sailors, - - (Capsic.) *Staph.*
Caut. *Merc.* *Mur.* ac. *Nux.* *Staph.* *Sulph.*

SEA SICKNESS.

Cocc. *Colch.* *Mgs.* arc.

SEMEN.

Too frequent discharge, (*Pollution.*) Carb. v.

Too sudden discharge, - Carb v. *Lyc.*

The ejection during coition too powerless and quick,
 Almost involuntary discharge without erections,
 Phos.
 Graph.

SEMINAL STRING. (*Spermatic Chord.*)

Sickly pain in the same with swelling and hardness
 of the Testes, - - - Nux.

SEXUAL INCLINATION.

Too vehement, not as a concomitant of clap, Nux.
 Deficient, (*See Impotence.*) - Lyc. Kali c.
 Dull, (wanting,) - - Graph. Kali c.
 Exalted, too easy excitation, (by thinking) Lyc.
 Ungovernable,—Graph. All night, - Lyc.
 Continual urging for connection with women, Phos.
 Excessive, - - - - Silic.
 Immoderate excitation (of phantasy) for coition.
 Natr. m.
 Unnatural voluptuous fulness of thoughts, Carb. v.
 Unnatural excitement in women, with voluptuous
 stirring in the region of the uterus, - Platin.
 SEXUAL ORGANS.—Itching of the same, Natr. m.
 Itching of the same, with flow of leucorrhœa, Calc.
 SEXUAL PARTS.—Considerable bruising and inflammation
 of the sexual parts from preternatural labor,
Arnica. at the same time applying externally a small
 quantity of the Infusion of Arn.
 SEXUAL POTENCE.—Weak, Baryt. Sulph. Con.

SHINGLES. (*See Zona.*)

SHIVERING. (*Shuddering.*) Kali c.

SHORTNESS OF BREATH.

(See *Asthma and Breath.*)

SHOULDERS.

Fits of rending pains therein, also at night, with crawling in the fingers and impossibility to move the arm from too much pain,	-	-	Magn.
Pressed as if sore,	-	-	Con.
'Tearing in the s.,	-	-	Lyc.
Pressure thereon,	-	-	Kali. c.
Stitches in the 's.,	-	-	Nitri. ac.
<i>Shoulder Blades</i> , stiffness between the,			Kali c.
Drawing and tearing therein,	-	-	Caust

SIDE. (See *Stitch, &c.*)

SKIN.

Visible clucking in the skin, from the feet up to the head, attended with dizziness.	-	-	Calc.
Rough, like <i>millet</i> .	-	-	Calc.
Becomes chapped, with splits here and there,			Lyc.
Chapping of the hands and fingers with bloody clefts in winter,	-	-	Petr. Calc. sulph.
<i>Eruption on the Skin. Chronic.</i> —Consisting of small at first watery lymph, then pustules containing pus which excites scratching, if scratched off violent burning with scurf. Sep. Amm. Graph. (Clem.)			

(See *Eruption.*)

Disease of the Skin, like blood blisters,

Arch. IX. 3. 17.

<i>Chronic</i> ,	Anacard. Baryt. ac. Mezer. Euphor.
Chapped, cracked skin,	- Calc. sulph.

- Dropsy of the Skin*, Puls. Bry. Sulph. Lyc. Sep.
Calc. Silic.
- Soreness of the Skin*.—Of the scrotum with moisture,
Sulph.
- Malformation of the Skin*, - - - Antim. c.
- Hardness of the skin on the soles of the feet*, Ant. c.

SLEEP.

- Unrefreshing, with dizziness in the morning, Graph.
- With fearfulness, - - - Graph. Sulph.
- Awaking too early, - - - - - Natr.
- Awaking frequently from sleep, - - - Calc.
- Insufficient, early, drowsy, - - - Petr.
- Disturbed, cannot sleep after awaking, - Natr. m.
- Disturbed, by throwing about at night in bed, Calc.
- Do. cannot sleep again from too much thinking,
Lyc. Con.
- Fanciful, *Natr. m.* Baryt. Graph. Con. Kali c. Sep.
- Do. with startling anxious dreams, - Carb. v.
- Difficult falling asleep, - - - - - Graph.
- Late falling asleep, - - - Phos. Natr. Silic.
- With many dreams, - - - - - Lyc.
- With anxious dreams, - - - - - Kali c.
- Unquiet, often awaking, - - - Lyc. Nitri. ac.
- Unrefreshing, - - - - - Sulph.
- Too light, (slumbering) - - - - - Silic.
- Disturbed by dreams, often awaking, - Silic.
- Talking in sleep, dreadful uneasy dreams, Silic.
- With twitching of the body, Sulph. Silic. Kali c.
- Sleepiness*, early in the evening, - Calc. Kali c.
- In the evening, with closing of the eyelids, Con.
- In the daytime, Amm. Con. Natr. m. Lyc. Natr.

Sep. Carb. v. Sulph. Magn. Mag. pol. arct.
 When walking, - - - Lyc.
 And laziness after eating, - - - Phos.
 After dinner, - - - Sulph.
Sleeplessness, from nocturnal oppression in the ab-
 domen, - - - Magn. Coff. Ranunc.
Lethargy, Antim. Cham. two doses Puls. *Op.*

SLIME.

Discharge of, early, - - - Natr. m. Phos.
 Discharged by hecking, Caust. Kali c. Calc. Lye.
 Continually in the mouth, - - - Sep.
 Silic.

SMALL POX. (*See Pox.*)

SMELL.

Wanting, (without the sense,) Sep. Silic. Natr. m.
 Dull sense of, - - - Kali c.

SNEEZING.

Often, Calc. immoderate, - - - Silic.
 Ineffectual attempts to, - - - Silic.

SOMNAMBULISM.

Alum, - *Bryon*, Natr. m. *Op.* Phos. Sil. Sulph.

SORES. (*See Biles.*)

Soreness of the nipples, Sulph. and Graph. Lyc. and
 Nux.

Of the skin of the scrotum, - - - Sulph.

SPEECH.

Often ceasing suddenly, - - - Magn.

Organs of Speech, lameness of the, - Bellad.
Speaking, effects of speaking too much, - Natr. m.

SPLEEN.

Inflammation of the, - - - Bryon.
Hardening of the, - - - Capsic. Iod.
 Stitching in the region of the S.— *Arn. Rhod. Sulph.*
ac. Zinc.

SPOTS.

Brown, on the body, - - - Phos. Con.
 Brown, on the wrist, - - - Petrol.
 Brownish on the breast, - - - Carb. v.
 Brownish red on the skin, - *Nitri. ac.*
 Yellow on the abdomen and breast, - Phos.
 Red on the skin, - - - Calc.
 Red on different parts, - - - Lyc.
 Red, itching; often on the body, - Con.

STITCH IN THE SIDE.

(*Spurious Pleurisy*), - *Arn. Nux. Scilla.*
Chronic, - - - Phos.
Acon, Arn. Bryon. Calc. Phos. Sabad. Scilla.
Sulph, &c.
 Left side, Clem. Euphor. Grat. Ign. Lyc. Phos. &c.
 Right side, - - - Acon. Merc. Ran.
 False, - - - Arn.
 With burning, (*Pleurisy*), *Acon. Bry. Scilla. Phos.*
 With burning fever, - - - Scilla.
 Rheumatic, - - - *Arn. Bry. Sabad.*
Pain in the Side, - *Ant. tart. Arn. Ign. Asa.*
 Mur. ac. Oleand. Zinc.
 Left side, - Agar. Bryon. *Sulph. Valer.*

Right side, - - Ang. Magn. m. Nitr.
 When breathing and coughing, - - Sep.

STRANGURIA. (*See Urine.*)

STRENGTH.

Loss of, - - Baryt. Calc. Silic. Lyc.
 On awaking, - - - - Sep.

STOMACH.

Burning ascending from the, - Natr. m.
 Burning in the s— and abdomen, - - Sep.
 Pressing and griping, - - - Caust.
 Pressing with qualmishness and sudden loss of
 strength, - - - Natr. m.
 Pressing after eating bread, - - Caust.
 Straining across the, - - Kali c.
 Suppressed activity of the - - Puls.
 Fulness of the s— and abdomen, - - Lyc.
 Tuguescence, after dinner, - - Phos.
 Fulness after eating, - - Kali c.
 Qualmishness at the s—, - - Lyc.
 Stitching in the s— when coughing at night, Calc.
Complaints of the Stomach, - Baryt. ac.
Pressing in the Stomach, (cardialgia) Acon. Amm.
 Ars. Bar. Bell. Bism. Bry. Calc. Carb. an.
 Caust. Cic. Mezer. Lyc. Merc. Natr. m. Nux.
 Petr. Plat. Ran. Rhod. Rhus. Secal. c. Silic.
 After eating, Ars. Bell. Bar. Lyc. Natr. Nux.
 Plat.
 From quick drinking, - - Silic.
 Confusion, after eating, - Carb. v.
 When eating, - - - Con,

With water rising in the mouth, and vomiting after every meal, of many years duration,

Silic.

Inflammation of the Stomach. (Gastritis.) Acon.

Ant. c. Ars. *Canth.* Mezer. *Digit.* Ipec. Nux

Puls.

Cramp in the Stomach. Bism. Colc. Carb. an. et.

veg. Caust. Cham. Cocc. Con. Euphor. Graph.

Natr. m. Stram.

Contracting, - - - Conium.

Do. with pain in the pit of the stomach when touching, - - - *Natr.*

Arthritical; stitching pains with qualmishness and vomiting of slime. Puls. Bryon.

Always after eating and drinking, with vomiting of the food, with attacking cough, Nux. vom.

After eating, violent contraction and turning in the stomach, vomiting of slime, and empty vomituration. - - - *Nux. vom.*

After long nursing (suckling) and loss of other fluids, - - - *China.*

With pressing as if a heavy stone lay upon, or with a feeling as if it would break the heart,

Chamomil.

Consisting of pressing pains, *Bismuth.*

With raffing and squeezing as if pressed together with the hands, after breakfast often vomiting of food with alleviation, - - - *Puls.*

Raffing and pressing in the stomach with vomituration and vomiting of the food with a sour

- taste when walking, alleviated by lying down, - - - Nux. Sulph. Calc.
- With pressing contraction, and often sourish eructation, - - - Magn.
- Squeezing, pinching pain after eating, changing after an hour to pinching in the whole abdomen, - - - Cocc.
- After often over-eating, connected with gouty complaints, - - - Nux.
- As well in an empty stomach as after every meal, finishing with vomiting, - Puls.
- Six years since, after every meal, violent pressing, griping, contracting pains in the pit of the stomach, rather alleviated by inclining forwards, and rubbing with flannel, often vomiting with some alleviation, (2 doses) Nux.
- Cancer in the Stomach*, alleviating medicine, Nux.
- Orifice of the Stomach*, kind of stricture of the upper orifice, the meals, after having been swallowed for a short time, ascend again into the mouth, - - - Phos.

STOMACH-ACHE.

- Spasmodic, - - - Caust. Ammon. c.
- Early, before and after eating *breakfast*, Baryt.
- After supper, - - - Sep.
- Pressing, sometimes after eating, with wandering pains, burning pains in the vertebral column, Ars.
- Pressing, sometimes raffing in the region of the stomach, worse after eating, painful bloating in

the region of the upper belly, painful contraction of the breast,	-	-	-	Nux.
After every meal, violent pressing in the region of the stomach, lasting 12 hours, and finishing with vomiting of food,	-	-	-	Puls. Ign.
Inflammatory, with a burning feeling,				Mezer.
<i>Weakness of the Stomach</i> , wherein almost every kind of food that is eaten causes complaints,				Carb. an.
Weak digestion,	-	-	-	Calc. Graph.

STOOL.

Relaxation, feeling as if beaten after stool,				Calc.
Too soft,	-	-	-	Sep.
Too soft, and lasting too long,				Graph.
Pappy, several stools in a day,				Natr. m. Petr.
Soft, thin, and long lasting,				Phos. Natr. m.
Inclining to soft stools,				Nitri ac.
Hard,	-	-	-	Petrol. Silic. Sulph.
Pressing during the s.				Nitric ac.
Ineffectual driving to s.				Natr. m.
Frustrate driving, with constipation,				Con.
Difficult, with tearing; stitching pains in the anus and rectum,	-	-	-	Natr. m.
Difficult, forced by great exertion,				Lyc. Kali c.
Difficult, knotty, hard, insufficient, retarded,				Magn. m.
Insufficient,	-	-	-	Natr.
Retarded, for two or three days,				Sulph. Sep.
Covered with blood,	-	-	-	Con.
Small discharge of blood at stool,				Phos.

Slimy, - - - - - Kali. c.
 (See Costiveness, Diarrhæa, Dysentery and Obstruction.)

SUFFOCATION.

Attacks of,	<i>Ipec.</i>	<i>Rhus.</i>	<i>Cyclam.</i>	<i>Plat.</i>
Do. " in the evening in bed,				<i>Ars.</i>
Do. " with anxiety,	-	-	-	<i>Acon.</i>
Do. " nightly,	-	-	<i>Sulph.</i>	<i>Puls.</i>
Do. " after midnight,	-	-	-	<i>Nux</i>
Danger of, in swallowing,	-	-	-	<i>Bella.</i>
Suffocating cough,	-	-	-	<i>Ipec.</i>

SWALLOWING.

Prevented without pain, - - - *Canth.*

SWELLING. (*Tumour.*)

Inflammation of the cheek and upper lip, *Bella.*
 And straining in the face, *Lyc. Phos.*
 Of the foot, with drawing, tearing pain, most
 violent when walking, in consequence of
Chronic Metrorrhagia, *Ferr. m.*
 Of the under legs, in consequence of suppressed
 intermittent fever (hot and red,) (2d.) *Puls.*
 Of the under legs and feet, with heat, redness
 and speckled, - - - - - *Acon.*
 Pale, raised, hot s. - - - - - *Bryon.*
 With throbbing stitching pain, - *Sulph.*
 Under and above the cap of the knee, red, with
 stitching (growing) pain, *Ledum*
Abscess in the loins, - - - - - *Silic.*

Malignant, of the foot, with violent pain when quiet, but particularly by the slightest motion, hard, glistening, burning like fire, with a blue-black, violent burning blister on the back of the foot,	-	-	Ars.
Inflamed s.	-	-	Silic.
Hard s. in the neck,	-	-	Baryt.

SYPHILIS.

Chancre, syphilitic ulcers in the mouth,			Merc. sol.
Secondary,	(2 doses)	Merc. sol. (I.)	
Inveterate, with a complication of mercurial disease (misuse of mercury,) several doses			Aur.
In the form of buboes,	-	-	Nitri. ac.
Chancres, &c.	Merc. (II.)	every 3d day.	

TASTE.

Bitter,	<i>Ang. Antim. c. Arn. Bryon. Carb. an.</i>		
			Natr. Nitri. ac.
Do. early,	-	-	Calc.
Do. particularly after eating,			Ammon.
Of slime, early,	-	-	Lyc.
Bad, at night or in the morning,			Natr.
Deficient T.	-	-	Sep.
Loss of T.	-	-	Lyc. Silic.

TEARS.

Continual flow of	-	-	<i>Euphra.</i>
-------------------	---	---	----------------

TEETH.

- Crumbling of the, - - - Euphorb.
 Burning sticking in hollow teeth when warmth enters therein, - - - Baryt.
 Several pushing pains in the, - - - Baryt.
 Tedious looseness of the, - - - Amm. Carb. v.
 Drawing pain in the sound T. in the open air, Con.
 Prickling pain in the, - - - Con.
 Pain forcing the teeth from their sockets, Caust.
 (see *Toothaché*.)

TESTICLES.

- Pain therein, - - - Sep. Zinc. Lyc. Calc.
 Hardening of the - - - Aurum.
Inflammation of the Testicles with itching of the glands &c. - - - Nux. Puls.
 Clemat, the same in hardening and swelling.
Swelling of the Testicles, after suppressed clap. Puls.
 (Dig.) with hardness, without much inflammation,
 Spong. From external injury. - - - Arn.

TETANUS (see *Tonic cramp*.)

TETTER, *Ringworm, Dryscab.*

- On the cheek, shoulder and thigh, (*red tetter spots*), which always produce clayey scales, Sulph. Graph, Con. Sep. and Bovist.—(Staph. Natr. Kali c.)
 On the eyelid, - - - Bryon. Sulph. Sep.
 On the upperlip under the nose, violent itching; secreting a sharp ichor, which on hardening forms a thick scurf. - - - Phos. and Graph.
 On the fingers, - - - Ranunc.
 Greyish white crust arising from exuding lymph, Graph.

- Running moist T. Calc. Lyc. Sep. Graph,
 Running, moist T. on both temples, very near
 the hair, and on the fore arms (with acrid flour
 albus,) Alum.
- Spots on the chin, with clefts which are covered
 with thick yellow coloured scabs - Lyc.
- After inveterate and complicated itch, Zinc.
- Upon the breast, - - - Petrol.
- On the knee, - - - Petrol.
- In the knee pit, - - - Natr. m.
- On the chin, - - - Silic.
- On the thigh, - - - Graph.
- On the *Scrotum* and *Perinæum* - Petrol.
- Old moist t. - - - Con.
- Moist after healing venereal Ulcers, - Merc.
- Between the shoulder blades, red and covered with
 blisters; on a small spot, Sulph and Ars.
- Itching t. - - - Nitri. ac.
- On the back of the head, small accumulating red
 blossoms, of rough scurfy appearance, there from
 trickling of clear humidity, Silic. Bovist.
- Roughness and breaking out of blossoms on the
 skin, with itching burning *Clemat. Rhus.* [3 doses]
 applying it at the same time externally.
- Blisters opening, falling of scales with itching and
 burning over the whole body [2 doses] Bry. and
Baryt. acet.
- On the forearm—very red appearance of the swollen
 skin deepening furrows and sore places, from
 which oozes a tough lymph sometimes with
 blood, drying in a white scurf with moisture
 beneath (many doses of) Conium.

THIRST.

Great,	-	-	-	-	<i>Silic.</i>	<i>Carb. v.</i>
At night,	-	-	-	-	<i>Calc.</i>	<i>Natr. m.</i>
Continual, (in suppuration of the lungs)					<i>Nitri.</i>	<i>ac.</i>
Continual,	-	-	-	-		<i>Natr. m.</i>
<i>Aur. Hep. Natr. Senega.</i>						

THROAT.

Burning in the t.,	-	-	-	-	<i>Nitri.</i>	<i>ac.</i>
Thickness of the t.,	-	-	-	-		<i>Phos.</i>
Scratching in the t.,	-	-	-	-		<i>Con.</i>
Dryness, day and night,	-	-	-	-		<i>Phos.</i>
Continual feeling as if a plug was sticking in the t.,						<i>Sulph.</i>
Roughness or scratching in the t.,	-	-	-	-	<i>Carb. v.</i>	
By hawking slime is thrown out of the t.,					<i>Carb. v.</i>	
Heartburn ascending into the t.,	-	-	-	-		<i>Con.</i>
Contracted twitching in the t.,	-	-	-	-		<i>Sep.</i>
<i>Glands of the Throat</i> , swollen with itching eruption on the face and body,	-	-	-	-		<i>Amm. c.</i>
Swelling of the g.,	-	-	-	-		<i>Nitri. ac.</i>
Do. like a craw,					<i>Caust. Jod. Calc. Natr. m.</i>	
<i>Inflammation of the Throat.</i> — <i>Acon. Arg. Bar. Bella.</i>						
<i>Cham. Dulc. Euphor. Merc. sol. Nitri. ac. Puls.</i>						
<i>Phos. ac. Ran. Seneg. Sulph.</i>						
From the misuse of <i>Merc.</i>	-	-	-	-		<i>Argent.</i>
Chronic,	-	-	-	-	<i>Ign. Puls. Arg. Graph.</i>	
2 doses <i>Puls & Mang. acet.</i>						
With an affection of the <i>Uvula</i> ,	-	-	-	-		<i>Bella. Nux.</i>
<i>Throat Pit</i> , fulness of the same,						<i>Con.</i>
<i>Affection of the Throat</i> ,	-	-	-	-	<i>Euphorb. Ranunc.</i>	
Hard swelling in one side of the t,	-	-	-	-		<i>Lyc.</i>

Stiffness of one side of the t, (or neck)	-	Lyc.
Pain as if sore in the vertebræ of the t,	-	Con.
<i>Complaints of the Throat</i> —sore with catarrh in Measles,	- - - -	Carb. v.
Sore pain in the t.	- - -	Nitri. ac.
Chronic, as if one must swallow a clod,		Natr. m.

TIC DOULOUREUX. (See *Prosopalgia*.)

TINEA. (*Scald Head*)

(See *Eruption and Head*.)

TOES.

Coldness and stiffness of the t,	-	Sulph.
Cramp in the t.	- - -	Lyc.
Red swelling with sticking pain, as if they had been frozen,	- - - .	Carb. v.
Painful sensibility in the great t,	- -	Calc.
Ulcers on the t,	- - -	Sep.
Festering blisters, crippling the t,	-	Graph.
Bruised by walking,	- - -	Lyc.
<i>Toe Nails</i> , thickness of the,	- -	Graph.

TONGUE.

Furred, impure,	- - -	Lyc.
White furred,	- - -	Petrol. Sep.
Bladder on the t, (<i>vesicula</i>)	- - -	Natr. m.
<i>Inflammation of the Tongue</i> ,	- - -	Merc.
Dryness of the t,	- - -	Calc.
Soreness of the t,	- - -	Silic. Sep.

TOOTHACHE.

- In the evening, - - - Sulph.
 Boring, - - - Silic.
 When eating, - - - Kali c. Natr.
 Early in the morning on awaking, - Calc.
 Always after taking cold drinks, Calc. Graph.
 With tearing pains in the cheek day and night, Silic.
 Sticking, - - - Sep. Kali c.
 Drawing with sticking day and night, which cold
 and heat increases. - - - Calc.
 With a drawing sensation, - Carb. v.
 In a hollow tooth, exacerbated by cold and heat
 and after every meal, diminished when walk-
 ing and in the open air, Mag. pol. arc.
 Sticking in a hollow tooth, with tearing pain in
 the roots of the others, more violent by eat-
 ing—warm and cold drinks, worse at night
 with painful swelling of the cheek, Merc. sol.
 After taking out the hollow back teeth, tearing
 and beating extending through the whole
 cheek, - - - Hyosc. Nux.
 Chronic, in hollow teeth, before menstruation and
 taking cold, with pale red swelling of the
 gums and cheek, - Cham. & Baryt.
 In the back teeth as if they were hollow with
 the air passing through them, Coccion.
 With tearing in one side of the head, jaw and
 ear, - - - Cham.
 Increased by the open air. - - - Rhus.
 By close thinking, coffee and other exciting
 drinks, Nux. (often first Cham.)

Rheumatic, jumping (by fits) in the under jaw
with affection of the under maxilla glands,
and drawing or tearing pains in the temples,
eased by warmth, renewed by cold air, yet
more by cold drinks, - - - *Nux.*

In arthritic persons, prickling, boring, *Cycla.*

In hollow teeth, *Antim. c.* (This medicine was
applied with certain good effect.)

Jumping by pointed stitches in the upper and
under jaw, - Sulph. Mag. pol. arct.

TREMBLING.

Trembling of the hand when in motion, and at
rest, *Rhod. cry.* (*Caust. & others.*)

TRISMUS. (*See Lock-jaw.*)

TWITCHING.

Of the muscles, throughout the whole body at
night, - - - - - *Baryt.*

In single parts, without pain whilst falling asleep,
Ars.

Without pain in both arms, in pregnant wo-
men, - - - - - *Bry.*

ULCERS. (*See Biles.*)

UNDER LEGS.

Burning in the, - - - - - *Lyc.*

Ulcers with nocturnal tearing itching and burn-
ing, - - - - - *Lyc.*

Ulcers with sickly complexion, - - - - - *Silic.*

Swelling of the shin-bone, - - - - - *Phos.*

Erysipelas on the, - - - - - *Sulph.*

Drawing pains in the, *Silic.* and great toe. *Sep.*

UPPER LEGS.

Pressing in the muscles,	-	-	Silic.
Itching ulcer on the,	-	-	Silic.
Pain on rising from sitting,			Nitri. ac.
Stitches, when treading,	-	-	Calc.
Numbness of the	-	-	Graph.

(See *Legs.*)

URETHRA.

Burning in the	-	-	Calc. Petrol.
Do. after urinating,	-	-	Natr.
Flow of blood therefrom,	-		Calc. Lyc.
Stitching, when and after urinating,			Lyc.
Drawing, when urinating,	-		Con.
Flow of slime (in males)	-		Natr. m.
Chafing when urinating,	-		Sep. Phos.
Stricture of the,	-	-	Petrol.
Stretching in the	-	-	Phos.
Burning, twitching,	-	-	Phos.
Inflammation & morbid stricture,			Clem. Canth.

URINE.

Thick, muddy white,	-	-	Con.
Dark,	-	-	Sep. Carb. v.
<i>Incontinentia urinæ,</i>			Rhus. Mag. pol. ans.
Involuntary discharge during first sleep,			Sep. Carb.
			v. Caust. Sulph. Con. Puls. Cina.
Involuntary discharge, day and night,			Caust.
Do. Do. when coughing, sneezing and walking,	-	-	Natr. m. Caust.
Bloody, with burning,	-	-	Mezer.

- Discharged nearly by drops, and with great wailing,
not too often, with confined stool, Staph.
- Driving to urinate with thirst, - - - Caust.
- Pressing to urinate, - - - Sep.
- Stinking, - - - Nitri. ac.
- Incontinence of, - - - Nitri. ac. Caust.
- Strangury.* From abnormus exalted irritability,
 Bella. Puls. Hyosc. Staph.
- Like lameness, inactivity of the organs, Mag. pol.
 aus.
- After drinking strong beer, - - - Nux.
- Urine Complaints.* - - - Clemat.
- Retention of Urine*, with redness and heat in the region
 of the bladder, - - - Puls. Canth.
- Urinating*, too often, Calc. with urging, Lyc.
- At night, Sep. Graph. day and night, Kali. c.
- Painful, - - - Nitri. ac. Caust.
- Bloody, with burning, - - - Mezer. Puls.
- Bloody, after preceding gleet, - - - Canth.
- The discharge suddenly stops when U. and does not
 flow again for sometime, - - - Caust. Con.
- Involuntary tickling of Urine, - - - Petrol.
- Urging to Urinate*, with burning, - - - Phos.
- Often anxious, day and night, - - - Carb. v.
- Pressing on the bladder as if the U. would be in-
 stantly discharged, - - - Con.
- Tenesmus*, and a kind of lameness of the bladder,
 Mag. pol. aus.
- In pregnant women, - - - Puls.
- Particularly at night, small discharge, at last bloody
 drops, - - - Cannab.

UTERUS. (See *Menses*, &c.)

VAGINA.

Stitches, extending to the womb, - Phos.
 Swelling on one side, with burning, stitching pains, Nux.

(See *Prolapsus*.)

VARICES.

Lyc. Puls. as intermediate, - Mag. pol. aust.
 In pregnant women, - - 'Lyc.

VEINS.

Swelling of v. out of the anus with burning pains, Calc.
 In the rectum and anus, - - Phos. Sep.
 With pain in the anus, - Graph Carb. v.
Swollen Veins, - - - Lyc.

VEXATION.

Recent consequences of, Acon. sometime after,
 Puls. Ign. Bryon. Nux.
 With indignation, from a just cause, - Staph.
 In connection with sudden fright, - Acon.
 Vehement, Cham., with quickly excited anger, Nux.
 Inclined to, with ill humor and sadness, Con.
 Bad effects of, - - Sep. Natr. m.

VOMITING.

Of warm food immediately after eating, *Puls.*
Chronic, produced by the immoderate use of wine,
 attended with cough and spitting of blood, stiff-
 ness of the toes and inclination to suicide, *Puls.*
Bry. & Puls.

On the arm, - - - Silic.

WENS. *Ammon. Silic.*

WHITES. (*See Leucorrhœa.*)

WINDPIPE. (*See Consumption and Cramp.*)

WORMS.

Discharged by the mouth, after using Rhus and
Hyosc.

Of ascarides, *Mar. ver.* (Cina. Abscynth, Anac.)
Nux. (Valer.) Nux. and Puls.

With evening chills, colics, vomiting, restless
sleep, &c. - - - Cina.

Worm Complaints, mostly in the morning, Spig.

WORM FEVER.

In children with bellyache and convulsions,
Cicut. Sabad.

In scrofulous persons, - - - Silic.

WRIST.

Stiffness, as from gout, - - - Lyc.

Pain with lameness, - - - Kali. c.

Pain in the, from long since dislocation, Amm.

Stitches in the wrist on moving, - - - Sep.

Nightly stitching in the w. and up the arm, Silic.

Stitch therein, - - - Natr. m.

Stiffness and disjointedness, - - - Sep.

Gout knots on the w. - - - Calc.

YELLOW SICKNESS. [*See Jaundice.*]

ZONA. *Shingles.*

Graph X^s 3 doses, Arsen. Puls. Rhus. Sulph.

46

2613 ①