

Cassia Sophera

(Second Drug Proving Report)

Cassia Sophera, an indigenous drug, has been proved under the aegis of this council earlier also in the Drug Proving Research Unit, Lucknow (U.P.) during the years 1972 to 74, and its Proving Reports have been published in the Annual Report for the year 1974-75 of Central Council For Research in Indian Medicine & Homoeopathy.

The second proving of the same drug has been conducted in two units situated at Bhagalpur, Bihar and Midnapore, (W.B.) during the years 1974-76. The technique of conducting the proving was same on both the occasions i.e. *double blind technique*. The drug was also administered in the same manner first in descending order i.e. 200th followed by 30th potency and mother tincture (MT); and then in ascending order i.e. mother tincture followed by 30th and 200th potency.

The report given below is the second proving report and the symptoms marked with* have been confirmed during the second proving.

Potencies	:	200, 30, MT, MT, 30, 200
	No. of Provers	: 30
	Male	: 20
	Female	: 10
Duration	:	1974-76
Conducted at	:	1. Drug Proving Research Unit, Bhagalpur, Bihar 2. Drug Proving Research Unit, Midnapore, (W.B.)

MIND		DULLNESS	(2, 4, 200 & 30)
ABSENT MINDED	(1, 1, MT)	FEAR of losing way to go home	(1, 1, 30)
ANGER, often without any reason*	(, 1, MT)	FICKLE	(1, 1, 30)
ANXIETY*,	(2, 1, 30 & MT)	FORGETFUL,	(3, 2, 30 & MT)
future of, and thinks that		article was kept, as to	
bad days are coming	(1, 1, 30)	where an	(2, 2, 30 & MT)
reason, without any	(1, 1, MT)	duties, of,	(1, 1, 30)
AVERSION, to talk to others*	(1, 1, MT)	facts, of,	(1, 1, 30)
CONCENTRATION, lack of,		room unlocked, goes away	
while studying	(1, 1, 30)	keeping his	(1, 1, 30)
CONFUSION of mind	(1, 1, 30)	HOME, desire to go	(1, 1, 30)
CONTRADICTION leads to anger	(1, 1, MT)	IRRITABILITY, at trifles*	(1, 1, MT)

(N.B.) In the parenthesis, the first digit denotes the number of prover in which the symptoms appeared; the second digit denotes the number of recurrences of the particular symptom in a prover; and the third and subsequent digits denote the potency administered after which the particular symptom (s) were noted)

LETHARGIC	(1, 1, 200)	exertion, mental, agg.	(1, 1, 200)
LAZY	(2, 1, 200 & MT)	eyes, closing the, amel.	(1, 1, 200)
LYING DOWN, desire for*	(1, 1, 200)	lying down, amel.	(1, 1, 200)
SOLITUDE, desire for*	(1, 1, 30)	motion, agg.	(1, 1, 200)
SADNESS, mental depression,	(1, 1, 30)	warmth in general, agg.	(1, 1, 200)
WORK, aversion to*	(2, 1, 200 & MT)	extends, forehead, to	(1, 1, 200)
	VERTIGO	smarting mild	(1, 1, 200)
FALL, tendency, to	(1, 1, MT)	lying down, while amel.	(1, 1, MT)
forward	(1, 1, MT)	movement, agg.	(1, 1, MT)
LYING, amel*	(1, 1, MT)	stitching, Forehead	(1, 3, 30)
VISION, dim, with	(1, 1, 20)	cold in general, amel.	(1, 3, 30)
	HEAD	lying down, while, agg.	(1, 3, 30)
HEAVINESS,	(1, 1, 200)	movement, agg.	(1, 3, 30)
talking, agg.	(1, 1, 200)	PAIN, stitching, Forehead	(1, 3, 30)
quiet, keeping, amel.	(1, 1, 200)	noise, agg.	(1, 3, 30)
FOREHEAD :		pressure, amel.	(1, 3, 30)
evening, agg.	(1, 1, 200)	rest, amel.	(1, 3, 30)
morning, amel.	(1, 1, 200)	sleep, after, amel.	(1, 3, 30)
exertion, agg.	(1, 1, 200)	walking, amel.	(1, 3, 30)
lying down, while amel.	(1, 1, 200)	warmth, amel.	(1, 3, 30)
pressure, amel.	(1, 1, 200)	throbbing, bandage, amel.	(1, 1, MT)
stooping forward, agg.	(1, 1, 200)	cold water, washing with, amel.	(1, 1, MT)
Occiput :		lying down while, amel.	(1, 1, MT)
cold water, washing with, amel.	(1, 1, 30)	movement, agg.	(1, 1, MT)
exertion, agg.	(1, 1, 30)	pressure, amel.	(1, 1, MT)
lying down, while, amel.	(1, 1, 30)	talking, agg.	(1, 1, MT)
pressure, hard, amel.	(1, 1, 30)	walking, agg.	(1, 1, MT)
warmth, agg.	(1, 1, 30)	Forehead :	
PAIN, Occiput		lying down, while amel.	(1, 1, 30)
lying down, while amel.	(1, 1, MT)	Supra Orbital Region	(1, 1, 30)
bursting	(1, 1, MT)	night, agg.	(1, 1, 30)
pressure, amel.	(1, 1, MT)	lying down, while, amel.	(1, 1, 30)
Forehead		movement, agg.	(1, 1, 30)
lying down, amel.*	(1, 1, 200)	pressure, amel.	(1, 1, 30)
constrictive, Occiput	(1, 1, 200)	walking agg.	(1, 1, 30)
cold water, washing with, amel.	(1, 1, 200)	extends, whole head, to	(1, 1, 30)
exertion, mental, agg.	(1, 1, 200)	Temples :	
eyes, closing the, amel.	(1, 1, 200)	right,	(1, 1, 200)
lying down, amel.	(1, 1, 200)	lying down, while, amel.	(1, 1, 30)
motion, agg.	(1, 1, 200)	movement, agg.	(1, 1, 30)
warmth in general, agg.	(1, 1, 200)	pressure, amel.	(1, 1, 200, 30 & MT)
extending, forehead, to	(1, 1, 200)	quiet, when, amel.	(1, 1, 30)
drawing Occiput		rest, amel.	
cold water, washing with, amel.	(1, 1, 200)	talking, agg.	(1, 1, MT)

extending, whole head, to	(1, 1, MT)	FOGGY, menses, during.	(1, 1, MT)
PAIN tingling :	(1, 1, 30)	MIST (see foggy)	
exertion, agg.	1, 1, 30)		
lying down, while, amel.	(1, 1, 30)		
pressure amel.	(1, 1, 30)		
walking, agg.	(1, 1, 30)		
		EARS	
		HEAT, flushes,	(1, 1, 30)
		vertigo, during	(1, 1, 30)
		PAIN, left, radiated from throat	(1, 1, MT)
		deglutition, during	(1, 1, MT)
		NOSE	
BURNING,	(2, 1, 30 & MT)	CORYZA*	(4, 2, 200, 30 & MT)
cold, application, amel.	(1, 1, MT)	discharge, with (fluent)*	(3, 2, 30 & MT)
lying down, amel.	(1, 1, 30)	night, agg.	(1, 1, 30)
movement, agg.	(1, 1, 30)	walking agg.	(1, 1, 30)
pressure, agg.	(1, 1, 30)	DISCHARGE*,	
sleep, after amel.	(1, 1, 30)	acid, night, agg.	(1, 1, 30)
warmth, agg.	(2, 1, 30 & MT)	walking, agg.	(1, 1, 30)
ITCHING, lids upper,	(1, 1, MT)	bland,	(2, 2, 30 & MT)
cold, amel.	(1, 1, MT)	watery*, night agg.	(3, 2, 30 & MT)
sunlight, agg.	(1, 1, MT)	walking, agg.	(1, 1, 30)
then followed by itching in left		OBSTRUCTION*	(1, 2, MT)
upper eyelid.	(1, 1, MT)	night, at	(1, 2, MT)
LACHRYMATION, right,	(3, 2, 200 & MT)	cold, agg.	(1, 2, MT)
PAIN, stitching, lids, upper		daytime, during, amel.	(1, 2, MT)
warm application, amel.	(1, 1, MT)	warmth, amel.	(1, 2, MT)
left cold application, amel.	(1, 1, MT)	sensation of, left nostril,	(1, 1, MT)
sunlight, agg.	(1, 1, MT)		
Throbbing, lids, upper, right.	(2, 1, Q. 200)	MOUTH	
daytime, during, amel.	(1, 1, 200)	BOILS, Gums	(1, 1, 200)
night, agg.	(1, 1, 200)	small, near left upper	
closing the eyes, amel.	(1, 1, 200)	premolar, painful to touch	(1, 1, 200)
lying down, amel.	(1, 1, MT)	DISCOLORATION, TONGUE	(5, 1, 200 & 30)
movement of eyelids, agg.	(1, 1, 200)	white	(3, 1, 200 & 30)
REDNESS* left	(2, 1, 30 & MT)	yellow	(3, 2, 200, & 30)
right, open air agg.	(1, 1, MT)	DRYNESS thirst, with	(2, 1, 30)
lid, upper, left	(1, 1, MT)	Tongue,	(2, 1, 200, 30)
right,	(1, 1, MT)	PUSTULES, small, on middle of	
SAND, sensation of	(1, 1, MT)	upper lip	(1, 1, MT)
STYE, upper lid, right	(1, 1, MT)	TASTE, bitter	(1, 1, MT)
upper lid, left	(1, 1, 200)		
SWOLLEN, lids, right	(1, 1, 200)	TEETH	
right,	(1, 1, MT)	PAIN*, throbbing, lt. upper first	
		molar	(1, 1, 200)
VISION		pressing teeth together, agg.	(1, 1, 200)
BLURRED, menses during	(1, 1, MT)	SENSATION, throbbing, of,	(1, 1, 200)
DIM. cold application on eyes, amel.	(1, 1, 30)	left, upper premolar, in	(1, 1, 200)
mental depression, with	(1, 1, 30)		
sleep, after, amel.	(1, 1, 30)		
vertigo, during.	(1, 1, 30)		

	THROAT				
DRYNESS*		(1, 1, 30)		THIRSTLESS*	(1, 1, 200)
night, agg.		(1, 1, 30)		ABDOMEN	
HEAT* , in		(2, 4, 200)		DISTENSION	(1, 1; 200)
cold water, drinking, amel.		(1, 1, 200)		drinking water, amel.	(1, 1, 200)
sensation of, which spreads				flatus passing, amel.	(1, 1, 200)
to whole body		(1, 2, 200)		FLATULENCE*	(1, 1, MT)
IRRITATION , night at		(1, 2, 200)		morning	(1, 1, MT)
LODGED something , sensation				evening	(1, 1, MT)
as if.		(1, 1, MT)		eating, after, amel.	(1, 1, MT)
PAIN , stitching		(1, 1, MT)		eructations amel.	(1, 1, MT)
morning, agg.		(1, 1, MT)		flatus, passing, amel.*	(1, 1, MT)
noon, amel.		(1, 1, MT)		GURGLING*	(1, 1, 200)
cold, agg.		(1, 1, MT)		lying while, amel.	(1, 2, 200)
deglutition, while, agg.		(1, 1, MT)		motion, agg.	(1, 2, 200)
extending to left ear during				rest, amel.	(1, 2, 200)
deglutition,		(1, 1, MT)		walking agg.	(1, 2, 200)
warm gargling, amel.		(1, 1, MT)		cramping, colicky, squeezing,*	
ulcerative,		(2, 3, 200)		sudden	(3, 1, 30 & MT)
evening, agg.		(1, 3, 200)		bending forward, agg. (amel.)	(1, 1, MT)
cold drinks, amel.		(1, 2, 200)		pressure, amel.	(2, 1, 30 & MT)
drinking, agg.		(1, 3, 200)		rest, amel.	(1, 1, MT)
PAIN , ulcerative,				stool, before,	(1, 1, 30)
lying down, quietly, amel.		(1, 3, 200)		standing, amel.	(1, 1, MT)
talking, agg.		(1, 3, 200)		walking, amel. (agg.)	(1, 1, 30 & MT)
warm drinks, agg.		(1, 3, 200)		Hypochondria, rt.*	(1, 1, 200)
RAWNESS (pl. see Larynx)				eating, after, agg.	(1, 1, 200)
SORENESS (pl. see Larynx)				empty stomach, on, amel.	(1, 1, 200)
TICKLING , (pl. see Larynx)				motion, on, agg.	(1, 1, 200)
				pressure, gentle amel.	(1, 1, 200)
				rest, amel.	(1, 1, 200)
				walking, agg.*	(1, 1, 200)
STOMACH				cutting*, Epigastrium	(1, 1, MT)
APPETITE , diminished (6, 3, 200, 30 & MT)				evening, agg.	(1, 1, MT)
evening, 7 p m. to 9 p m., but				eating, after, agg.	(1, 1, MT)
able to take afterwards.		(1, 3, 30)		empty stomach, on, amel.	(1, 1, MT)
abdomen is full, sensation as if		(1, 1, 200)		Dull, slight, Iliac region.	(1, 1, 30)
DESIRES , salt things (2, 1, 30 & MT)				piercing (see stitching)	
ERUCTATIONS , sour (1, 1, MT)				stitching, piercing	(1, 1, 30)
burning sensation in upper eyelids,				motion, on, agg.	(1, 1, 30)
with		(1, 1, MT)		pressure, amel.	(1, 1, 30)
vertigo, during		(1, 1, MT)		walking, agg.	(1, 1, MT)
THIRST , extreme*				Epigastrium	(1, 1, MT)
large quantities, for* (4, 2, 200, 30 & MT)				lying down, while amel.	(1, 1, MT)
long intervals * (3, 2, 200, 30 & MT)				pressure, amel.	(1, 1, MT)
often, for, (short intervals)* (1, 1, 200 & 30)					

GENITALIA

sitting, agg.	(1, 1, MT)
walking, agg.	(1, 1, MT)
extending to rt. hypochondriac region	(1, 1, MT)
Hypochondria, lt.	(1, 1, 30)
5 p.m. to 8 p.m., agg.	(1, 1, 30)
eating, after, amel.	(1, 1, 30)
empty stomach, on, agg.	(1, 1, 30)

RECTUM

CONSTIPATION,	(2, 1, 200 & MT)
ineffectual urging and straining*	(2, 1, 200 & MT)
PAIN, tenesmus	(1, 1, MT)
daytime, during agg.	(1, 1, MT)
night, amel.	(1, 1, MT)
pain, in, epigastric region	(1, 1, MT)
stool, mucus with	(1, 1, MT)

STOOL

MUCUS, daytime, during agg.	(1, 1, MT)
night, amel.	(1, 1, MT)
pain, in, epigastric region	(1, 1, MT)
stool, mixed with	(1, 1, MT)
before, heaviness in upper abdomen	(1, 1, MT)
after, tenesmus continues for sometime	(1, 1, MT)
SEMISOLID	(3, 2, 200 & MT)
pain, in, preceded by, whole abdomen	(1, 2, 200)
epigastrium	(1, 2, 200)
LOOSE (see Thin)	
THIN, liquid	(3, 1, 200 & 30)
WATERY	(3, 1, 200 & 30)
YELLOWISH	(3, 1, 200 & 30)

URINARY ORGANS

BLADDER	(2, 1, MT)
PAIN, burning	(2, 1, MT)
urination, during	(1, 1, MT)
after,	(1, 1, MT)
URINE	
COLOUR, pale	(1, 1, MT)
yellow	(1, 1, MT)
SCANTY	(1, 1, MT)

MALE

PAIN, drawing	(1, 1, 200)
spermatic cords, right	(1, 1, 200)
cold in general, amel.	(1, 1, 200)
motion, agg.	(1, 1, 200)
rest amel.	(1, 1, 200)
touch, slight, agg.	(1, 1, 200)
warmth, agg.	(1, 1, 200)
swelling, with	(1, 1, 200)
tenderness, with	(1, 1, 200)

FEMALE

LEUCORRHOEA, slight	(1, 1, 200)
menses, before,	(1, 1, 200)
3 days,	(1, 1, 200)
MENSES, blackish-red	(1, 1, MT)
delayed (by 3 days)	(4, 1, 200)
early (by 7-8 days)	(2, 1, MT)
offensive, fish brine	(1, 1, MT)
painful, on first day	(1, 1, MT)

LARYNX & TRACHEA

PAIN, rawness,	(1, 1, MT)
morning, agg.	(1, 1, MT)
noon, amel.	(1, 1, MT)
cold, agg.	(1, 1, MT)
deglutition, while, agg.	(1, 1, MT)
warm gargle, amel.	(1, 1, MT)
soreness, morning, agg.	(1, 1, MT)
noon, amel.	(1, 1, MT)
cold, agg.	(1, 1, MT)
deglutition, while, agg.	(1, 1, MT)
warm gargle, amel.	(1, 1, MT)
Tickling. larynx, in, sensation	(1, 1, 200)

COUGH

MORNING, early, agg.	(1, 2, MT)
EVENING, agg.	(1, 2, MT)
DRY,	(1, 1, 200)
drink, warm, amel.	(1, 1, 200)
lying down, while, amel.	(1, 1, 200)
walking, agg.	(1, 1, 200)
warm drinks, amel.	(1, 1, 200)
LYING, down, amel.	(1, 1, 200)
WALKING, agg.	(1, 1, 200)

WARM, drinks, amel.	(1, 1, 200)	inspiration, agg.	(1, 1, 200)
EXPECTORATION	(1, 2, MT)	sitting, amel.	(1, 1, 200)
MORNING, early, agg.	(1, 2, MT)	walking, agg.	(1, 1, 200)
EVENING, agg.	(1, 2, MT)	stitching, Lumber, left	(1, 1, 200)
THICK	(1, 2, MT)	bending forward slightly, amel.	(1, 1, 200)
YELLOW	(1, 2, MT)	stitching, Lumber, left	(1, 1, 200)
		lying down on back, amel.	(1, 1, 200)
CHEST		posture, change of, agg.	(1, 1, 200)
PAIN,*	(2, 2, MT)	walking, agg.	(1, 1, 200)
left side*	(1, 2, MT)		
Morning, early, agg.	(1, 2, MT)	EXTERMITIES	
evening, agg.	(1, 2, MT)	ERUPTIONS, boils	(1, 1, 30)
cough, during	(1, 2, MT)	painful, small	(1, 1, 30)
expectoration, thick yellow	(1, 2, MT)	Upper Limbs, Forearm	(1, 1, 30)
stitching.	(2, 1, 200 & MT)	night, amel.	(1, 1, MT)
right side	(1, 1, MT)	noon, amel.	(1, 1, MT)
PAIN, stitching,	(2, 1, 200 & MT)	cold, amel.	(1, 1, MT)
bending, backward, agg.	(1, 1, MT)	itching, with	(1, 1, MT)
forward, amel.	(1, 1, MT)	painful	(1, 1, MT)
cough, dry with	(1, 1, 200)	rash	(1, 1, MT)
cough, during, agg.	(1, 1, 200)	urticaria	(1, 1, MT)
inspiration, during, agg.	(1, 1, MT)	warmth, ag.	(1, 1, MT)
irritation, throat, in, with	(1, 1, 200)		
		Hand It. Fingers, in webs of	(1, 1, 200)
BACK		itching, night, agg.	(1, 1, 200)
ERUPTIONS, boils	(1, 1, 30)	painful	(1, 1, 200)
ITCHING	(1, 1, 30)	pustules	(1, 1, 200)
air, open, amel.	(1, 1, 30)	Lower Limps,	(1, 1, 200)
bathing, amel.	(1, 1, 30)	Hip, rt., boils	(1, 1, 30)
bed, in the agg.	(1, 1, 30)	painful	(1, 1, 30)
sunheat, agg.	(1, 1, 30)	scratching, agg.	(1, 1, 30)
sweating, agg.	(1, 1, 30)	Knee, boils,	(1, 1, 30)
PAIN,* Scapular region	(1, 1, 200)	painful	(1, 1, 30)
cold air, agg.	(1, 1, 200)	Foot, dorsum of, vesicles	(1, 1, MT)
pressure, amel.	(1, 1, 200)	daytime, during, agg.	(1, 1, MT)
sunheat, amel.	(1, 1, 200)	night, agg.	(1, 1, MT)
lightening like, Cervical and		scratching, after agg.	(1, 1, MT)
Thoracic regions	(1, 1, MT)	NUMBNESS, sensation of	(1, 1, 200)
moving head, especially on		shoulder, rt.	(1, 1, 200)
left side, agg.	(1, 1, MT)	ITCHING, Upper Limbs, Forearms	(1, 1, 30)
pressure, amel.	(1, 1, MT)	noon, agg.	(1, 1, 30)
rest, amel.	(1, 1, MT)	night, agg.	(1, 1, 30)
pressing, Scapular region	(1, 1, 200)	cold, amel.	(1, 1, 30]
Spine, in the middle of	(1, 1, 200)	warmth, agg.	(1, 1, 30)
bending forward, agg.	(1, 1, 200)	Lower Limbs,	(2, 1, 30 & MT)
		air, open, amel.	(1, 1, 30)

bathing, amel.	(1, 1, 30)	sitting, amel.	(1, 1, MT)
bed, in, agg.	(1, 1, 30)	walking, agg.	(1, 1, MT)
heat, agg.	(1, 1, 30)	sore, bruised, Upper Limb , lt.	(1, 1, 30)
scratching, after, agg.	(1, 1, MT)	pressure, agg.	(1, 1, 30)
sunheat, agg.	(1, 1, MT)	raising arm, agg.	(1, 1, 30)
sweating, agg.	(1, 1, 30)	walking, agg.	(1, 1, 30)
uncovering, agg.	(1, 1, MT)	extends from elbow to shoulder	(1, 1, 30)
PAIN* Upper Limbs, mild, left.	(1, 1, 30)	Upper Arm , rt. post. aspect of,	(1, 1, MT)
pressure amel.	(1, 1, 30)	cold, agg.	(1, 1, MT)
raising the arm, agg.	(1, 1, 30)	massage, amel.	(1, 1, MT)
Upper Arm , rt.	(1, 1, MT)	motion, agg.	(1, 1, MT)
cold, agg.	(1, 1, MT)	rest, amel.	(1, 1, MT)
massage, amel.	(1, 1, MT)	warmth, amel.	(1, 1, MT)
motion, agg.	(1, 1, MT)	Fingers , rt. middle, first	
rest, amel.	(1, 1, MT)	phalangeal joint	(1, 1, 200)
warmth, amel.	(1, 1, MT)	cold application, agg.	(1, 1, 200)
Finger , rt. middle	(1, 1, 200)	motion, on, agg.	(1, 1, 200)
first phalangeal joint	(1, 1, 200)	rest, amel.	(1, 1, 200)
cold application, agg.	(1, 1, 200)	warmth, amel.	(1, 1, 200)
motion, on, agg.	(1, 1, 200)	Lower Limbs , Calf	(1, 1, 30)
rest, amel.	(1, 1, 200)	pressure, amel.	(1, 1, 30)
warmth, amel.	(1, 1, 200)	PAIN , sore bruised, Lower Limbs	
Thumbs	(1, 1, MT)	Calf rest, amel.	(1, 1, 30)
Lower Limbs ,*	(2, 1, 30 & MT)	tearing, Lower Limbs , Calf	(1, 1, MT)
fever, during	(1, 1, MT)	massage, agg.	(1, 1, MT)
pressure, amel.	(1, 1, 30)	stretching the limbs, agg.	(1, 1, MT)
walking, agg.	(1, 1, 30)	walking agg.	(1, 1, MT)
PAIN , Lower Limbs,		throbbing, Upper Limbs ,	
walking, fast, amel.	(1, 1, 30)	Upper Arm ,	(1, 1, MT)
aching, Upper Limb ,	(1, 1, MT)	stretching, agg.	(1, 1, MT)
Upper Arm , rt.	(1, 1, MT)	Lower Limbs , Knee , rt.	(1, 1, MT)
lying down, agg.	(1, 1, 30)	motion, continuous, amel.	(1, 1, MT)
pressure, amel.	(1, 1, 30)	initial, agg.	(1, 1, MT)
sitting, agg.	(1, 1, 30)	STIFFNESS , Upper Limbs, Finger,	
walking, amel.	(1, 1, 30)	rt. middle, first phalangeal	
extending to rt. ankle joint		joint	(1, 1, 200)
from rt. knee joint.	(1, 1, 30)	cold application agg.	(1, 1, 200)
pressing, Upper Limb , rt.	(1, 1, 30)	motion, agg.	(1, 1, 200)
motion, agg.	(1, 1, 30)	rest, amel.	(1, 1, 200)
pressure, amel.	(1, 1, 30)	warmth, amel.	(1, 1, 200)
shooting, Lower Limbs , Knee	(1, 1, MT)	SWELLING , Upper Limbs.	
lt. ant. side of,	(1, 1, MT)	painful	(1, 1, MT)
pressure, agg.	(1, 1, MT)	Upper Arm , rt.	(1, 1, MT)
		Finger, rt. middle, first	

phalangeal joint	(1, 1, 200)	painful*	(3, 1, MT)
TENDERNESS (see sore, pain)		pimples, on middle of upper lip	(1, 1, MT)
SLEEP		rash,*	(1, 1, MT)
DISTURBED	(2, 1, 30)	urticaria	(1, 1, MT)
RESTLESS, midnight, before	(1, 1, 200)	vesicular	(2, 1, MT)
SLEEPINESS	(1, 1, MT)	ITCHING, on whole body.	(1, 1, 200)
SLEEPLESSNESS	(1, 1, 200)	night, agg.	(1, 1, 200)
mid night, before	(1, 1, 200)	scratching, amel.	(1, 1, 200)
CHILL		GENERALITIES	
CHILLINESS, fever, during (see chilliness, under fever)		MORNING	(5, 1, 200 & MT)
FEVER & HEAT		EVENING	(6, 1, 200, 30 & MT)
HEAT in general*	(5, 2, 200 & MT)	NIGHT	(4, 2, 200 & MT)
MIDNIGHT, after, (from 1 A.M. to 6. A.M.)	(1, 1, MT)	Cold in general, amel.	
CHILL,* with	(4, 2, 200 & MT)	air, amel.	(1, 1, 200)
heat and perspiration*	(3, 2, 200 & MT)	application, amel.	(4, 2, 200, 30 & MT)
CHILLINESS, with	(2, 2, 200 & MT)	drinks, amel.	(4, 4, 200)
PERSPIRATION, heat, with	(3, 2, 200 & MT)	INFLAMMATION, externally	(2, 1, 200 & MT)
SUCCESSION of stages, chill		LIE, down, inclination to*	(1, 1, 200)
followed by heat*	(3, 2, 200 & MT)	LYING, amel.*	(11, 4, 20, 30 & MT)
chill followed by heat,		on back, amel.	(1, 1, 200)
then sweat*	(3, 2, MT)	MOTION, agg.	(8, 6, 200, 30, MT)
with thirst for large quantities of water	(2, 2, MT)	aversion to	(1, 1, 200)
heat followed by sweat		continued, amel.	(2, 1, 30)
on the face*	(1, 1, MT)	PAIN,* whole body*	(5, 1, 200, 30 & MT)
PERSPIRATION		motion, agg.	(3, 1, 30 & MT)
FEVER, after the*	(3, 2, MT)	pressure, amel.	(3, 1, 200, 30, MT)
FACE, on the*	(1, 1, MT)	rest, amel.	(3, 1, 200, 30, MT)
FOREHEAD, on the	(1, 1, MT)	walking, agg.	(2, 1, 200)
SKIN		drawing, lying down, amel.	(1, 1, 30)
ERUPTIONS*		sitting, agg.	(1, 1, 30)
boils, small	(2, 1, 30)	sore bruised, sensation as if fallen from a height	(1, 1, 200)
discharging, pus*	(2, 1, 200 & 30)	PRESSURE, amel.*	(13, 4, 200, 30 & MT)
scratching, after*	(1, 1, 30)	TIRENESS, physical	(1, 1, MT)
yellow	(1, 1, 200)	WALKING, agg.	(5, 3, 200, 30 & MT)
itching*	(3, 1, 200 & MP)	WARM, agg.	(7, 2, 200, 30 & MT)
		WEAKNESS.	(1, 1, 30)