CCRH Quarterly Bulletin Vol. 19 (3&4) 1997

GLYCOSMIS PENTAPHYLLA (ATISTA INDICA)

(Ash sheora)

Introduction

Glycosmis pentaphylla (Atista indica) is an indigenous drug and belongs to the family Rutaceae. In homoeopathy Glycosmis pentaphylla is used under the name of Atista indica and therefore it is known more by that name than its generic name. It is reported that this drug is used by Ayurvedic physicians in the conditions like amoebic dysentery, fevers, hepatic disorders and as a vermicidal. Fragmentary provings of this drug conducted earlier, have demonstrated its action in amoebiasis (Kali Kumar Bhattacharjee - 1917, Mahendra Lal Sarkar - 1973). But inspite of its reported therapeutic efficacy in number of diseases, it is not frequently used in Homoeopathy, may be because authentic clinically verified data of this drug is not available. It is because of the above fact that Council proved this drug through double blind technique and also verified its symptomatology under clinical verification programme. This drug has been found clinically useful in amoebiasis, dyspepsia, migraine and irritable bowel syndrome.

Description

A glabrous, evergreen, odorous shrub, 0.5-1.5cm high. Leaves alternate, compound, imparipinnate; leaflets usually pentafoliolate, sometimes 1 to 4, rarely 7-foliolate, dark green, glossy, polymorphous, usually ellipticoblong. Inflorescence terminal or axillary panicle. Flowers small, white, 0.5 mm in diameter, mostly pentamerous; ovary ovoid to ovoid-cylindric, 2-2.5 mm, glabrous, rather coarsely pustular glandular, usually 5-celled, rarely 3-4 celled; style short, stout. Fruits sub-globose, fleshy or dry berries, pinkish-white, 1-1.4 cm in diameter, commonly 1 but sometimes 2-3 seeded. Seeds round, plano-convex, oblong.

Distribution

Common in waste places, villages, road sides, throughout the tropical and subtropical parts of India.

Clinicaly Verified Symptoms

Potency: Q, 6, 30

Location	Symptom	Source	No. of patients prescribed	No. of patients relieved
1	2	3	4	5
Mind	Irritable	7,8	05	5
Head	Vertigo (< on standing)	7	15	10

	Heaviness in the head	7,8	109	64
	Headache	7	26	19
	Pain in temples	7	185	159
	one sided	7	91	51
	Dull aching pain in temples	8	08	. 07
	- with giddiness	8	02	02
	- as if head would burst	8	01	01
	Pain in left temple, (throbbing hammering pain with vomiting which ameliorates)	7	14	. 11
	Dull aching pain in forehead & temples > by rest & light bandage	8	266	246
Eye	Heaviness in eyes < evening	8	05	05
Nose	Coryza with thin nasal discharge and sneezing < evening	8	530	410
	(< morning)		211	130
	Coryza with blockage of nose and frequent sneezing	8	05	05
	Dry coryza	7	04	02
	Coryza with thick nasal discharge	8	03	01
Mouth	Toothache - dull aching - with bleeding of gums	7	113	95
8	(with offensive breath)	4,7	75	48
	Grinding of teeth	7	77	47
	Bitter taste	8	273	201
	Tongue coated white	8	01	01
Throat	Pain in throat	7	69	39
	Pain in throat > warm drinks	8	65	37
	Pain in throat following inflammation of tonsils, > taking liquids	4,8	34	18

	Pain with swelling of tonsils < swallowing , evening	. 7	502	
	Difficulty in swallowing > warm drinks	8	3	2
Stomach	Loss of appetite	8	504	345
	Canine hunger	7,8	46	34
	Desire for sweets	8	1	1
	Thirst increased	8	96	54
	Hyperacidity with sour eructations	7,8	228	161
	Acidity and heartburn with sour eructations	7,8	ed any a great on a	70
	Empty eructations after eating	7	8	6
	Nausea < in the morning	7,8	27	27
	Nausea & sour vomiting	7	27	16
	Vomiting - greenish yellow with great weakness	8	142	. 114
	Heaviness	7	11	8
	D	8	53	31
	Burning pain in epigastrium	8	43	25
	< after eatingwith nausea & vomiting< spicy food	8	70	37
	Throbbing pain in stomach	7	20	14
Abdomen	Flatulence relieved by eructations	7	90	61
	Flatulence with heaviness < after eating	4,7,8	541	367
	Pain around navel < after eating	7,8	641	344
	> passing flatus		12	05
	Pain - umbilical region	8	229	143
	< after stool		31 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

	Tenesmus < during and after stool	8	06	05
	Biliary colic	7	05	04
	Pain in abdomen < after eating	7,8	05	03
	Griping pain in abdomen	7	1425	933
	Distension of abdomen < after eating	7,8	188	98
	Colicky pain around navel	4,8,9	81	22
Rectum	Alternate constipation and diarrhoea	7	356	256
	Stool - loose, watery, burning - mixed with mucus	4,8,9	1427 396	969 233
	 bloody, semi - solid stools after eating 	7	75 18	13 08
	(Stool unsatisfactory)		333	177
	Stool - hard, constipated	8	203	175
	Worms come out in stool	7	79	64
Genitalia Male	Nocturnal emission	8	03	03
Female	Leucorrhoea - whitish, burning stains the linen, comes up to heel < movement	7	239	156
Chest	Palpitation	7	14	10
Back	Pain in back < bending forward, < morning	7	47 13 18	27 6 11
Extremities	Weakness of limbs	7	10	08
	Pain in calves with tiredness		29	22
	Cramping pain in legs especially in calf muscles	7	54	49
	> lying down < while extending the legs			

CCRH Quarterly Bulletin Vol. 19 (3&4) 1997

	Numbness	7	04	04
	Pain in arms & legs < movement	8	36	23
Fever	Fever with chill and without thirst, but heat with intense thirst < in morning, comes on alternate days	8	149	139
	Fever < 11 A.M. to 4 P.M. with thirstlessness & headache worse straining the eye	8	364	229
	Fever with chill without thirst comes on alternate days	8	17 18	09 11
	Fever < morning and night	8	274	193
General	Debility	8	29	20

Additional symptoms

R _b	No. of pa	
Vomiting after taking milk		43
Bleeding piles with stitching pain in anus	25	
Grinding of teeth at night	118	
Dull aching pain with weakness in legs	10	
Dry cough worse at night	325	
Pimples on face	10	
Profuse salivation	23	
Stomatitis	57	
Indigestion with sour eructations	32	
Desire for salty food	115	
Desire for undigested things	29	
Difficulty in breathing	17	
Nocturnal enuresis	85	
Small grey eruptions on the body with itching	34	
Susceptibility to cold	14	
External piles	17	

Discussion

Dr. Kali Kumar Bhattacharjee was the first to conduct proving of Ash sheora, who came out with good number of symptoms and found it efficacious in bilious complaints, dysentery and intermittent fever.

In the Council's proving many of the symptoms are similar to that of Dr. Bhattacharjee's proving. However, Dr. Bhattacharjee proved the drug in Q,3X, 3 and 6 while the Council proved it in Q,6,30, 200 potencies. These symptoms have since been repeatedly verified under the clinical verification programme.

Atista indica has a wide sphere of action in gastro-intestinal complaints from simple indigestion to chronic dysentery. It has a definite role in gastric complaints characterised by nausea, vomiting, bitter taste, heart-burn with desire for lime juice which ameliorates and aggravation by eating.

It may be used in biliary or gastric colic when there are symptoms of nausea and vomiting after eating with piercing type of pain in stomach which is ameliorated by hot formentation. Colicky pain around navel is the key note of this drug which has been repeatedly verified.

During proving worms were expelled out in provers who developed symptoms of pinching pain in umbilical region aggravated after eating and during stool, and ameliorated by drinking water associated with constipated hard stools. These too have been clinically verified.

It has been found effective in leucorrhoea which is whitish, burning and runs down to heels > lying down.

On the basis of marked periodicity of symptoms found during proving, this drug was prescribed in the cases of migraine presenting with throbbing type of pain in temples with vomiting followed by weakness, which have been verified subsequently.