

loudly and protruding his tongue (about 4 inches in lengths), which was trembling. There was a general trembling too. He was quite senseless. The temperature was 105.5. The father told me that the boy could not take a single drop of the mixture or water as it flowed out of his mouth. *Lachesis* 200th one dose was given. In the next morning I was astonished to see that the boy was talking with his mother. The temperature was 98° F.H. I gave *Sac lac* three powders and by the evening the boy was quite well. Thanks to late Dr. Hering, who gave us such a drug which helps us in a stage when our minds are in a state of suspense to witness the violence of such a disease.

### CLINICAL RECORDS

DR. I. K. MADHAVAN, L.R.C.H.P., L.H.M.S. (CAL.), ALATUR

#### 1. *Causticum in Paralysis:*

A Muslim gentleman aged 39, some 3 miles away from my clinic, of well-built and healthy constitution had a paralytic stroke and fell down in the varandah in his house, at 9 A.M. His near ones at once ran to call the local Govt. doctor. The doctor came and gave one injection. Till 9 P.M. in the night there was no improvement. His body was stiff; no activity of any organ; and the patient seemed to be dead. At 10 P.M. I was called in to attend the patient. He was completely unconscious, and could not move any of his limbs. He was not able to open his mouth and both the eyes were completely closed. Milk was being dropped into his mouth. No urine or stool till that time. All of them thought that he will not survive.

I had *causticum* 200 with me. I administered one dose in distilled water which had to be dropped into his mouth. I asked them to report on the next morning.

The next morning, they came to me saying that he was able to move his limbs (both upper and lower). Then I went at 8 A.M. and gave of *Causticum* 200 1 dose more in

powder, which he was able to swallow. The evening report was that he was able to swallow *kanji* (rice kanji) and he took a little Kanji water. I gave placebo to be taken thrice daily.

Next day i.e. on the third day the report was the same. No marked changes observed. He was not able to open his eyes. He passed urine thrice in the bed without knowing. Then I went at 10 o'clock and gave *Causticum* 1000 1 dose. The evening report was very favourable. He opened his eyes, and asked for Kanji. Passed once loose stool knowingly.

The next day (4th day) he was able to walk, took his bath and took all his usual foods except tea, coffee, mutton and fish.

On the 5th day he attended to his usual business. No more medicines were required.

2. *Sulphur, our king of Antipsorics, in twenty-year old urticaria.*

On August 1952. A retired Health Inspector aged 58 came to my clinic. He had been suffering from urticaria for 20 years or more. Almost daily or surely on alternate days he was having it. It would spread on his entire body. There was a terrible itching throughout the body. Soon after itching and scratching the rash would spread over the entire body, and there would be intolerable burning which would be relieved in the open air. Since he was well experienced about the value of health, he was not at all drugged allopathically. No medicines were taken or used. There was a dis-inclination to take bath. There was good appetite and hunger. No other complaints narrated, otherwise he is hale and hearty. Always he wanted open air. He would eat much and digested well.

I gave him 1st, a dose of *Sulphur* 30 to be taken at 6 A.M. in empty stomach, and *Sac Lac* 3 times daily for one fortnight. During the fortnight there was no rash or eruption, showing good improvement after this single dose. On the 16th day there was a slight relapse.

Then on the 17th day morning I gave him one dose of *Sulphur* 200 (B.T. orig. dilution). Two days after that he had a very severe aggravation. He was very much annoyed and cursed me though actually he had some confidence in me. I told him that it was only a medicinal aggravation, and a sure sign that the prescription was very correct. But he was about to change my treatment; Placebo was given after that to be used thrice daily. Someway or other I managed to convince him. The rash develops fully over the entire body, just like small-pox. There was restlessness and a sensation of hot waves passing; swelling over the entire body. In spite of all these troubles he had very good appetite and hunger. This aggravation lasted for fifteen days. In the meanwhile he had an eczema on the scrotum of weeping type with terrible itching. For that I gave him *Croton Tig* 200 one single dose which relieved him instantaneously. The aggravation of Sulp 200 came down to normal after 15 days and then day by day the condition improved. On 24th day after the 2nd dose of the medicine, the colour of the skin became normal. For two months I gave him Placebo (T.D.S.) only. Then after two months I gave him *Sulphur* 1M one dose (B.T.) to be taken at 5 A.M. in empty stomach and Placebo for a month more T.D.S. Afterwards neither any skin trouble nor any other returned. Now he is quite hale and hearty and has become a staunch believer in our science.

3. *Diabetic carbuncle treated with Syzygium jambo θ.*

A clerk in a Board High School of my locality had a Carbuncle having a diameter of 1½" on his right leg. It was very painful. I tested his urine. The sp. gr. was 1040. The percentage of sugar in the urine was 10%. I gave him *Syzygium jambo θ*, 10m in an oz. of Aqua Distillate as a dose T.D.S. By one month he was completely cured. No sugar in the urine. Sp. gr. came to 1010. The carbuncle completely healed up. After one month he joined his duty.