



For
My dearest &
Nearest Shubra

~~Dr. Shubra Samanta~~


**HAHNEMANN'S
THERAPEUTIC HINTS**

Collected and Arranged

BY

R. E. DUDGEON, M. D.

~~Dr. Shubra Samanta~~



**B. Jain Publishers Pvt. Ltd.
New Delhi (India)**

From
Arijt Dey

Note from the Publishers

Any information given in this book is not intended to be taken as a replacement for medical advice. Any person with a condition requiring medical attention should consult a qualified practitioner or therapist.

HAHNEMANN'S THERAPEUTIC HINTS

Reprint Edition: 2004

No part of this book may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, mechanical, photocopying, recording or otherwise, without any prior written permission of the publisher.

© Copyright with the Publisher

Price: Rs. 19.00

Published by Kuldeep Jain for

B. Jain Publishers (P) Ltd.

1921, Street No. 10, Chuna Mandi,
Paharganj, New Delhi 110 055 (INDIA)
Phones: 2358 0800, 2358 1100, 2358 1300
Fax: 011-2358 0471; *Email:* bjain@vsnl.com
Website: www.bjainbooks.com

Printed in India by

J.J. Offset Printers

522, FIE, Patpar Ganj, Delhi - 110 092
Phones: 2216 9633, 2215 6128

ISBN: 81-8056-282-2

BOOK CODE: B-2198

INTRODUCTION

IT has always been a matter of regret to his disciples that Hahnemann did not publish any systematic work on his therapeutics. His unrivalled powers of observation, his intimate acquaintance with the actions of medicines and his vast experience would have enabled him to produce a manual of inestimable value to the practitioner. But though Hahnemann has not written any complete work on his clinical experience, his writings are by no means destitute of valuable indications for the remedial employment of many of the medicines whose pathogenic properties he had investigated. The greatest number of these indications is to be found in the introductory observations prefixed to most of the pathogeneses of the medicines contained in the *Chronic Diseases*. In introducing these indications he usually remarks that the medicine was most serviceable when some of the conditions or symptoms enumerated were present. In the first part of this work, and again in a note to *Alumina*, he deprecates the use of these indications as a substitute for a careful comparison of medicinal and morbid symptoms in the treatment of diseases. They should not, he says, be solely relied upon in order to determine our choice of the remedy, but should rather serve to corroborate the correctness of that choice, which must always depend on similarity of symptoms of drug and disease. Besides these hints in the *Chronic Diseases* there are to be found scattered throughout Hahnemann's published works and letters, many clinical observations from the experience of himself and others which are of great service in assisting the practitioner to choose

the right remedy for many affections. Among these I have included the illustrations given in the four first editions of the *Organon* of the homoeopathic use of medicines by writers of old school, as Hahnemann had satisfied himself that these were genuine examples of homoeopathic cures. A considerable number of the symptoms of the pathogeneses in the *Materia Medica Pura* are stated to be "curative", but few of these are available for my purpose, as they seldom really deserve that appellation, being mostly transient effects of an opposite character to the normal state of the prover, such as "longer sight" in a myope, "cheerfulness" in a person naturally melancholic, etc. In the absence of access to Hahnemann's case books, the material I have collected and arranged in repertorial form may be regarded as Hahnemann's own selection of therapeutic instruction from the vast stores of his own experience.

Hahnemann has left few records of cases treated by himself. I shall here give a condensed report of those we possess.

(1) A man employed in a printing establishment, æt. 24, had been working at the press for eighteen months, when he was suddenly attacked by pain in the left side, which obliged him to keep his bed. After a few days this subsided but left a permanent dull pain in left hypochondrium. Some months later after a dietetic error he had a violent fit of colic. When this passed off he found that he could not bear certain kinds of food, more especially carrots, cabbage and all sorts of fruit, particularly pears. Any of these articles brought on an attack of the following character: Four or five hours after eating such food, he felt a movement in the umbilical region, then a pinching of the most intolerable kind for a half or one minute,

each time suddenly departing with borborygmus extending to cæcum. In the worst attacks these symptoms were almost constant. There occurred a sensation of contraction above and below, so that flatus would not pass either up or down. The abdomen swelled and was painful to touch. There was inclination to vomit, constriction of chest, short, laboured breathing, cold sweat, a kind of stupefaction, and complete exhaustion. He could not swallow a morsel of food or a drop of liquid. He lay stupefied and unconscious, with swollen face and protruded eyes and without sleep: the attack of spasmodic colic gradually subsided, the pain diminished, wind escaped up and down, and thus the attack went off, having lasted from 16 to 24 hours. The strength returned after 3 or 4 days, and nothing remained but the dull, fixed pain in hypochondrium before described, and weakness with sickly appearance. He had to leave his work at the printing press and become a compositor. He had been subjected to all sorts of medicinal treatment for these attacks, but without benefit. At last the idea occurred to Hahnemann to give him a medicine which produced very similar symptoms. This was *Veratrum Album*. He got four powders each containing four grains, with the injunction to take one powder daily. But he took instead two powders daily and had finished the whole 16 grains in a couple of days. This caused the most violent colic, cold sweat and feeling of suffocation, so that he thought he must die. When he recovered from this artificial colic he was and remained quite well, the pain in the hypochondrium having also disappeared (Lesser Writings, p. 353 anno 1797). The date shows that this case was treated in the year following his enunciation of the homœopathic therapeutic rule.

(2) A. washer-woman, æt. above 40, had been laid up for

years had been frequently subject to sore throat. Has had it now for a month. The previous one lasted six weeks. Pricking on swallowing saliva ; feeling of contraction and excoriation. When he has not sore throat he suffers from a pressure in anus with violent excoriative pain ; the anus is then inflamed, swollen and constricted. It is only with great effort he can pass the motion, when the swollen hæmorrhoidal vessels protrude. January 15th.—Took before breakfast a dose of *Belladonna* 30 ; in the evening his sore throat was aggravated. 16th.—Sore throat gone. The affection of anus returned as above described ; there was an open fissure with excoriative pain, inflammation, swelling, throbbing pain and constriction ; in the evening a painful stool. He confessed having had a chancre eight years previously, which had been, as usual, destroyed by caustics, after which all the above affections had appeared. 18th.—*Mercurius vsuus*, one globule of the lowest new dynamisation I [whatever that may mean], a dose every morning [and afternoon ?]. 20th.—Throat nearly well ; anus better but still has excoriative pain after stool, but no more throbbing, swelling, inflammation or contraction. A dose of *Merc. viv.* [potency not indicated] every morning. 25th.—Throat almost well, in anus raw pain and severe shootings ; great pain in anus after stool ; contraction and heat there. 30th.—To-day in afternoon last dose of the *Merc.* On the 28th the anus was better but the sore throat had returned ; severe excoriative pain there. One globule in milk sugar for seven days [?]. February 7th.—Severe ulcerative pain in throat ; belly-ache but good stools, several in succession, with great thirst ; anus all right. *Sulphur* 2% in seven tablespoonfuls as above. 13th.—Had ulcerative pain in throat, especially when swallowing saliva, of which he has now a large quantity especially copious on 11th and 12th.

dose every morning. 16th.—Somewhat quieter ; can blow her nose, which she could not do during her madness ; still talks much nonsense, but does not make so many grimaces when talking ; wept much last night ; good motion ; tolerable sleep ; still very restless ; eyes injected ; has a pain in nape ; medicine continued. 20th.—Much better ; speaks more rationally ; weeps a little ; recognises and names the doctor ; wishes to kiss a lady present ; she begins to show her amorous propensities ; is easily put in a passion and takes things in bad part ; sleeps well ; weeps often ; gets angry about trifles ; eats more than usual ; when she comes to her senses likes to play in a childish way. The *Belladonna* was continued, a dose every morning to 28th. From 22nd to 24th.—Much excited day and night ; great lasciviousness in actions and words ; pulls off her clothes and tries to touch the genitals of others ; readily gets into a rage and beats everyone. *Hyoscyamus* 30, a dose every morning. 5th October.—For 5 days would eat nothing ; complains of belly-ache ; for the last few days has been less malicious and less lascivious ; stools rather loose ; itching all over body especially in genitals ; sleeps well. *Sacch. lactis* for seven days. 10th.—On the 7th fit of extreme anger, sought to strike everyone. On the 3th, attacks of fright ; fear of an imaginary wolf ; fear lest she should be burnt. Since then has been quiet, talks rationally and has shown no indecency for two days. *Sacch. lactis* 14th.—Quite good and sensible. 18th.—Severe headache ; drowsiness by day ; less cheerful. *Sulphur* [dilution not stated, probably 60], a dose every morning. 22nd.—Very well ; very little headache. *Sulphur* continued to November, at which time was healthy, rational and sensible. *L.W., p. 869*

(5) An actor, æt. 33. 14th january, 1843. For several

more than three weeks with the following symptoms : On any movement, especially at every step, and worst on making a false step, she has a shoot in the pit of the stomach, coming from the left side. When she lies she feels free from pain. She cannot sleep after 3 A. M. She relishes her food, but after eating a little feels sick, the saliva collects in her mouth like water-brash ; empty eructations after every meal. Her temper is passionate, she is easily excited to anger. When the pain is severe she is covered with sweat. Prescription, one drop of pure *Bryonia* juice. The next day she was quite well and could resume her washing. (L.W.p. 864, anno 1815).

(3) A man æt. 42, whose business kept him constantly at his desk, had been ill for five days. His symptoms were : The first evening he became sick and giddy, with much eructation, without known cause. The following night, sour vomiting. The subsequent night much eructation. To-day, nausea eructations of foetid and sour taste. The food seems to lie undigested in stomach. Empty, hollow and confused head, sensitive to the least noise. Disposition mild, soft, patient. He got *Pulsatilla* 12, half a drop, and next day was quite well (*Ibid* p. 866, anno 1815). These two cases show Hahnemann's treatment five years after the publication of the first edition of the Organon.

(4) A country girl æt. 14, not yet menstruated, was seen 12th September, 1842. A month previously had slept in the sun. Four days afterwards she imagined she saw a wolf, and six days afterwards she felt as if she had received a blow on the head. She spoke nonsense, became maniacal, wept much, had sometimes dyspnoea, spat white phlegm, was unable to describe her sensations. She got *Belladonna* [dilution not stated], a

Some contraction of anus, especially since yesterday. *Merc.* by olfaction and in solution, a dose every morning [?]. 20th.—Throat better since 18th; has suffered much in anus; stool painful to pass; less thirst. *Sacch. lactis.* March 3rd.—No more sore throat. When at stool a bloodless hæmorrhoidal lamp comes down: this used to cause burning and sore pain, now itching only. Olfaction of *Nitric acid* [dilution not stated] thereafter milk sugar. 20th.—Hardly any pain after stool; yesterday passed some blood with the motion (an old symptom); throat well, only somewhat sensitive to cold drinks. Olfaction of *Nitric acid.* (Olfaction is performed by smelling for one or two seconds at a small vial containing half an ounce of alcohol or brandy in which a globule of the medicine has been dissolved). He remained permanently well. (*L. W.*, p. 870).

These last two cases illustrate Hahnemann's practice in the last years of his life.

It is a pity we have not a large collection of cases from Hahnemann's carefully kept case-book, but the above are all I can discover. And again it is unfortunate that it is only the remedies contained in the *Chronic Diseases*, the so-called "anti-psorics," and not all of these, for which he has furnished the indications *ab usu*. However, I have been able to glean from his other writings many hints for the employment of other remedies, and I believe the practitioner will find this little work of immense use in helping him to the selection of the appropriate remedy. All the recorded symptoms being derived from the extensive experience of the greatest therapist of this and all other times, cannot indeed be regarded as "key-notes" to the remedial virtues of the medicines, but certainly as valuable hints to the selection of the remedy.

The repertory form in which I have arranged the symptoms is founded on the Hahnemannian schema. The arrangement under each heading is seldom alphabetical. I have endeavoured to group the symptoms together in a rational order, and with regard to the pains I have followed the classification adopted in the *Cypher Repertory*. The abbreviations of the medicines are also nearly the same as in that work. To save space I have frequently employed the letters "m., n., e., d.," instead of "morning, night, evening, day."

HAHNEMANN'S THERAPEUTIC HINTS.

INTELLECTION.

Flow of thoughts, excessive—
RHS.
Intrusion of irrepressible ideas,
at 3 a. m.—NX.V.
Weakness of head—CON.
Unsteadiness of mind—NA-C.
Mental activity impaired—
LYC.
Difficulty of understanding
what is read or spoken—NA-C.
—of thinking—ALM., CAL.,
—NA-C., PET., RHS., SIL.
—of thinking and confused
head—SUL.
Diminished thinking power—
AM-C.
Inability to think—NA-M.
Incapacity for mental work
and confusion of head—SEP.
—with low spirits, and laziness
of mind and body—PH-X.
Absence of mind—OLN.

Forgetfulness—ALM., CON.
Memory, weakness of—
NA-M., PET., SEP.
—lack of—HYO., K-CA.,
PET., SIL., STR., SUL., ZIN.
Speech often suddenly stop-
ping—MAG.
Imbecility—ÆTH., LOL.
stupor—CAM.
Unconscious, falls down—
AUR.
Sufferings from mental labour
—GRP., LYC., NA-C.
—from reading and writing—
SIL.
Religious fixed ideas—SUL
—feelings, want of—COL.
Insanity—STR., VER.
Mental derangement—HEL.,
HYO.
—stupid—HYO.
—characterized by obstinacy,
cunning, disobedience, wish
to run away—DIG.

Mania—BEL., LAU.
 —after sunstroke—HYO.
 —apathetic—CAM.
 —with unintelligible talking
 (prophesying, gift of un-
 known tongues) and con-
 vulsions of limbs—SOL.
 —foolish—STR.
 —alternating with melancholia
 —STR.
 Mania, gaiety, alternating with
 despair—ACO.
 —jealous—HYO.
 —wandering—VER.
 —with convulsions—STR.
 Nymphomania—HYO.
 Demoniac—STR,
 Delusions attended with spas-
 modic movements of limbs
 —STR.
 Illusion that he sees a wolf—
 BEL.
 —that he sees persons who are
 not there, on waking, m—
 SUL.
 Feeling as if he had two wills,
 one counteracting the other
 —ANA.
 —as if the mind had no con-
 nection with the body—
 ANA.
 Delirium from excessive pain
 VER.

—furious, with convulsions
 after delivery—VER.

Grimaces, while talking—BEL.
 Desire to bite—BEL.

EMOTION.

Anxiety.

Anxiety—ALM., AM-C.
 ANA., ARN., CAL.,
 CAM., CAU., CB-V.,
 CHA., COL., CON.,
 GRP., NA-C., NA-M.,
 PET., TAB., VER.
 —,attacks of—SUL.
 —,morning—GRP.
 —at night—ARS.
 —in bed, n.—SEP.
 —at n., driving him out of
 bed—GRP.
 —when seated at work—GRP.
 —when perspiring—CAL.
 —restless—CAL.
 —with weakness—AM-C.
 —with sadness and tendency
 to weep—LYC.
 —with shivering as evening
 approaches—CAL.
 —caused by thoughts—CAL.
 —after hearing of cruelties—
 CAL.
 —and heat, at n.—CAL.
 —,sick—K-CA.

—compelling him to open his dress and to go into the open air—SUL.

—about domestic matters—BAR.

—about his disease, with fear of death—NI-X.

Anxious, zealous, fiery, hot temperament—NX-V.

Depression.

Pensiveness—SEP.

Home-sickness, with redness of cheeks—CAP.

Indifference to his own relations—SEP.

Dislike to society—BAR., NA-C.

Low-spirited—SUL.

Depression—ARG., ARS., CHD., STP.

—of spirits—CON.

Uncheerfulness—CAL., NI-X., PHO., SIL., SUL.

Unhappiness—GRP.

Gloom—CON., SEP.

Sorrowful thoughts at n.—CAU.

Grief—IGN., LYC.

—inward—PUL.

Discouragement—CAM.

Dejection—ANA., LED., NA-C.

—and weeping—SEP.

Hypochondriasis—AUR., CON., NX-V., PLB. VER.

—from continence in unmarried men—CON.

Hypochondriacal humour—NA-C.

—dejection—CAU.

—uncheerful—ANA.,

Sadness—CON., IPE., NA-C., NA-M., NI-X., SEP.

Melancholia—AUR., BEL., CAL., CAM., CAU., CLE., LYC., PUL., SEP.

—alternating with salivation—MER.

—with slow pulse—CRO.

Inconsolable over all her actions, which she thinks are evil—SUL.

Profound mortification, with throwing away what he may have in his hand—STP.

Hopelessness—CAM., CAU., VER.

Despair—CAM., VER.

—about health—CAL.

Lacrymose—AM-M., BAR., BEL., CAL., PUL., SUL.

Weeping by day—CAU.

Moaning—CAM.

EMOTION

Thoughts of death, as though she must die—ZIN.

Tired of the life—AM-C., AUR.

Suicidal tendency—AUR., CAM., VER.

III-humour.

Sensitiveness—LYC.

Excitement—CHI., CIC., PET.

—d. and.—HYO.

Irritability—ALM., CB-V., COF., CON., LYC., SIL., SUL.

—,cross—NA-M., PHO.

—and anxiety—'PHO.

Irritation—NI-X.

Restlessness, intolerable, he does not know what to do on account of it—STN.

Vehemence—NA-M., SUL.

Cannot bear to be looked at—ANT.

Impatience—ACO.

Fretfulness—CB-V., CAU.

Peevishness—ARN.

—silent—PUL.

—lachrymose—IPE

Obstinacy—CAL., LYC.

Crossness—AM-M., CAL.,

CAP., CON., RUT.

—and obstinacy—NI-X.

Discontent—CAP. CIC.

Ill-humour—CON.

Rage, beating others—HYO.

Nervousness—CAL.

Vexatious, disagreeable thoughts—LYC.

Vexatious, during menses—ACO.

—causing great indignation, grief or shame—IGN.

—causing anger violence, heat and annoyance—CHA.

—causing anger, violence heat and annoyance, if chilliness and coldness are present—BRY.

—sufferings caused by—ALM., IGN., NA-M., SEP.

Mortification, effects of—IGN.

Vexed and anxious about every trifle from extreme nervous weakness—SIL.

Indignation with great internal annoyance—COL.

—sufferings from—COL.

Irascibility—ARS., BRY., CAU, CON., GRP., IGN., K-CA., LYC., SIL.

—with indignation—STP.

—and dejection—SUL.

Scolding—PET.

Wishes evil to others—NA-C.
 Malicious, wicked, irascible
 disposition—NX-V.
 Inhumanity—ANA.
 Hard-heartedness—ANA.

Fear.

Irresolution—AUR., NX-V.
 Fearful—ALM., AM-C,
 PHO., STP. SUL., VER.
 Fear—ALM.
 —when alone—PHO.
 —of solitude—LYC.
 —of ghosts at n.—CB-V.
 —that he is about to die—
 ANA., ARS., NI-X.
 Terror—BEL.
 Want of courage—CON.,
 CUP., NA-C., SEP.
 Cowardice—SEP., SIL.
 Concern about the future—
 NA-M., PHO.
 Distrustful of future—CAU.
 Presentiment of death—CAL.
 Anthropophobia—ANA.,
 BAR., NA-C.
 Startled, apt to be—CAL.,
 CB-A., CB-V., CAU.,
 CON., K-CA., NA-C.,
 NA-M., PET., PHO.,
 SEP., SUL.
 Fright during menstrual period
 —ACO.

—following by depression of
 spirits—IGN.
 —sufferings from—ACO.,
 OPI.
 —effects of, when recent and
 causing fear—OPI.
 —when not so recent, and
 causing crossness—ACO.

Apathy.

Indifference—AM-M., CAL.
 Phlegmatic—PUL.
 Taciturnity—CON.
 Unwillingness—NA-C.
 Laziness—AM-M.
 —after rising, m.—NA-M.
 —with difficulty of movement
 --SEP.
 Aversion to walking—ZIN.
 Distaste for work—ALM.,
 AM-M., CAL., CAP.,
 CHI., CON., GRP.,
 NI-X., PHO., SEP.,
 SIL., ZIN.

Other Emotions

Restlessness—CAM., CAU.,
 CHA., CON., SIL.
 —in evening—AM-C., ARS.
 at n.—BRY.
 Tossing about—ACO.
 Agitation, mental—ACO.,
 DRO.

Laughter, sardonic—IGN.
 Alternately gay and lachry-
 mose—IGN.

Excessive joy, suffering from—
 COF.

Unmanageableness—AM-C.

Disobedience—AM-C., DIG.

Love, unfortunate, with silent
 grief—IGN,

—with jealousy—HYO.

Jealousy—HYO.

Deficiency of moral sense—
 ANA.

Godlessness—ANA.

Profligacy—ANA.

Lasciviousness—HYO.

SLEEP.

Long of falling asleep—ALM.,
 ANA., ARS., CON.,
 GRP., LYC., NA-C
 NX-V., PHO., PUL.

Sleeplessness—AM-C., BEL.,
 CAL., COF., HYO.,
 STN., SUL.

—after 3 a. m.—BRY.

—from vexation—COL.

—from thinking—LYC.

from bodily uneasiness—
 CB.V.

—from pinching in the hypo-
 gastrium—MAG.

Sleeplessness owing to formi-
 cation in calves and feet—
 SUL.

Too light—ALM., SUL.

Waking, frequent—NI-X.

—up at n.—ARS., CAL.,
 SEP.

—too early—NA-C.

Restlessness, nocturnal—NI-X.

with frequent waking—LYC.

Tossing about at n.—CAL.

Has not slept enough, m.—
 SUL., ZIN.

Unrefreshing—ALM., CON.,
 GRP., LYC., NX-V.,
 SEP., SUL., THU.

Yawning—HEP., MAN.

Drowsiness—CAL.

—and yawning—LYC.

—by day—AM-C., AM-M.,
 CAL., CB-V., CON.,
 K-CA., LYC., MAG.,
 NA-C., NA-M., PHO.,
 SEP., SUL.

in forenoon—CB.V.

—in early evening—NX-V.,
 PHO., SEP.

—evening—ARS., CAL.,
 CON., K-A.

—when rising, m.—PET.,
 ZIN.

Lazy about getting up—NX-V.

Waking difficult, m.—NI-X.
 Sleeps too long, n.—SUL.
 Somnolence in diseases—TEA.
 Sopor—ANT.
 Nocturnal pains left during—
 GRP., NI-X.
 Starting in—ARN., GRP.,
 LYC.
 —out of—NI-X.
 —up owing to anxious dreams
 —CB-V.
 Fright in—SUL.
 Cough in—CAL.
 Suffocative oppressin of chest
 during—GRP.
 Jerkings in—CUP., K-CA.
 Jerkings in and twitching in—
 SUL.
 —of muscles in—BAR.
 Talking in—CB-V., CON.
 Talking or crying out in—
 ZIN.
 Rambling in—BAR., GRP.,
 K-CA., LYC., SEP.,
 ZIN.
 Imagines he is called in—SEP.
 Nightmare—AM-C.
 Horrible visons before falling
 asleep—CAL.
 Dreamful—ALM., CON.,
 LYC., NI-X., PHO.,
 SEP.

Dreams.

Vivid—PET.
 Anxious—ANA., CAL.,
 CAU., GRP., K-CA.,
 LYC., MAG., NI-X.,
 SEP.
 —with weeping—NA-M.
 Tiresome, and waking for
 hours, or difficulty of
 falling asleep again after
 waking, n.—NA-M.
 Frightful—GRP., K-CA.,
 LYC., PHO., SEP.,
 ZIN.
 —restless and talking in sleep
 —SUL.
 Rambling, anxious—SUL.
 Fanciful—NA-M.
 Lascivious—NI-X.

HEAD.

General.

Vertigo—ALM., ARN., ARS.,
 BRY., CON., HYO.,
 IGN., K-CA., LOL.,
 NA-C., PHO., SEP., SUL.,
 TAB.
 —extreme, as if intoxicated e.
 —SIL.
 —all things seem to whirl and
 is apt to fall forward—
 NA-M.

- Vertigo as if swayed to and fro—PET.
- so that he must lay hold of something—SIL.
- making him lie down—NI-X.
- in morning—CB-A.
- as if from stomach—K-CA.
- Vertigo when looking around as though he should fall to the side—CON.
- especially when stooping—LYC.
- when sitting—SUL.
- when sitting and reading—AM-C.
- when walking and sitting—NI-X.
- when going upstairs—CAL.
- when climbing high—CAL.
- when eating—AM-C.
- with jerks in head and inability to remember—NA-M.
- transient attacks, with loss of recollection when walking in open air and writing—SEP.
- with nausea—PUL.
- with slow pulse—CRO.
- with paralytic weakness of limbs—AM-M.
- Empty, hollow, confused—PUL.
- Confusion—NA-M. PET., ZIN.
- end incapacity for mental work—SEP.
- Dazed—ANA., GRP., NA-C., SIL., ZIN.
- in m.—IOD.
- Dull, dazed feeling—SIL.
- Vertiginous dazedness—CAU.
- Dulness—K-CA.
- Blow on head, as if had a—BEL.
- Buzzing—GRP.
- Humming—CAU., K-CA.
- Intoxicated, as if, on rising, m.—GRP.
- Hollow feeling and headache after epileptic fit—CUP.
- Chilliness—BAR., CB-V., SEP.
- Coldness—SUL.
- Cold Spot—SUL.
- Heat—SIL.
- , cold feet—AM-C.
- Sweat, evening—CAL.
- Weight—CAM., CB-V., CON., LYC., SEP., SUL.
- Heaviness, as though it was full of water—PH-X.

- and want of recollection,
from stooping—SUL.
- Rush of blood with flushes of
heat—SUL.
- Congestion—ANT., AUR.,
CB-V. K-CA., LYC.,
NI-X., PHO.
- on stooping—SEP.
- on sitting up in bed., m.
followed by headache—
LYC.
- Apoplexy—CRO., NX-V
—serous—BEL.
- Bent down when walking—
SUL.
- Jerking forward—SEP.
- Headache—ARS., COF.,
SUL.
- violent, of influenza—CAM.
- long-standing—AM-C.,
CLE.
- periodical—SEP.
- every day—MG-M.
- morning—K-CA., PHO.,
PH-X.
- on waking, m.—NA-M.
- at night—LYC.
- from reading and writing—
CAL.
- Headache from annoyance—
LYC., PET.
- after eating—AM-C.
- after a meal—ARS.
- from sneezing and cough-
ing—K-CA.
- on the slightest move-
ment in bed, n.—SUL.
- aggravated by stooping—
IGN.
- from over-lifting—CAL.
- when driving—K-CA.
- in the sun—NA-C.
- from being over-heated—
CB-V., SIL.
- vertiginous—NA-M.
- sore—ZIN.
- Headache, drawing to bursting,
daily—SUL.
- drawing in head, forehead,
temples, and molars—PET.
- dull, pressive—CAU.
- suffocating—PHO.
- pressive—CB-A.
- after dinner—CB-A.
- tensive—LYC., MG-M.
- shooting—PET.
- cutting—PUL.
- shooting—CAU., CON.,
SUL.
- and humming—SUL.
- , worse on movement—
BRY.
- tearing—CON

- — on crown, forehead, temples, in eyes, nose and a tooth, on lying down—LYC.
- — in forehead, vertex, and occiput—NI-X.
- — shooting, he must lie down—NA-M.
- Headache, as though head would burst—NA-M.
- bursting—CAL., SIL.,
- tensive—CAM.
- hammering—AM-C., NA-M.
- —, after walking in open air—CAL.
- beating—NA-M.
- — in middle of head—CAL.
- throbbing—IOD., NI-X., SIL.
- — and beating when moving body—NA-M.
- — clucking—ŠUL.
- like pulling the hair, with nausea—ALM.
- Sick—AM-C., CB-V., NI-X., SEP.
- with nausea—K-CA.
- with slow pulse—CRO.
- Headache, feels hollow after epileptic fit—CUP.
- Cephalic gout—COL., GUI.
- Gout in h., attacks of. with boring pain compelling him to cry out, and vomiting—SEP.
- Forehead.
- Itching—ALM.
- Sweat, m—K-CA.
- n.—SAR.
- Weight—ARS., CAL,
- pressive—STN.
- as if it would press out, from noon till evening—SIL.
- like a board in front—CAL., DUL.
- Pain over eyes—BAR.
- ulcerative (above eye) every evening—HEP.
- boring, as if head would burst—CAL.
- Pain boring, (at root of nose) every m. from 7 to 12 o' clock—HEP.
- — and burning—DUL.
- drawing out at—SIL.
- pressive—CAL.
- — over eyes—NA-M.
- shooting, over eyes—NA-M.
- shooting out through eyes—NA-C.

- tearing with heat, forenoon—SIL.
- —to and fro, every afternoon—LYC.
- —also in temples, crown, eyes, nose and a tooth, on lying down—LYC.
- throbbing and drawing—NA-M.
- as if all would come out there—AM.C.

Temples.

- Pain, pressing, to eyes—ANA.
- shooting—CAU.
- tearing, also in forehead, crown, eyes, nose and a tooth, on lying down—LYC.

Vertex.

- Pain from nape to crown, preventing sleep—SIL.
- shooting—CON.
- tearing, also in forehead, temples, eyes, nose and a tooth, on lying down—LYC.
- tensive, shooting—CAU.
- throbbing—SUL.

Sides.

- Icy coldness, r.—CAL
- Hemicrania—SIL.

Clavus—IGN.

- Pain, tearing, also in teeth and cervical glands—GRP.
- Stitches in parietal bone—NA-M.

Occiput.

- Heaviness—SUL.
- especially in occiput, closing eyelids—NA-M.
- Pain from false step or loud noise—ANA.
- aching—ACO.
- pressive—K-CA.
- throbbing—CAL., PET. SEP.

Scalp.

- Chilled, apt to be—K-CA.
- Itching—ANT., GRP., NI-X., PHO.
- also in nose and ears—SEP.
- Formicating, humming, buzzing—SUL.
- Sweat, evening—SIL.
- when walking in open air—GRP.
- Scurf—NA-M.
- Eruption—PET.
- secrete—CLE.
- scurfy—K-CA.
- Tinea capitis—GRP., PET.

— itching, humid, scabby—
SIL.

Nodular elevations—SIL.

Pain, as if ulcerated—ZIN.

— pricking (one side)—PHO.

— tearing, boring, scraping,
n.—LYC.

—tearing at certain hours—
NA-C.

Hair.

Dryness—K-CA.

Falling out—AM-C., ANT.,

AUR., CAL., CON.,

GRP., K-CA., NI-X.,

PET., PHO., SEP., SIL.

Baldness—BAR., LYC., ZIN.

EYES.

Eyebrows.

Wart—CAU.

Eyelids.

Quivering—CAL.

Opening, difficulty of—PHO.

— inability of, n.—SEP.

Closed, morning—CAL., SUL.

Closure, evening—NA-M.

— spasmodic—HYO.

— from frontal headache—
CAL.

Redness—ANT.

Inflammation—ANT., ARS.,
BAR.

— with photophobia—NA-C.

— meibomian glands—DIG.

Stye—AGA., CON.

Lippitudo—EUP.

Agglutination—BAR., CAL.,

CB-V., CAU., LYC.,

MAG., NA-M., PHO.,

SEP., SIL.

—,m—K-CA., MAG., MAN.

— and lachrymation—ALM.

Dry matter on—AM-C., GRP.

Dry scabs on edges, on

waking, m—SEP.

Tension, m.—SUL-X.

Pain, burning—CAL.

— sore—CAL.

—pressive, as from a grain of
sand—GRP.

— cutting—CAL.

Upper Eyelid.

Heaviness and sinking down—
SEP.

Paralysis—NI-X.

— and ptosis—ZIN.

Burning, itching—LYC.

Canthi.

Pain, with redness of eyes—
SIL.

— burning and pressive—
CB-V.

Outer Canthi.

- Sticky matter—NA-M.
 Burning and smarting—PHO.

Pupils.

- Tendency to dilate—CAL.
 Dilated and insensible—CAM
 Sluggish to contract—NI-X.

Eyeball.

- Itching—CAL.
 Cold feeling when walking in
 open air—ALM., CON.
 Heat and pressure—CB-V.
 Dryness—ZIN.
 Lacrymation—CAL., CAU.,
 K-CA., NA-M., PH-X.
 — in open air—CAL., LYC.,
 SIL.
 — in wind—PHO.
 — morning—CAL.
 — and agglutination—ALM,
 — and agglutination. n.—
 PHO.
 Tears, acrid—NA-M.
 Sticky moisture interfering
 with vision.—LYC.
 Swelling—GUI., K-CA.
 — evening—SEP.
 Congestion, with frontal head-
 ache—ALM.
 Redness—BEL.

- with pain in canthi—SIL.
 Inflammation—ARS., CAU.,
 CLE., EUP., MEZ.,
 NA-M., RHO., SIL.
 with heat and pressure as
 from a grain of sand in—
 PHO.
 —with agglutination by n.,
 and lachrymation by day—
 LYC.
 — with photophobia—BAR. .
 — with burning—PH-X.
 — excessively painful—ACO.
 — scrofulous—DUL.
 Glaucoma—PHO.
 Convulsions—CON.
 Sunken—CAM.
 Pain, from straining sight—
 CB-V
 — sore—NI-X.
 — burning—CB-V.
 — — with dimness of vision
 —MAN.
 — —and cold feeling—AM-C.
 — and cutting when reading
 by lamplight—CAL.
 — smarting—IOD., LYC.,
 NA-M., SIL.
 — biting, burning, e.—LYC.
 — aching—EUP.
 — pressive.—BAR., CAL.,
 CUP., LYC., NI-X., SEP.

- pressive—shooting, lachrymation—GRP.
- prickling, by candlelight, e.—SEP.
- shooting—CAL., HEP., NI-X.
- —, e., from light—LYC.
- tearing—SIL.
- —and shooting, and in facial bones—SIL.
- as from a grain of sand, e.—ALM., GRP., PHO.
- Lachrymal fistula—SIL.
- —suppuration of—CAL.

Cornea.

Opacity—PUL.

Vision.

- Hemiopia, vertical—MU-X.
- Diplopia—NA-M.
- Hypermetropia—BEL., CAL., CON., DRO., LYC., MEZ., NA-C., NA-M., NX-V., PET., SEP., SIL. SUL.
- Myopia—AM-C., CON., LYC., PET., PHO., SUL., SU-X.
- Photophobia—SIL.
- for daylight—GRP.
- with inflammation—BAR., HEP.

- Dazzling by light—BAR. CAL., CON., K-CA.
- by daylight—SIL.
- Dread of sunlight—PH-X.
- Irritated by candlelight—LYC.
- Sparks—AUR., LYC., SIL.
- Glittering—CAU., GRP., LYC.
- Chromopsia—DIG.
- Coloured stripes—CON.
- Pale, when reading—SIL.
- Gauze—PET., SEP., SUL.
- Feathers—LYC., NA.C., NA-M.
- Flues—CAL.
- Veil, so that he cannot see—NA-M.
- Nets—ANA.
- Dark nets—CAU.
- Flying web—BAR.
- Dark points—CON.
- Dark spots—ANA., AUR., BAR.
- Flying spots—AM-M., K-CA.
- Black spots—MAG.
- —, flying—NI-X.
- — and bright stripes—AM-C.
- — and fiery stripes—SEP.
- — and light stripes—NA-M.
- —hovering—PHO., SEP., SIL.,

- appearance—PHO.
- Blackness, when walking or stooping—NA-M.
- on stooping—GRP.
- and glittering—LYC.
- Weakness—ANA., AUR., SIL.
- Dimness—ANA., BAR., CAL., DIG., PHO., PUL.
- by day, everything seems enveloped in a grey covering—PHO.
- by candlelight—PHO.
- from too much reading—RUT.
- sudden, on occurrence of tearing shooting headache—NA-M.
- from cold—LYC.
- , flickering—AM-C.
- with burning—MAN.
- as through gauze—CAL.
- Mist, on looking closely or reading—CAL.
- Darkness, when reading—CAL.
- after eating—CAL.
- Cannot read small print—NA-C.
- —or write without spectacles—SIL.
- Letters run together when reading—GRP., NA-M., SIL.

Sudden attacks of blindness—SIL.

Amaurosis—ACO., BEL., CAM., CON., DUL., NA-M., PUL., SIL.

- incipient—CAU.
- with contracted pupils—SEP., ZIN.

Crystalline. Lens.

Cataract—AM-C., PHO., PUL., SIL.

EARS.

Auricle.

Eruption on and behind—BAR.

— on lobe—BAR.

Eczema, behind—GRP

Painful swelling—ANA

Tumour, encysted, of l. lobe—NI-X.

Meatus & Inner Ear.

Itching—ANA., SEP.

Insensibility of meatus—MU-X.

Dryness—GRP.

— and dry feeling—PET.

Fætor—GRP.

Suppuration and itching, with dull hearing—AM-C.

- of inner ear—CB-V.
- Discharge—ANA., CB-A.,
NI-X,
- purulent—CAL., CB-V.,
GRP., NA-M.
- of foetid pus—HEP.
- Wax, accumulation of—CON.
- Pain, boring—SIL.
- aching—GUI.
- drawing—SUL.
- — shooting outwards—
CON.
- shooting—CAL., K-CA.,
NA-M., NI-X.
- shooting out at—K-CA.,
SIL.
- — when walking in open
air—CON.
- Pain, tearing, shooting—CON.
- pulsation—MG-M.
- Throbbing—CAL., MU-X.
- — and blows—NA-M.
PHO.

Hearing.

- Intolerance of noise—PUL.
- of noise and talking—PH-X.
- Oversensitiveness—LYC.
- to music—SEP.
- to noise—NA-C.
- Sufferings from music, organs,
noise—LYC.

- Noise—CAL., NA-M., PET.
- Tinnitus—AM-C., AM-M.,
BAR., CON., LYC.,
NA-M., PET., SIL.
- Singing and ringing—GRP.
- Humming—ANA., CB-V.,
CAU., NA-M., PET.,
PHO., SEP., ZIN.
- and rattling—SUL.
- with dull hearing—CAL.
- Buzzing—ALM., AM-C.,
ANA., BAR., CAL.,
CB-A., CON., GRP.,
IOD., SUL., ZIN.
- with headache and hot
cheeks—CAL.
- Fluttering—SIL.
- Hissing—GRP.
- Crepitation—NI-X
- Crackling, when swallowing—
CAL.
- Beating—NI-X.
- Koncking—CAL.
- Roaring—AM-M., CAL.,
CAU., CON., LYC.,
NA-M., NI-X., PET.,
SEP., SUL.
- Thundering—CAL.
- rolling—GRP.
- Stopped up—NI-X.
- which sometimes goes off
with a crack—SIL.

NOSE

Dullness—AM-M., CAL.,
GRP., K-CA., LYC.,
MAG., NA-C., NA-M.,
NI-X., SEP., SIL., SUL.,
SU-X.

—for human voice—PHO.

—with suppuration and itching of ears—AM-C.

Deafness—ANA., DIG., DUL.,
MU-X., PET., SIL.

—with noise like boiling water—DIG.

NOSE

External

Sore—CAL.

Swelling—GRP.

Redness—ALM.

—of tip—SIL.

Inflammation and eruption on tip—SEP.

Eruption on tip—CAU.

Pimples—SIL.

Scabs on dorsum—PH-X.

Warts—CAU.

Caries—AUR.

Nostrils.

Inflamed, swelling of tip—
SUL.

Ulceration—ANT., LYC.

Internal.

Itching—AM-C., CB-V., SEP.

Constrictive, suffocating sensation—HEL.

Dryness—AM-C., ANA.,
BAR., CAL., CON., GRP.,
K-CA., MG-M., NA-M.,
NI-X., PET., PHO., SEP.,
SIL., SUL.

Agglutination, u.—LYC.

Stopped up—ANA., ANT.,
ARS., CAL., CB-A.,
CAU., CON., CUP.,
GRP., K-CA., LYC.,
MAG., MU-X., NA-C.,
NA-M., NI-X., PET.,
SEP., SIL.

—, morning—CON.

— for years—CON.

—, one nostril—SUL.

— with yellow, fœtid pus—
CAL., CB-V.

Discharge, watery—CB-V.

— mucous—ANA., GRP.,
PHO.

— purulent—CON.

— of bloody pus (mercurial)
—HEP.

Congestion with epistaxis and frontal headache—ALM.

Blood, blowing—PHO., SEP.,
SUL.

Epistaxis—ANA., CAL.,
CB-V., LYC., NI-X.,
PHO., SEP., SIL., SUL.

— when washing, morning—
AM-C.

— with frontal headache—
ALM.

Pimples—SIL.

Pustules—AM-C.

Ulceration—K-CA.

— with fœtid discharge—
MER.

Scabs in—LYC.

— — r. nostril—NI-X.

Dry scabs—GRP.

Nodular swelling—ARS.

Fœtor from—CAL., GRP.,
NI-X., PHO., PH-X.

Smell.

Deficient—HEP., K-CA.,
NX-V., PHO., SEP., SIL.

Loss of—NA-M.

— — with coryza—PUL.

Nasty, when inspiring by nose
—NI X.

Of dung—CAL.

FACE.

Pallor—NI-X.

Pale, sickly look—SUL.

Dirty complexion—PHO.

Blue—CAM.

— with loss of consciousness
—AUR.

Yellowness—K-CA., PET.
SEP.

Yellow spots on forehead and
upper lip—NA-C.

Freckles—AM-C., CAL.,
GRP., LYC., MU-X.,
NA-C.

Coldness—CAM.

Redness and burning of cheeks
—PHO.

Flushing—CHA.

Heat—ANT., CHA., CON.,
K-CA., NA-C., SIL., SUL.

— flushes of—GRP., K-CA.,
LYC.

— with buzzing in head and
headache—CAL.

Burning of cheeks—PH-X.

Itching—ANT., CAL., CON.,
NA-M., SEP.

— under eyes, on rubbing,
smarting, burning—CON.

Prosopalgia—ACO., CAL.

Pain, 'drawing—ARS., K-CA.
— shooting—ARS.

— tearing from 1. upper lip.
over cheek to ear—AM-C.

Roughness—SUL.

Eruption—BAR., CAL.

— itching—LYC.

Pimples—MU-X., NA-M.
NI-X.

- tching—CON.
- on chin—PH-X.
- Erysipelas—CB-A., GRP.,
HEP., RHS., SOL.
- with prickling tension—
HEP.
- Erysipelatous inflammation
and swelling of right side
proceeding from root of
carious tooth—SEP.
- Eczema—CB-V., COL., CON.,
GRP.
- round mouth—NA-M.
- on chin—SIL.
- Bulbous excrescences—ALM.
- Heaviness—ALM.
- Bloated—K-CA.
- Swelling—VER.
- and tension—LYC.
- Chaps and rhagades—SIL.
- Ulcers, eroding—CON.
- Warts—K-CA.
- Paralysis of half—GRP.

Facial Bones.

- Pain, shooting—CB-A.
- tearing and shooting in
cheek-bone—ALM.
- and in eye—SIL.
- ulcerative, in malar bones,
when chewing—NA-M.

Hair of Face.

- Itching pimples (whiskers)—
CAL.

- Falling out of beard—GRP.

JAWS.

- Pain in bone—AGA.
- shooting, in bone—CB-A.
- tearing, in bed, n.—PHO.
- Cannot shut on account of
stiffness in neck—SIL.
- Trismus—BEL.

Joint.

- Cracking when chewing—
AM-C.
- Tensive pain when chewing or
opening mouth—AM-M.

Lower.

- Painful nodes—GRP.
- Swelling of bone—SIL.
- Pain, drawing and shooting,
n.—SIL.

LIPS

- Dryness—CON.
- Dry, exfoliation—SEP.
- Exfoliation—CON.
- Cracking—CB-V., NI-X.
- Eruptions—ARS., CAL.
- Ulcer, on, vermilion—NI-X.,
SIL.
- Ulcerated, corner of mouth—
AM-M., GRP.
- Ulceration inside—GRP.
- , carcerous—CLE.

Upper,

Hepatic spots—SUL.

Swelling—NA-C., NA-M.

Chapped—NA-M.

Blisters, hæmorrhagic, inside,
painful to touch—NA-M.

Scabs under nose—BAR.

TEETH.

Difficulty of cutting (children)
—CAL.

Yellowness—PH-X.

Looseness—AM-C., CB-V.,
NI-X., ZIN-

Toothache—AGA., COL.

— — sore—ZIN.

— smarting, and in whole
cheek, day and night—SIL.— ulcerative pain on knocking
teeth, n.—MAG.— as if ulcerated. when chew-
ing, m.—PHO.

— contractive—CB-V.

— boring—SIL.

— digging and sore—CAL.

— — and shooting—SIL.

— — tearing, with burning
stitches—MT-N.

Toothache, gnawing—CB-V.

— dull, drawing, n.—CYC.

— drawing—CAL.

— — in sound teeth when
walking in open air—CON.— — boring in carious tooth,
as if forced out of socket,
shoots causing a shock through
body, often with gumboil
—NX-V.— — shooting, day and
night, renewed by cold and
heat—CAL.

— rheumatic—ACO.

— shooting—CB-A., CON.,
K-CA., SEP.

— shooting, n.—PHO.

— — extending to ear—CHA.

— — after cold drink—GRP.

— burning stitches, from hot
things—BAR.

— tearing—CHA.

— — out at ear when eating—
SIL.

— — to temple—CUP.

— formicating, pecking—
CHA.

— pecking after food—LYC.

— throbbing—CB-V.

— throbbing and shooting—
MAG.

— jerking—BAR.

— jerks when he sucks tooth
with tongue—SIL.

- pain in gum, gnawing, pricking in teeth, drawing, jerking (as if nerve was drawn and suddenly let loose), with chilly feeling, pale face, aggravated by warm room and heat of bed, relieved by cold air blowing on it, in mild, quiet, lachrimose disposition, chiefly in c.—PUL.
- Toothache, congestive—AUR.
- of carious teeth—ANT.
- in all carious teeth at once, gums swollen and tender, jerks through periostem—MT-N.
- in no particular tooth—CHA.
- from cold drink—CAL.
- aggravated by cold drinks—CHA.
- from cold air, with congestion of head, loose tooth, with formicating pain, as though it would fall out in chewing, and tearing pain in gums—HYC.
- in morning, can't chew, aggravated by opening mouth in cold air, and by mental work—NX-V.
- incisors painful during inspiration—MT-N.
- from cold or hot things in mouth—CB-V.
- when chowing—ZIN.
- when eating—K-CA., NA-C.
- after eating or drinking—CHA.
- relieved by applying wet finger—CHA.
- as if from looseness and detached gums—SUL.
- teeth forced out of sockets—CAU.
- unbearable—CHA.
- of pregnant women—MAG.
- of choleric persons rendered irritable by drinking too much wine or coffee and not being much in open air—NX-V.
- evening—SUL.
- nocturnal—GRF.
- Toothache in fits at night, with red cheek—CHA.
- with swelled cheek—CHA., LYC

GUMS.

- Tenderness—CAL.
- Pain, drawing—CB-A.

— shooting—CAL.
 Swelling—CAL., GRP., SEP.
 — with throbbing pain—
 SUL.
 Bleeding—ARS., CAL.,
 CB-A., CB-V., NI-X.,
 SEP., SIL.,
 Excoriation—SEP.
 Suppuration—CAU.
 Pustules—CB-A.
 Fistula, dental—CAU., NA-M.

TONGUE.

Coating—IOD.
 — dirty—LYC.
 — black—CAM.
 — white—PET., PHO., SEP.,
 Dryness, night—CAL., CB-A.
 Soreness—SIL.
 — of tip—SEP.
 Cutting pains—ACO.
 Inflammatory swelling—MER.
 Blisters—NA-M.
 Ranula—CAL.
 Cancer—MU-X., THU.
 Paralysis—ACO., DUL.

TASTE.

Acid—K-CA., NA-M., SUL.
 — after eating—CB-V.
 Bilious—CAM., CHA.

Bitter—ARN., CAM., CB-A.,
 CB-V., CHI., K-CA.,
 NA-C., NI-X.
 — especially after eating—
 AM-C., NI-X.
 — while or soon after eating—
 ARS.

Bitter, morning—CAL., SIL.
 — with nausea, m.—LYC.

Cheesy—PHO
 Disordered—K-CA.

Flat—PET.
 Fœtid—ANA.

Nasty—IOD.
 Putrid—PET.
 —, morning—SUL.

—, fasting—NA-M
 Rancid—ARN.
 Salt—CB-V., ZIN.
 Slimy, m.—LYC., PHO
 Soapy—IOD.

Sweetish—NI-X.
 Deficient—PHO.
 Loss of—LYC., SIL.
 — —, with coryza—PUL.
 Tastelessness of food—ARN.,
 ARS., SUL.

SALIVARY GLANDS.

Submaxillary.

Pain—CAL.

Swelling—LYC., NA-M.,
PET., SIL.

Parotid

Hard swelling—CON.

Saliva

Salivation—CAM.

--weakness from excessive—
CHI.

—mercurial—HEP., IOD.,
NI-X.

—alternating with melancholia
—MER.

Saliva, fœtid—MER.

MOUTH

Fœtor—ARS., PET., SEP.

—feeling like—LYC.

Fœtor not perceived by himself
—ANA.

Dryness—ALM., BAR., CB-V.,
SEP., SIL.

—morning—GRP.

—so that the parts are stiff,
tongue can be moved with
difficulty, speech indistinct
—LYC.

Flow of water into—ANA.,
BRY., CB-V.

Mucus in—CAL., PHO., SIL.

Swelling of—AM-C.

Aphthæ in—BOR., MER.

Excoriation of—PHO.

Ulceration of—MER.

Flow of bloody pus from—
(mercurial)—HEP.

Stomacace—CB-V.

Palate

Dryness of—CB-A.

Mucus, covered with—K-CA.

Ulceration, mercurial—HEP.

Caries—AUR.

THROAT

Swelling like a lump felt—
IGN.

Plug in, sensation of a—HEP.
—sensation, and in gullet—
SUL.

Pain like a plug, as if the food
had stuck, n.—GRP. >

Dryness—HEP., LYC.

—day and night—PHO.

Stickiness—SEP.

Feeling of mucus in, causing
sickness—GUI.

Hawking—CON., NA-M.

—mucus—CAL., CB-V.,
CAU., GRP., K-CA.,
LYC., NA-M.

—mucus, m.—NA-M., PHO.,
SEP.

—viscid mucus,—PH-X.

Burning—CAM., CON.,
 LYC., NI-X.
 —with night thirst—LYC.
 Soreness and burning—PHO.
 Excoriation-pain—AM-C.
 Scraping—CB-V., CON.
 —and burning—PHO.
 ———up throat after eating—
 AM-C.
 Scrapy sore throat—AM-C.,
 HEP.
 Pain, scraping and difficult
 speech—HEP.
 —raw—NI-X.
 —, ulcerative, when swallow-
 ing saliva—MER.
 —shooting—BRY.
 ———when not swallowing—
 IGN.
 —wrose on movement—
 BRY.
 Sore throat—ACO., BEL.,
 MER., MU-X.
 ———malignant—LED.
 ———chronic—LYC.
 ———liability to—GRP., SUL.
 ———when swalling—GRP.
 —as if swollen inwardly,
 preventing swallowing—
 SUL.
 —as though he had to
 swallow over a lump—
 NA-M.

—inflammatory—LED.
 —pricking on swallowing
 saliva, with feeling of con-
 traction and excoriation,
 alternating with inflamma-
 tion, swelling, throbbing
 pain and constriction in
 anus, of syphilitic origin—
 BEL., MER., NI-X., SUL.

Inflammatory swelling—MER.
 Ulceration from abuse of
 Mercury—HEP., LYC.,
 NI-X.

Swallowing involuntary—
 CON.

Constriction—CAL.

—spasmodic—VER.

—with dysphagia—HYO.

Twitching together—SEP.

Dysphagia—BEL., CAL.,
 HYO.

—of bread—CON.

Paralysis—NX-M.

Tonsils.

Cynanche tonsillaris—MER.

Tonsillitis—ACO.

Ulcer, with shooting pain—
 MER.

Ulceration (mercurial)—HEP.

Pit of Throat.

Fulness, with abortive eructa-
 tion—CON.

Oesophagus

Plug, sensation of, and in throat—SUL.

APPETITE.

Hunger, after food—PHO.

Excessive—SUL.

Inordinate, noon and evening—NA-M.

Bulimia—GRP., HEP., IOD., K-CA., LYC., PET., PHO., SEP., SOL., SUL.

Ravenous hunger, morning—CAL. CB-V., CON., SEP.

—from sickly feeling of emptiness—NA-C.

—with fulness and satiety after eating little—NA-M.

Gluttony—SEP.

Craving for sugar—AM-C., K-CA.

—sweets—LYC.

—bitter things and bitter beer—NA-M.

—stimulants—PHO.

Variable—ALM.

Diminished in morning—AM-C.

Lost with first bite—LYC.

Anorexia—ANA., ANT., CAL., CB-V., COF., IGN., LYC., NA-M., PET., PLA., RHS., SEP.

—after scarlatina—~~IPE.~~

—after fevers—~~CM.~~

—with thirst—CAL., NIT.

Aversion to mother's milk, which is vomited—SIL.

—milk—GUI., SEP.

—bread—NA-M.

—black bread—LYC., SUL.

—sweets—CAU., SUL.,

—and acids—SUL.

—wine—SUL.

—meat—CAL., CB-V., LYC., MU-X., NI-X., PET., SEP., SIL.

—warm food—CAL., LYC., PET.

—cooked food—GRP., SIL.

—all food—SIL.

—tabacco—CAL.

Loathing—ANT., DIG.

—of meat—SIL.

—at food—NA-M., SUL.

Cannot get the food down—SEP.

THIRST.

Thirst—ACO., AM-C., BAR. BRY, NA-C.

—constant—NA-M.

—great—ANA., SIL.

—extreme—CB-V.

—unquenchable—CHA.

- without appetite—CAL.
- morning—SEP.
- at night—CAL., NA-M., SUL.
- in suppuration of lungs—NI-X.
- with inability to swallow fluids—BEL.
- but little at a time is drunk—ARS.
- Thirst, wets lips, but cannot drink much, in typhoid—ARS,
- Adypsia—COF. PUL,
- Sufferings from drinking cold water, e.g., shooting in l. hypochondrium—NA-M.

STOMACH

- Anxiety—VER.
- Sick anxiety—K-CA.
- Nausea—ALM., ANT., ARN., BAR., CAM., CB-V., CHA., IOD., K-CA., NA-C., PET., SAR., TAB.
- frequent attacks of—LYC.
- qualmishness, constant—NA-C.
- of pregnant women—CON.
- in morning—ANA., CB-V., GRP., SIL., SUL.

- every morning, with headache and pain in eyes on turning them—SIL.
- at night—CB-A.
- yet hungry, morning—PHO.
- in throat—PH-X.
- after eating—AM-C., GRP., SIL.,
- from fat food—NI-X,
- after every movement—ARS.
- after every heating exercise—SIL.
- from driving—LYC.
- with vertigo and eructation—PUL.
- with coldness and pallor—HEP.
- with great weakness—NA-M.
- and vomiting, constant—SIL.
- Vomit, inclination to—IPE., NI-X.
- Sea sickness—COF., PET.
- Eructation—ALM., CAM., GRP., HEP., K-CA., LYC., MU-X., NA-M., PHO., PUL., SEP., SIL., SUL.
- loud—PET.
- severe, afternoon—LYC.
- spasmodic—PHO.
- of long duration—ALM.

- ineffectual and painful attempts at—CB-A., SUL.
- empty—AM-M., ARN., CB-V., CON.
- malodorous during sleep, n.—SUL.
- fœtid, sour—PUL.
- sour—ALM., AM-C., BAR., CB-A., K-CA., LYC., NA-M., NI-X., PHO., SEP., SIL.
- sour, acrid—SU-X.,
- with burning—IOD.
- burning, sour—SUL.
- bitter—CAL., CB-V., SUL.
- with taste of food—CON., SEP.
- with taste of food and drink—AM-C., ANT., SIL.
- after eating—BAR., BRY., CAL., PLA.
- and vomiting—AM-C.
- of fat—CB-V., LYC.
- disgusting, after fat food, and nausea—SEP.
- after fat or milk—NA-M.
- Rising up of food to throat—SUL.
- Belching up of food—CB-V.
- and drink—SUL.
- acid into mouth—SUL.
- Hiccogh—HEP.
- after a meal—CB-A.
- Waterbrash—BAR., BRY., CAL., LYC., PET., SUL.
- at night—CB-V.
- especially after drinking—SEP.
- after drinking quickly—NI-X.
- after sour food—PHO.
- with twisting in stomach—NA-M.
- with qualmishness and twisting in stomach—SEP.
- with shuddering—SIL.
- followed by acid vomiting of food—NA-M.
- Heartburn—AM-C., CON. IOD., LYC., NA-M.
- from milk—CUP.
- after heavy food—IOD.
- Acidity—CON.
- Vomiting—AM-C., ARS., ASR., BRY., CHI.
- tendency to—IPE.
- ineffectual—IPE.
- of food—NA-M.
- sour, night—PUL.
- of sour water—CAU.
- of brown stuff, with violent pain in bowels—ARS.
- after every meal—ARS.
- after drinking anything—S L.

- and purging—CAM.
 —of blood—STN.
 Weakness—ANA., CAL.,
 CB-A., GRP.
 Sinking, morning—LYC.
 —with faintness—CB-A.,
 CAU.
 Emptiness—PET.
 —and pressure after eating
 CB-V.
 Disordered, tendency to be—
 HEP.
 Derangement of stomach, with
 constant disgusting eructa-
 tions, with taste of food,
 depression of spirits, cold
 hands and feet—PUL.
 —with eructation of food and
 nausea—ANT.
 —with gastric fever, chills and
 coldness—BRY.
 Dyspepsia—ANA., SEP.
 Weak digestion, almost all
 food causes distress—CB-A.,
 Indigestion after acute fevers—
 CHI.
 Indigestibility of fresh meat—
 SIL.
 —of heavy food—LYC,
 Food lies undigested—PUL.
 Overloaded by indigestible
 food—EMESIS BY
 IRRITATING FAUCES,
postea—COF.
- Continued weakness, with
 sadness and discomfort
 from trivial dietetic errors
 —NA-C.
 Sour things, sufferings from
 eating—NA-M.
 Bread, sufferings from eating—
 NA-M.
 Milk cannot digest—NI-X.
 Fruit, disordered by eating—
 ARS.
 —, pain from eating—VER.
 Fat, disordered by eating—
 PUL.
 Pork sufferings from eating—
 PUL.
 Fulness—PHO.
 —and in abdomen—LYC.
 Oppression—ARN.
 Swelling and pressure—HEP.
 Gastralgia—ARS., BIS.
 Cardialgia in pregnant women
 TEA.
 Irritability from overloading,
 epigastric pain, paralysed
 state of stomach—COF.
 Stomach-ache—ACO., CHI.,
 COL.
 —with pressing out under last
 ribs—CAL.
 Pain—AM-C., ANI., PHO.,
 STN.

—burning—ASS., CAM., SEP.
—up from—NA-M.

Spasm—AM-C., CAL., CON.,
NA-M., PAR.

—very violent—NIT.

—and at the same time spasm
in chest—SEP.

—contractive—NA-C.

Pain, spasmodic—CAU.

Contraction of cardiac orifice,
the food just swallowed
returns into mouth—PHO.

Pain, contractive—CON.,
MAG.

Tightness across—K-CA.

Pain, pinching—K-CA.

Pain, pinching, and digging in
chest, n.—GRP.

—Pressure—LYC.

—, morning—NA-M., SUL.

—as from a weight—CB-A.

Pressure, after eating—NA-C.

—after eating bread—CAU.

—from drinking quickly—SIL.

—with nausea and sudden
weakness—NA-M.

Pain, pressive—ARS. BAR.,
GRP., SIL.

—pressive, drawing and fine
cutting—NA-C.

—shooting—SEP.

—and clawing CAU.

—scraping and clawing—
CB-A.

—shooting—SUL.

—to l. hypochondrium and
back—CON.

—tearing boring through to
lumbar vertebræ—SEP.

Pit of Stomach

Pain in pit and hypochondria
when stooping—ALM.

—when walking—SEP.

—burning—ARS.

—contractive, when stretching
—AM-C.

—digging—PHO., SUL.

—pressive—NA-M.

—on walking, n.—ANA.

—at night—CAL.

—shooting—SEP.

—shooting—CAU., NI-X.

—with sweat—BRY.

—, coming from left side at
every step—BRY.

Pain, tormenting, shooting,
under—NA-C.

—pinching and cutting—CAL.

Pain, grasping—NA-M

—clawing, after eating—SIL.

—jerking—NA-M.

—throbbing—SEP.

Like a hard ball rising to throat (globus hystericus)—LYC.

Tenderness—BAR., CAL., NA-C., NA-M., PHO, SIL.
—cannot bear pressure of clothes—CAL.

Swelling and tenderness—LYC. NA-M., PET.

—with pressive pain.—CAL.

SYMPTOMS RELATING TO EATING.

Before Eating

Dizziness and trembling, m.—CAL.

Qualmish—SUL.

Whilst Eating

Vertigo—AM-C.

Like something falling before ears—SUL.

Toothache—K-CAL., NA-C.

Tearing pain in teeth and out at ear—SIL.

Bitter taste—ARS.

Nausea—K-CA., NA-M.

Eructation, empty—NA-M.

Heart burn—NA-M.

Pressure in stomach—CON., SEP.

—in abdomen—CAU.

Sweat—CB-V., NI-X.
—on face—NA-M.

After Eating

Laziness and drowsiness—PHO.

Drowsiness—SUL., ZIN.

Vertigo—SUL.

Headache—AM-C., ARS.

Dimness of vision—CAL.

Toothache—CHA., LYC.

Flow of saliva like waterbrash—BRY.

Bitter taste—AM-C., ARS.

Sourness of mouth—SEP.

Burning in fauces—CON.

Scraping and burning up throat—AM-C.

— — — — empty feeling in stomach—SEP.

Hunger—CAL.

Food seems to lie undigested—PUL.

Qualmish in belly, after breakfast—PHO.

Nausea—AM-C., BRY., GRP., PHO., SIL., SUL.

—after fat food—NI-X.

Eructation—BAR., BRY., CAL., PLA.

Stomach-ache—BAR., CAL. COL.

—and nausea—ZIN. (bread)
 Pain in stomach, e.—SEP.
 Pressure in stomach—LYC.,
 NA-C., SEP.
 — — —, waterbrash and
 vomiting—SIL.
 Severe pressure in stomach
 with vomiting of food—
 PHO
 Pain, shooting, in stomach—
 CAL.
 —contractive, squeezing in
 stomach—SUL.
 —clawing in stomach—SIL.
 Swaying up and down in
 stomach—PH-X.
 Empty feeling and pressure—
 CB-V.
 Fulness—SIL.
 —of stomach—K-CA., NI-X.
 Rumbling in bowels—SEP.
 Flatulent distension—GRP.,
 PHO.
 Pain in liver—LYC.
 —in anus—LYC.
 Oppression on chest like
 weight—SUL.
 Palpitation of heart—LYC.
 Heat—Ca!
 —and anxiety—PHO.
 —with burning in hands—
 PHO.

Sweat—NI-X., SEP.
 Exhaustion—NI-X.

After Drinking

Toothache—CHA., GRP.
 Pressure in stomach—SIL.,
 (quickly)
 Waterbrash—NI-X., SEP.
 Pain in belly—SUL.
 —shooting in left hypochondrium
 NA-C. (cold fluid).

ABDOMEN

Empty feeling—SEP.
 Uneasiness—AM-C
 Borborygmus—CB-A., COL.,
 CON., LYC., NA-M.,
 NI-X., PHO., SUL.
 — When moving—SIL.
 Flatulence, much—K-CA.
 —, accumulated—GRP.,
 NA-C., NI-X.
 —incarcerated—LYC'
 —frequent production and,
 displacement of—SEP.
 —displacement of—CAL.,
 CB-A., CON., GRP., HEP.,
 IOD., K-CA., NA-M.,
 PHO., SIL., SUL.
 — — — m. and e.—NI-X.
 — — — afternoon—NIT.

- — — with hard stool—
 CAU.
 Flatulence, painful movement
 of—NA-C.
 — sufferings from—PHO.
 Fulness—MU-X.
 — on waking, m.—CON.
 — and in stomach—LYC.
 Distension—CAU., CHI., IOD.,
 LYC., MU-X., NA-C.,
 NA-M.
 Distension in children—CAU.
 — flatulent—GRP.
 — — after eating—GRP.
 — great, with constipation—
 MG-M.
 Swelling—CAL., NA-M.
 Large, in mothers—SEP.
 Hardness—ANA., CAL.
 Induration—LYC.
 Tense, hard (in children)—SIL.
 — condition—CB-V.
 Weight—GRP. K-CA.
 — and uneasiness—K-CA.
 Spasms—MU-X.
 — in females—BRY., COC.
 Pain—STN.
 — in bed, m.—PHO.
 — burning—ARS., LYC., SEP.,
 SIL.
 — sore, when walking—CON.
 — pinching, ANT., LYC.,
 NI-X., SIL.
- — and cutting, from
 catching cold—NI-X.
 — contractive—HEP.
 — pressive, pinching—CAL.
 — — shooting—CAL.
 — cutting—ARN., CON.,
 LYC., NA-M., NI-X.,
 PET., SIL.
 — — in morning—ALM.
 — — after exercise—SEP.
 — — with anorexia, costiveness
 and red urine (child)—
 ANT.
 — — and griping, with vomiting
 of food, afternoon—CAL.
 Colic—COL., JAL.
 — flatulent—ANI.
 — spasmodic—COL., VER.
 — labour-like—K-CA.
 — night—SUL.
 — after vexation—COL.
 — from driving—CB-V.
 Colic, with restless nights—
 STN.
 — with burning stool—ARS.
 Colicky pains from constipa-
 tion—SIL.
 Pain, stitches—SUL.
 — shooting when touched—
 NI-X.
 — — worse on movement—
 BRY.

— and digging—NA-C.

Feeling as if diarrhoea would come on—ANT.

Coldness—CAL., SEP.

Inactivity and coldness—K-CA.

Cold, tendency to catch—NI-X.

Ileus—PLB.

Ascites—ARS., SEP.

Tapeworm—GRP.

—suffering from—MG-M.
STN.

Abdominal Muscles.

Formicating, shooting—MG-M.

Deficient tensive power—PHO.

Pain, as if too short, m—SUL.

Hypochondria.

Tension through—CAL.

—as from a hoop—LYC.

—and in pit of stomach when stooping—ALM.

—bruised—CB-V.

—boring—SEP.

—stitches—CB-V.

—shooting and burning pains—ARN.

Left Hypochondrium.

Pain, pressive, shooting—STN.

—shooting—CON., NA-M., SEP.

—on waking, m., with dyspnoea making him sit up—AM-M.

Pain, shooting, from drinking cold fluid—NA-C.

—tensive, pressive—NI-X.

Upper Abdomen.

Pressure—CAU., SUL.

Cutting—CAL.

Umbilical Region,

Pain, twisting and digging—CON.

—shooting, l. side, when walking—SUL.

Above Umbilicus.

Hardness and distension, in middle and to right, with pain when touched—SIL.

Pain on touching—CB-V., LYC., SIL.

Below Umbilicus

Pain, contractive—SUL.

Hypogastrium.

Tenderness—SUL.

Burning—PH-X.

Pain, ulcerative—NI-X.

Contraction—CON.

Grasping and pinching, affecting breathing—LYC.

Pinching, causing sleeplessness—MAG.

Pain, digging, pressing and cutting—SEP.

—pressive, up to scrobiculus—SEP.

—when stooping—K-CA.

Pain, cutting—SIL.

—shooting, pinching, as if in bladder, extending to urethra, n., in bed—LYC.

—tearing, to groins and thighs—LYC.

Feeling of something adherent and hard—SEP.

Shaken pain when treading—AM-C.

Hardness—GRP.

Swelling—SIL.

Left Hypogastrium.

Pain from over-lifting—CB-V.

—pressive—NA-M.

Sides of Abdomen.

Forcing in—PHO.

Pain, tensive—ZIN.

Right Side

Pain, pinching—LYC.

Painful hardness—MG-M.

Left Side

Pain, digging—NA-M.

—pressive, making him cry out, with constipation and displacement of flatulence—SUL.

—stitching—HEP.

—shooting, when walking—SUL.

—as if something was torn out—SUL.

Rumbling—LYC.

Diaphragm.

Cramp, when stooping—NA-M.

Pain—STN.

Liver.

Pain, after eating—LYC.

—burning—AM-C., STN.

—boring, shooting, when sitting e.—AM-C.

—pressive—ANA., CB-A., K-CA.

—pressive, when walking or when touched, worst when lying on right side—MG-M.

—cutting—CB-A.

—stitching—CB-V., SEP.

—wrenching, when stooping
—K-CA.

Gall-stone colic—COL., LAU.
Induration—ARS., TAX.

Hardness, with constipation
—GRP.

—and distension—SIL

Spleen.

Pain—NA-M.
Stitches—CB-V.

Inguinal Region.

Painfulness—GRP.

Pain as if festering and swollen,
when touched—AM-M.

—shooting—ARS.

—tearing—ARS.

—tearing, shooting from upper
border of pelvis to groin
and front of thigh—SEP.

Pressure of flatulence, as if a
hernia would protrude—
CAL.

Hernia—AUR., COL., MAG.,
PET., PHO., SU-X., VER.,
ZIN.

—in children—NI-X.

—painful—SIL

Inguinal Glands.

swelling—NI-X
Painful swelling—ARS.

Pelvis.

Pain, tearing, shooting from
upper border of pelvis to
groin and front of thigh
—SEP.

RECTUM.

Pain, excoriative, when sitting
—AM-M.

—smarting and throbbing
—NA-M.—

—pressive, before discharge of
flatus—K-CA.

—cutting, and in bladder
—LYC.

Pain, cutting, during stool
—CAU.

—shooting—NA-M.

Colic, hemorrhoidal—SUL.

Fermication—SEP.

Inactivity—ALM., K-CA.

Tenesmus—NX-V., SUL.

—hemorrhoidal—SUL.

Discharge of mucus, with
shooting and tearing in
anus and up rectum—SEP.

—of moisture—SEP.

ANUS.

- Burning—NA-M.
 Pain, after stool—LYC.
 —raw—MER.
 —excoriative, after stool
 —MER.
 —shooting—CB-A., MER.
 — —during stool—SUL.
 — —tearing, during stool
 NA-M.
 —tensive—LYC.
 —throbbing, excoriative. con-
 strictive—MER.
 Itching—ALM., AM-C., ANA.,
 CAL., CB-V., CAU.,
 K-CA., LYC., NI-X., PHO.,
 SEP., SIL., SUL., ZIN.
 Moisture—ANA.
 Discharge, whitish-yellow
 mucus—ANT.
 —mucus—GRP.
 — —from ever open anus—
 PHO.
 Congestion—SEP.
 Inflammation—MER.
 —swelling, throbbing, excoria-
 tive pain and constriction
 alternating with sore throat
 (of syphilitic origin)—BEL.,
 MER., NI-X., SUL.

- Bleeding—AM-C., CB-V.
 —during stool—CB-V., CAU.,
 SEP.
 Swelling—MER.
 Hæmorrhoids—AM-C., CB-V.,
 GRP. K-CA., NA-M.,
 NI-X., PHO., SUL.
 —fluent—AM-C.
 Hæmorrhoids, extrusion of—
 CAU., SEP.
 — — —during stool—CAL.,
 NI-X.
 —painful—ANA., CB-V.,
 GRP., NA-M.
 —excoriating pain after stool
 —GRP.
 —itching—NI-X.
 Fissure, with sore pain—MER.
 —between, piles. burning
 pain—GRP.
 Fistula—CAU.

DEFÆCATION.

- Irregular and difficult—NI-X.
 Difficult—AM-C., ANT.,
 BAR.
 —only after great straining
 —LYC.
 —owing to too large fæces
 —K-CA.

—owing to costiveness
—K-CA.

—with tearing, shooting pains
in anus and rectum—NA-M.

Urging—NI-X., PHO.

—frequent, with painless
evacuation of soft fæces
—COF.

—ineffectual—SEP.

—ineffectual owing to very
hard stool—LYC.

—with tearing in abdomen
—PHO.

Involuntary—ZIN.

—of flatulent fæces—CAL.

—while urinating—SUL.

Before Defæcation.

Great urging—PHO.

During Defæcation.

Anxiety—K-CA.

Burning in rectum—NA-M.,
SEP.

Cutting in rectum—CAU.

Tearing, shooting pain in
anus and rectum—NA-M.

Shooting in anus—SUL.

Protrusion of piles, with
burning pain—CAL.

— — —with itching—NI-X.

Prolapsus of rectum—SEP.,
SUI

Blood comes out of anus
—CB-V., CAU., SEP.

Discharge of prostatic fluid—
HEP.

After Defæcation.

Pain in anus—LYC., NI-X.

Excoriation pain—MER.

—pain in hæmorrhoids—GRP.

Exhaustion, bruised feeling
—CAL.

STOOLS.

Frequent—CB-A., COF.,
NA-M., NI-X., PET.,
PH-X.

Insufficient—BAR., CB-V.,
GRP., NA-C., SEP.

Costiveness—ANT., CAL.,
LYC., MAG., NI-X., SIL.

—and difficult defæcation
K-CA.

—with ineffectual straining
—SIL.

Delayed—SEP., SIL.

Every other day—K-CA.,
NA-M.

Every two or three days
—SUL.

- Constipation—AM-C., AM-M.,
ARN., ARS., BRY., CAL.,
CB-V., CAU., GUI., IOD.,
K-CA., MEN., OPI., PLB.,
SIL., ZIN.
- long continued—NA-M.
- long continued with cos-
tiveness and hardness of
hepatic region—GRP.
- for several days—LYC.
- with ineffectual efforts
—CON.
- Constipation and diarrhœa
alternately (old people)
—ANT.
- when travelling—PLA.
- Burning, with violent colic
—ARS.
- Dry—NI-X., PHO.
- This form—MU-X., SUL.
- Too large, with difficulty
passed—K-CA.,
- Lumpy—BAR.
- difficult—MAN.
- hard—PET.
- difficult, unsatisfactory,
delayed—MG-M.
- Hard—ANT., BAR., CAL.,
SUL.
- every other day—CON.
- with ineffectual straining
—LYC.
- Loose—CAL., GRP., NA-M.
—tendency to—NI-X.
- Pappy, frequent—MAN., SIL.
- Soft—COF., SEP.
- and liquid—ZIN.
- Thin pale—CB-V.
- White—CAU.
- Bright-coloured—CAU.
- mucous—CB-V.
- Oily, glistening—CAU.
- Mucous—ARN., K-CA., SEP.
- mixed with blood—ARN.
- with tenesmus—ARN.
- Blood with—AM-C., AM-M.,
ANA., CB-V., PHO., SAR.
- stool covered with—CON.
- Diarrhœa—CHI., COF., COL.,
CON., PET.
- painless—NI-X.
- chronic—MG-M., PHO.
- non-fæculent—ARN., RHE.
- green—ARS.
- consisting of small stools,
mostly composed of mucus,
accompanied by fæcal
motions and straining—
NX-V.
- Diarrhœa and vomiting
—CAM.

- with belly-ache—AM-C.
- with pains in bowels—SIL.
- weakening, with much borborygmus (choleric) —PH-X.
- caused by milk—LYC.
- weakness from prolonged —CHI.
- Purging, weakness from excessive—CHI.
- Dysentery—SUL., VER.
- autumnal—MER-C,
- bilious—ARN,
- without diarrhœa—NX-V.
- Ascarides—CAL.
- Lumbrici—LYC.
- Tapeworm—GRP., PHO.

FLATUS.

- Great discharge of—GRP.
- Excessive—CB-V.
- Frequent discharge of—MAN.
- Continual discharge of —K-CA.
- Deficient—K-CA., LYC.
- Difficult discharge of—SIL.
- discharge of, m.—HEP.

Before Discharge of.

- Pressive pain in rectum —K-CA.

- During Discharge of.
- Cutting in abdomen—CON.

URINARY ORGANS.

Kidneys.

- Nephralgia—ACO.

Bladder.

- Pressure in, as if urine, would come—CON,
- Pain, cutting, and in rectum —LYC.
- shooting, pinching, extending to urethra, n., in bed —LYC.
- Catarrh—TAX.
- Catarrh of, with dysuria —DUL.
- Paralysis—ARS.

Urethra.

- Itching during and after micturition—LYC.
- Burning—CAL., PET.
- twitching—PHO
- after micturition—NA-C.
- Cutting during micturition —ANT.
- Tension—PHO.
- Inflammation—CTH,

Hæmorrhage—CAL., LYC.
 Discharge, mucous—HEP.,
 NA-M.
 —with burning and sacral
 pain—ANT.
 Gonorrhœa—COP., PTR.,
 THU.
 —sycotic—NI-X. (alternately
 with THU.), THU.
 —inflammatory stage—CAN.,
 CTH.
 Gleet—NA-M.
 Stricture—CLE., PET.

Micturition.

Frequent—ANT., BAR., CAL.,
 K-CA., SIL., UVA.
 —with urging—LYC.
 Nocturnal—ALM., AM-C.,
 CUP., GRP., IOD., K-CA.,
 NA-M., PH-X., SEP.
 —every hour—NA-M.
 Urging—BAR., K-CA., LYC.,
 NA-C., SEP., SUL.
 —anxious, d. and n.—CB-V.
 —with thirst—CAU.
 Painful—NI-X.
 Involuntary—UVA.
 —when coughing, sneezing
 or walking—CAU., NA-M.,
 ZIN.

Incontinence—ACO., NI-X.
 Enuresis, d. and n.—CAU.
 —nocturna—CB-V., HEP.,
 PET., SEP., SIL. SUL.
 Dribbling, involuntary—PET.
 Strangury—ARS., CAM.,
 CTH., CON., PUL.
 Difficult—ARS., CON., TAX.
 Ischuria—CTH.
 Retention, when he wishes
 to micturate—ZIN.

During Micturition.

Burning in glans—ANA.
 Cutting in urethra—ANT.,
 CON.
 Smarting—CB-V., PHO., SEP.
 Sudden stoppage of stream
 —CON.
 Itching in urethra—LYC.
 Involuntary stool—SUL.

After Micturition.

Burning in glans—ANA.
 Itching in urethra—LYC.
 Burning in urethra—NA-C.
 Discharge of prostatic fluid
 —HEP.

Urine

Scanty—CB-V., NX-V.
 —in dropsy—DIG.
 Diuresis—SQU., TRX.

Turbid, white—CON.

Dark—CB.V., SEP.

Red—ANT.

Hæmaturia—CAL.

—hebdomadal—CHI.

Purulent—UVA.

Chyluria—PH-X.

Fœtid—CB.A., NI-X

Scalding—PHO.

Gravel—LYC.

Urinary troubles—CLE.

GENITALS (MALE).

Inordinate excitement—NA-M.

Weakness—SEP.

Itching—SEP.

Swelling—ARS.

Sweat, fœtid—SUL.

Condylomata—THU. (alternately with NI-X.).

—, chronic—THU. (externally).

Chancrc—MER.

Prepuce.

Itching—SIL.

Glaus.

Burning, during and after micturition—ANA.

Soreness—NI-X.

Ulceration (mercurial)—HEP.

Scrotum.

Swelling—SEP.

Itching and moisture—PET.

. Testicles.

Pain, when touched—PH-X., SEP.

—gnawing—PH-X.

—pressive—CB-V.

Retraction—CAM.

Hanging down—NI-X.

Orchitis—CLE.

Swelling—K-CA., LYC.

Induration—AUR.

—after badly treated gonorrhœa—CLE.

SEXUAL FUNCTION.

Lascivious thoughts—CAL.

—frequent, involuntary—SIL.

—unnatural—CB-V.

Excessive sexual desire—ALM., GRP., NA-M.

Venereal excess—SIL.

Erections, strong, e.—PHO.

—weak—LYC.

—deficient—CAU., CON., HEP., K-CA., LYC.,

MAG., NI-X.

—morning, deficient—GRP.
 —by day—ANA.
 —constant at n.—ZIN.
 Emissions—AM-C., CB-V.,
 CHI.
 —frequent—CAU., LYC.,
 NI-X., PET., PHO.
 —without erection—GRP,
 —deficient—K-CA., LYC.
 Dormant sexual desire—GRP.,
 K-CA.
 Deficient sexual desire—AM-C.,
 CAL., HEP., K-CA., LYC.,
 MAG., NI-X.
 —desire and weakness of
 sexual power—SIL.
 —power—BAR., CAL., NI-X.,
 SUL,
 Impotence—CON., LYC.,
 NA-M.
 Coitus, aversion to—LYC.
 —feeble—CON., HEP., PHO.
 —weakness of, but nervous
 excitement to—PET.
 —erections too short—CAL.
 —too speedy ejaculation
 —CB-V. LYC. PHO.,
 SUL. ZIN.
 Coitus, deficient pleasure
 —ANA., GRP.
 —easy excitement to, merely
 by thinking—LYC.

—incessant urging to—PHO.
 —irresistible desire for, every
 n.—LYC.

Coitus, during.

Shooting and burning in
 genitals during ejaculation
 —CAL.

Coitus, after.

Weakness, especially of eyes
 —K-CA.
 Exhaustion—AGA., CON.
 Seminal loss, weakness from
 excessive—CHI.
 Onanism, weakness from
 —CHI.

PROSTATE GLAND.

Discharge of prostatic fluid—
 HEP., PET., PLA.
 — — — during stool—ALM.,
 HEP.
 — — — after micturition
 HEP.

GENITALS (FEMALE).

Heat in and on—SEP.
 Itching—NA-M.
 —(and in anus)—CAL.
 —and burning—CB-V.

—and excoriation—CB-V.
 —and smarting—K-CA.
 Pressing on—SUL.
 —and forcing—SEP.
 —down, as if all would come out—NA-C.

Out-pressing above pudendum, into vagina while stooping—LYC.

Hysterical spasms in uterus and abdomen extending to thighs, and followed by leucorrhœa—MG-M.

Nymphomania—HYO., VER.

Sterility (with scanty menses)—AM-C.

Vulva.

Itching—CON., SIL.
 —and burning—SUL.
 —burning and gnawing—LYC.
 Stitches in labia—CON.
 — — — on lying down—LYC.
 Excoriation—GRP.
 —and betwixt thighs—SEP.
 Soreness between vulva and thighs—CAU.
 Swelling—CB-V.
 Varicose veins in labia—CAL.

Vagina.

Pain, pressive—CAL.

—shooting—CON.
 — — up to womb—PHO.
 Flatus, discharge of, from—LYC.

Uterus

Pressure on prolapsed—CAL.
 —downwards and shooting in vagina—CON.

Pinching and clawing—CON.

Pain, shooting, in os—CAL

Spasms—CON,

—digging above pudendum, distension of belly, stitches in left side of chest—CON.

Labour pains, excessive—COF.

Deficient labour pains—BOR.

After pains—CAL., CHA., COF.

Metrorrhagia—BRY., CAL., COF, HYO., IPE., NA-C., SAB., SU-X.

Hæmorrhage when nursing—SIL.

Prolapsus—AUR.

Malformed os—NA-C.

Induration—AUR., PLA.

Furor uterinus—HYO., VER.

MENSTRUATION.

In elderly women—RHS-

Painful—ZIN.

Anticipating—AM-C., CAL.,
K-CA, NA-M., SUL., ZIN.

Anticipating and scanty—SIL.

—and prolonged—NX-V.

—and too profuse—CAL.,
IGN., NX-V.

Delayed—CAU., GRP., HEP.,
IOD., MAG., NA-M., PUL.

—with cutting in abdomen
—GRP.

—and scanty—NA-M.

Prolonged—NA-M., RHS.

Profuse—ARS., CAL., CB-V.,
NA-M., SU-X.

Too profuse and too long
—LYC.

Scanty—ALM., AM-C., CB-V.,
CAU., CON., K-CA., SEP.,
SIL.

Scanty and short—AM-C.

—and pale—GRP.

—and watery—PHO.

Menstrual discharge pale
—CB-V., GRP., SUL.

Suppressed—CAL., CRO.,
FER., SEP., SIL., TAX.

—in anasarca and ascities
—K CA.

—from fright—LYC.

Before menses.

Sadness and melancholy
—LYC.

Sadness—NA-M.

Crossness—NA-M.

Headache—NA-M., SUL.

Itching in vulva—SUL.

Leucorrhœa—BAR., CAL.,
CB-V., GRP.

At beginning of menses.

Sadness—NA-M.

During menses.

Vexation—ACO.

Headache—NA-M.

Vomiting—CB-V.

—and diarrhœa—AM-M.

Pain in belly—STN.

Cutting in abdomen—AM-C.,
CAL.

Spasms in abdomen—GRP.

Pressive and contractive pain
in belly and back—AM-M.

Fermentation—PHO.

Distension of abdomen—ZIN.

Spasmodic pain in hypo-
gastrium—NA-M.

Pain in liver—PH-X.

Pressing in genitals—AM-C.

Tearing in genitals—AM-C.

Pain in mammæ—GRP.

Tearing in back—AM-C.

Pain in sacrum—AM-M., CAL.

Itching, eruption, and excoriation between legs—K-CA.

Down-pressure and drawing in thighs—CON.

Tearing in feet—AM-M.

Pain—ALM., GRP. NA-C.

Bruised pains—SEP

Weakness—GRP.

Obliged to lie down—AM-C.

After menses

Headache—NA-M.

Leucorrhœa—GRP.

LEUCORRHŒA.

Leucorrhœa—ALM., AM-C., CB-A., CB-V., CAU., CON., DIG., K-CA., LYC., MAG., NA-M., NI-X., PHO., STN., SUL., ZIN.

—profuse—AM-C.

—long continued—MEZ.

—like water—AM-C., GRP.

—yellow water—SEP.

—like milk, ingushes, preceded by cutting in umbilical region—SIL.

—putrid—NA-C.

Leucorrhœa, white, acrid, causing burning—CON.

Acrid—AM-C, ARS., NA-M.

—causing excoriation—ARS., SIL.

Leucorrhœa with itching and soreness—ANA.

—burning, itching—CAL

— — smarting—CB-A.

—with smarting of pudendum—HEP.

—smarting, excoriating—CON.

—preceded by cutting in hypogastrium—LYC.

— — — spasms in uterus and abdomen—MG-M.

—coming when urinating—SIL.

—just before menses—BAR., CAL.

—before menses—CB-V., GRP.

—after menses—GRP.

— — coitus—NA-C,

MAMMÆ.

Itching—ALM.

Pain, shooting—NA-M.

Cancerous ulcer—CLE.

— — with shooting, burning pain and smell of old cheese—HEP.

Induration, painful—CB-A., CON.

—nodular—NI-X.

46 RESPIRATION, ORGANS OF—NOSE—LARYNX

Atrophy—NI-X.

Milk, too profuse—CON.

—weakness from great loss of
—CHI.

—fever, after child-birth
—CAL.

Suckling, sufferings from too
prolonged—CHI.

Nipples.

Itching—SUL.

RESPIRATION, ORGANS
OF.—NOSE

Sneezing, aborted—NA-M.,
NI-X., SIL.

—frequent—CAL., CON.

—excessive—SIL.

—tearing in nape to shoulders
—AM-M.

Tendency to coryza—ALM.

Coryza—BAR., CAL., CB-V.,
LYC., NI-X., PET., SEP.,
SUL., ZIN,

—fluent—LYC., SUL.

— — frequent—SIL.

— — copious—SUL.

— — which removes chronic
stuffed nose—SIL.

—stuffed—AM-C, CAL.,
CB-A., CAU., K-CA.,
LYC., MAG., NA-M'
NI-X., PHO., PLA., SEP.,
SIL., SUL.

— — chronic—SAR.

— — morning—CAL., CON.

— — for many years—CON.
SIL.

— on getting cold—GRP.

— from slight draught, going
off by perspiration—NA-C.

— with loss of taste and smell
—PUL.

— and sneezing—NA-M.

— and cough—ALM., LYC.,
NA-C.

— continued, with cough
—NA-C.

— long-continued—AM-C.,
ANA., SIL.

— every other day—NA-C.

Itching (glottis)—CAL.

LARYNX.

Tenderness—GRP.

Scraping—ALM., GRP. HEP.

Roughness—PHO. PH-X.,
SUL., SU-X.

Constriction, suffocative
—VER.

- Pain in thyroid cartilage when touched—ALM.
- Catarrh—SAM.
- changes into coryza—SEP.
- suffocative—AMB., ARS., CAL., COF.
- and pain, during measles—CB-V
- Rattling, when lying on side—ANA.
- Mucus from—PHO.
- Ulceration—CAL.
- Cough—ALM., AM-C., AM-M. CAL., GRP., HEP., IOD., K-CA., LYC., NA-C., TAX., ZIN.
- severe—PHO. (and SEP. alternately).
- chronic—PHO.
- short—CAU.
- — long-continued—NA-M.
- dry—CAL., NX-V.
- — m., chronic—LYC.
- — n.—PET.
- — d- and n.—LYC.
- suffocative, n.—PET., SIL.
- — IGN.
- — after scarlatina—CHA.
- — spasmodic, at n. in bed—NA-M.
- Cough, whooping—CIN., CON., CUP., DRO., LED.
- — after a chill—DUL.
- convulsive—CON.
- difficult—LYC.
- from tickling in throat—AM-C., PHO.
- tickling, when walking and breathing deeply—NA-M.
- — PHO.
- tickling, irritation, with constipation—SER.
- from creeping in larynx—SUL.
- — scraping in larynx—PH-X.
- causing headache, as if forehead would burst—NA-M.
- and coryza—ALM., LYC., NA-C.
- Cough, with hoarseness—AM-C., CAL., CAM., DUL.
- with hoarseness and rawness on chest—PHO.
- with expectoration—ANA., LYC.
- with mucous' expectoration, m.—PH-X.
- with copious expectoration—PUL., SQU.
- with salty expectoration, m. and c.—SEF

- with purulent expectoration
—K-CA., LYC., SIL.
- with bloody expectoration
NIT.
- feverish, with hæmoptysis
and stitches in chest—SUL.
- with stomach-ache—CAL.
- Cough with vomiting—NI-X.,
PHO.
- with shock through chest
—LYC.
- with spasm of chest—K-CA.
- with oppression of chest
—NA-M.
- with sacral shooting
—AM-C.
- in morning—CAL, IOD.
NA-M.
- by day—AM-C., NI-X.
- by night—AM-C., BAR.,
CAL., GRP., HEP., K-CA.,
SUL.
- nocturnal, with stitches in
larynx—PHO.
- in open air—NIT.
- on lying down, n.—NI-X.,
PET.
- on going upstairs—NIT.
- after drinking—LYC.
- on holding in breath—NIT.
- from laughing—PHO.
- in scrofulous subjects
—CON.
- Croup, membranous—ACO.,
HEP., (or alternately with
SPO.) MER., (?) SPO.
(alone or preceded by
ACO.).
- Phthisis of—DRO., MAN.,
NI-X.
- Diseases of—MAN.

TRACHEA

- Catarrh—ALM.
- of windpipe and chest—ALM.
- Disease of—MAN.

VOICE

- Weakness—ANG.
- Extinct—HEP. (murcurial),
HYO.
- Hoarseness—K-CA., NA-M.,
NI-X., PET., SEP., SIL.
- Hoarseness, long continued
—CB-V., CAU, MAN.
- in m.—CB-V.
- with cough—AM-C., CAL.,
CAM., DUL.
- Speaking difficult, with scrapy
sore throat—HEP.

—causes weakness of chest—
PH-X.

—fatigues—CAL.

Singing, not clear—GRP.

EXPECTORATION.

Detached with difficulty—SEP.

Can't cough it up—CAU.

White mucus—BEL.

Yellow, foetid—CAL.

Purulent—K-CA., LYC., SIL.

—salty—NA-C.

Salty, with cough, m. and e.—
SEP.

Bloody—NIT.

CHEST.

Tickling—PHO.

Roughness—NI-X.

Fullness—SUL.

Full of phlegm—BAR., CAL.

Weight on—PHO., SUL.

Tightness—ALM., AM-C.,

CB-V., GRP., NA-M.,

NIT., NI-X, SU-X., VER.

—spasmodic—K-CA.

Tightness, suffocative, n.—
SUL.

—cannot lie with head low—
NIT.

Tightness and short breath—
NA-C., SIL.

—oppression and shortness of
breath when walking, going
up hill, and lying in bed, n.
—SEP.

—with whistling and rales in
chest and visible palpitation
of heart—SUL.

—in m.—CON., K-CA.

—at n.—CAL.

—when at rest—SIL.

—when working—AM-M.

—when working with hands—
—NA-M.

—when walking quickly—
K-CA.

—on going up hill—ARS.

—on waking, m.—CON.

Constriction—NX-V., VER.

Oppression—GRP., SEP.

—with nocturnal cough—BAR.

—with short breathing when
working—LYC.

Catarrh, chronic—STN., TAX.

Congestion—AUR.

Ebullition—SEP.

Spasm—GRP., K-CA.

Pain, under l. breast when
lying on it—PHO.

—from movement—SEP.
 —in side, when breathing and coughing—SEP.
 —burning—CAL., SUL.
 —rising up like heartburn—LYC.
 — —in upper part of chest—AM-C.
 —sore—CB-V.
 —sore, burning—PHO.
 —sore, in middle—SEP.
 —bruised—LYC.
 Pain, pressure on—CAL., PHO., SIL.
 — —when coughing and sneezing—SIL.
 — —on l. lowest rib—LYC.
 —pressive, shooting—NA-C.
 Spasmodic constriction, after speaking—HEP.
 Stitches—CB-V., GUI.
 —in side—PET.
 —chronic, in side—PHO
 —left side—LYC., SEP.
 —in l. side, also when touched—PHO.
 —during mental work—SEP.
 —~~on~~ moving—CAL.
 —in left side when bending to that side—CAL.

—when coughing—NA-M.
 —when breathing deep—NA-M., NIT.
 —through to l. scapula—SUL.
 Pain, shooting, worse when moving—BRY.
 — —through to back—SIL.
 — —under l. ribs—SIL.
 —tensive—NA-M.
 —tearing from upper part of l. lung to shoulder joint—AM-C.
 Pain, jerking—CON.
 Weakness from speaking—PH-X.
 Fatigue, from singing—SUL.
 Pleurodynia—ACO., ARN.
 Pleurisy—ACO., LED., SQU.
 Hæmoptysis—ARS.
 Pneumonia—SQU.
 Lung, suppuration of, with stitches—CHI.
 Phthisis—DRO., STN.
 —suppurative—K-CA., LYC.
 —with fœtid purulent expectoration—GUI.
 Angina pectoris—ARS.
 Hydrothorax—CB-V., CCH.

RESPIRATION

Short—AM.C., CAL., CAU.,
LYC., NI-X.
—with inability to speak much
—PH-X.
—when at rest—SIL.
—when working—LYC., SEP.
SIL.
—when walking—CB-V., CON.
—when walking quickly—
NA-M., SIL.
Oppressed, in going up hill—
ARS.
Panting, when at work—NI-X.
—when walking quick—SIL.
Loud, panting—PHO.
Whistling—K-CA.
Wheezing, at n. in bed—
NA-M.
Stertorous—NA-M.
Difficult—ALM., BEL., CAP.,
NA.C., PHO., RHO.,
SUL.,
Dyspnoea—AMB., AUR.,
IGN., IOD., K-CA., VER.
—paroxysmal, spasmodic—
IPE.
—of children—LYC.
—when stooping—CAL.
Asthma—ACO., ÆSC., IPE.,
LED., NX-V.

—humid—STN.
—spasmodic—IPE., NX-V.,
VER.
— — — hebdomadal—CHI., IGN
—hypochondriacal—CCH.
—nocturnal—CON.
—with hydrothorax—CCH.
—Millar's—MSC.
Suffocation, feeling of—CAM.
—spasms of—IPE.
—attack of, with tightness of
chest—AUR., VER.
—at n., lying—ARS.
—caused by drinking—BEL.
Suffocation with anxiety—
CAM.
Loss of breath when lying on
back—SIL.
— — — when stooping—SIL.
— — — when running—SIL
— — — when coughing—SIL
Asphyxia—SUL. (fumes).
Stitches in r. scapula when
breathing—AM-M.

CHEST WALLS.

Stitches—AM.C.
Gone to sleep—GRP.
Brown spots—CB-V.
Herpes—PET.

Sternum.

Aching—ARS.
 Pressure on—SEP., SUL.
 Stitches—ARS., CON., SUL.
 Pain, tensive—ZIN.
 Throbbing—SIL.

Muscles.

Prickling, shooting—CAL.

HEART.

Anguish—ARS., CAL., CAM.
 Tenderness—CAM.
 Stitches—CAU.
 Palpitation—ALM., AUR.,
 BAR., BIS., CAL., CAU.,
 K-CA., MAN., OLN.,
 PET., SEP., ZIN
 —stopping the breath—ZIN.
 —anxious—LYC., NA-C.,
 NA-M., ZIN.
 —with precordial anguish and
 flying heat—CAL.
 —at night—CAL.
 —when sitting—PHO.
 —on every movement of body
 —NA-M.
 Palpitation and stitches,
 preventing lying on l. side
 —LYC.
 —and ebullition of blood, on
 waking, m.—K-CA.

Irregular, spasmodic move-
 ments—ZIN.

Cessation of beats, stopping
 breath—ZIN.

Weakness of—AUR.

Syncope—CHI.

PULSE.

Quick—ACO.

Slow—CAM., DIG.

Suppressed—CAM.

BLOOD-VESSELS.

Varicose veins—ARS., CAL.,
 LYC., NA-M.

— — pain in—CAU.

— — of pregnant women—
 LYC.

BLOOD.

Ebullition—PET., SEP.

—and thirst from drinking
 little wine—SIL.

Hæmorrhages—IPE.

Loss of, weakness from—CHL

TEMPERATURE.

Coldness.

Coldness—CAM., CB-V.

Deficient natural heat—LYC.,
SEP.

Chilliness—ANA., CB-V.,
CAU., NI-X., PUL., SIL.,
SUL.

—disagreeable—ALM.

—internal—NA-M.

—of left side—NA-C.

—in the morning—CAL.

—in the evening—ALM.,
AM-C.

Chilliness in bed every e.—
PHO.

Chilliness after epileptic fit—
CUP.

—and restlessness—NA-M.

Shivering.

Tendency to, by day—K-CA.

With racking pain in limbs and
anxious restlessness, e.—
ARS.

After every movement—ARS.

Rigor, febrile—CAM.

—frequent, by d.—SIL.

Heat.

Flushes of—CAL., CB-V.,
LYC., PHO., SEP, SUL.

—with sweat—HEP.

—with palpitation and
precordial anguish—CAL.

Attacks of, when sitting, and
when walking in open air
—SEP.

Nocturnal—PET.

From anger—SEP.

When speaking about important
things—SEP.

And anxiety at n.—CAL.

In bed, m.—K-CA.

FEVER.

With colic—VER.

With predominant chilliness—
BRY.

With high-sweats (mercurial)—
HEP.

Inflammatory—ACO.

Gastric—BRY.

Bilious—COL.

Acute bilious after anger, with
heat of face, unquenchable
thirst, taste of bile, nausea,
anxiety, restlessness—CHA.

Dysenteric—NX-V.

Worm, in scrofulous subjects—
SIL.

Hectic—STN.

Puerperal—VER.

Milk, after confinement—CAL.

Epidemic—STB.

- Some epidemic—DUL.
 Measles—ACO.
 Scarlet—BEL., IPE.
 —burning heat, drowsy stu-
 fation, agonizing tossing
 about, with vomiting,
 diarrhœa, convulsions—
 OPI.
 —prophylactic—BEL.
 Rotheln—ACO., COF.
 —with great restlessness,
 anxiety and heat—ACO
 —with pains in head and
 throat and lachrymose
 disposition—COF.
 In afternoon, chill or heat—
 NI-X.
 Intermittent—ACO., AM-M..
 ANT., ARN. (alone or
 alternately with IPE.),
 ARS., BEL., CAL., CAP.
 (alone or alternately with
 CIN.), CB-A., CB-V., CHI.
 CIN., (alone or alternately
 with CAP.), GEU., HEP.,
 IPE., (alternately with
 ARN., NX-V.), MEN.,
 NA-M., NX-V. alternately
 with IPE.), OPI., PUL.,
 SPI., SUL.
- Intermittent, endemic in
 marshy localities—CHI.
 —quotidian—ARS., IGN.
 — —with drawing pains in legs
 —NIT.
 —tertian, first heat of face,
 then chilliness—CAL.
 —tertian, with sour vomiting
 after chill and bloated face
 and hands—LYC.
 —quartan—CHI., HEL.
 —hebdomadial—CHI.
 Intermittent, consisting of only
 outward coldness or only of
 inward heat with dark
 urine, cold sweat of body
 or of fore head—VER.
 —chill commences immediately
 after taking hot soup—
 ALM.
 —evening, first chill, then heat
 of face with cold feet—PET.
 —heat before chill—NX-V.
 —with long duration of heat—
 IGN.
 —with thirst during chill, not
 during heat—IGN.
 —with great sensitiveness and
 irritability—IGN.
 —with vomiting, and bulimy
 —CIN.

—with too great contractility of muscular fibre—LAU.

Intermittent, with immobile pupils, pressive tensive pain in scrobiculus and umbilicus, tension throughout body, sopor, occasional sweat with relief, amelioration by eating pork, aggravated by east wind—OPI.

Commencing afternoon, with tension of stomach, vertigo, confusion of mind, hypochondriacal ideas, anxiety and exhaustion—NX-V.

—Pains after—LED.

—aggravated by cinchona—NA-M.

Continued—ARS, CAM., NX-V.

Low-nervous—(:typhoid ?)—CAM.

Typhoid—BRY., COC.

—sees people and faces not present—ARS.

—with extreme anxiety—ARS.

Typhoid, with pusillanimity, weeping, timidity, fear of death—ARS.

—with thirst, but only wets lips, cannot drink much, cold feet and hands—ARS.

—with nausea and sinking in stomach—ARS.

—with sudden fits of suffocation—ARS.

—always wants to change his bed—ARS.

—patient attempts to rise but falls from extreme weakness—ARS.

Typhoid, after cholera—BRY. (alternately with RHS.)

Typhus—BRY. (alternately with RHS.)

—with delirium and mania—HYO.

—with lethargy—ÆTH-NITR.

—with shooting pains in head, throat, chest, abdomen, worse on movement, heat, restlessness—BRY.

—with shooting pain in various parts when at rest, prostration, harrassing cough—RHS.

—malignant—CAM.

NECK

Easily sprained and thence painful—CAL.

pain in nape—AM-C., GRP.

—drawing and scraping up to occiput, d. and n.—LYC.

—pressive in nape—NA-M.

—shooting—BAR.

Tension in nape—CON., SUL.

Stiffness—BAR. CAL. CB-V.,
CAU.

Stiffness of nape—K-CA.,
LYC., MAG., NA-C.,
NI-X, PH-O., SEP.

— — —from over-lifting=
LYC.

—of one side—LYC.

Swelling—IOD., PHO.

—hard, of one side—LYC.

Swollen and stiff, being easily
sprained—CAL.

Weakness of muscles—K-CA.

—of nape—SIL.

Eruption on nape—PET.

Herpes on nape—PET.

Cervical Vertebrae.

Sore pain in lowest v.—CON.

BACK

Pain—NI-X., PET., SEP.,
ZIN.

—at n.—CAL., LYC., NA-M.

—preventing him standing—
PET.

—when walking—CAU.

—after manual labour—SUL.

—buring—CB-A.

—contractive—GRF.

—digging, cutting, pressive—
SEP:

—as if broken—PHO.

—as if broken on the wheel
—SIL.

—dislocative—CAL.

—drawing—CB-V., K-CA.,
SUL.

— — —pressive—NA-M.

— — —and tension—AM-C.

—shooting—SIL.

—tearing—SIL.

— — —and cramp—SEP.

—tensive—NA-M.

Stiffness—SEP.

—painful, when rising from
scat—CAU.

Horripilation—CHA.

Chilliness—SEP.

Weariness—NA-M.

Weakness—SIL.

Itching eruption—SEP.

Pimples, itchiug—CB-V.

Scoliosis—BAR., CAL.,
PH-X., PHO., SIL., SUL.

Lumbar Region:

Pain, shooting, over pelvis
when sitting and lying—
SIL.

Lumbago—COL.

Sacrum.

Pain,—BAR., CAL., K-CA.,
NI-X., SEP., SUL., ZIN.

—also when touched—SIL.

—from a fall—K-CA.

—preventing standing—PET.

—when at rest—ALM.

—raw, sore—NA-C.

—as if bruised or broken—
GRP.

—paralytic, bruised—NA-M.

—drawing, to middle of back
—K-CA.

— — spasmodic, compelling
him to lie down, and
preventing him rising—
SIL.

— — and tension—AM-C.

—cutting—NA-M.

—sharp—NA-M.

—shooting on rising from
stooping—LYC.

—throbbing—SEP.

Stiffness—AM-M., BAR.,
CAU.

Creaking—SUL.

Weariness—SIL.

—when walking—SEP.

Scapulae.

Pain, drawing and tearing—
CAU.

Stitches—NIT.

Right Scapula.

Stitches—when breathing—
AM-M.

Betwixt Scapulae.

Pain, drawing—HEP.

—bruised—SIL.

Stiffness—K-CA.

LIMBS

Itching and biting—LYC.

Gone to sleep—CAL., CB-V.,
K-CA., LYC., PET., SIL.,
SUL.

Pain—ACO.

—bruised—CAL., CB-V.,
CON.

— —, evening—SIL.

— — m. on rising—CB.V.

—drawing—CAM., GRP.,
HEP., K-CA., LYC.

—pressive, drawing—NA-M.

—gouty, shooting—GUI.

—tearing—LYC., NI-X.,
PHO., SIL.

— — after a chill—DUL.

— — shooting, causing
contractions, the pains are

excited by the slightest movement and are accompanied by heat—GUI.
 Pain, as from sprain and overlifting—CB-V,
 Horripilation—CHA.
 Trembling—ALM.
 Restlessness and throbbing—SEP.
 Cramp—CAL., SIL.
 Jerking, by day—CB-V.
 —when sitting or lying—SUL.
 —and twitching when awake or asleep—LYC.
 — — —SEP.
 Twitching—ALM.
 —, day and night—SIL.
 Muscular twitching—SEP.
 Sprain, tendency to—GRP.
 Stretching—ARS.
 —when sitting, ALM.
 —and extending, frequently—SEP.
 Weariness—CAL., LYC., PLA.
 Over-tired, as if—CON.
 Weakness, sudden—CON.
 —when walking in open air—AM-C.
 —paralytic, with dizziness—AM-M.

Paresis, e.—SIL.
 Paralysis—ACO., COC.
 Insensibility—LYC.

JOINTS.

Pain, intolerable—MAN.
 =drawing—SUL.
 — —and tension—AM-C.
 —snooting, burning—RHO.
 — —at n.—SIL.
 Cracking and stiffness—PET.
 Stiffness, and want of suppleness in wrists, knees, ankles—SEP.

BONES OF LIMBS.

Pain at night—AUR.
 —from abuse of mercury—LYC.
 —intolerable, of periosteum—MAN.
 Crooking—AM-C., IOD.

UPPER EXTREMITIES.

Formication—SUL.
 Gone to sleep—GRP., K.CA.
 — — —on waking, m.—MG-M., SEP.
 — — —when lain on—BAR., SIL.
 — — —when raised—LYC.
 Pain at n.—CAL.

- on raising them—PHO.
 —when hanging or stretched out in bed—ALM.
 Pain, drawing—CAU., LYC., SIL., ZIN.
 —paralytic drawing—MG-M.
 — — —so that he must let it hang down—SEP.
 —drawing and tearing n.—CAL.
 —stitching, during bodily exertion—SEP.
 —tearing—CAL., SIL.
 —tearing and shooting in arms and scapulæ—PHO.
 — — —towards ulcer on mammæ—HEP.
 —tensive—ANA.
 Tension in—SEP.
 Stiffness—AM-C
 Cramp—CAL.
 Jerking, during siesta—LYC.
 Heaviness, cannot hold them up long—SIL.
 Paralytic heaviness—ALM., NA-M.
 Weariness—NA-M., SEP.
 —m. in bed—IOD., K-CA.
 Weakness—ANA., K-CA., LYC., SUL.
 —sudden, like paralysis—CAL.
- Paresis and trembling from slight work—SIL.
 Paralysis—FRI.
 Swelling—SUL.
 Eruptions—CAU.
 Pimples—PH-X.
 Pain in deltoid, on raising arm—BAR.
 Pain in bones n.—LYC.
 Warts—SIL.
- Shoulders
- Pressure on—K-CA.
 Pain, bruised, after vexation—COL.
 Soreness—CON.
 Pain, dislocative—SEP.
 —when moving—LYC., MAG.
 Pain pressive—NA-C NI-X.
 —shooting—NI-X.
 —tearing—LYC.
 —also at n., with formication in fingers, and inability to move the arm on account of the pain—MAG.
 Spasmodic numbness, n.—LYC.
 Twitching—SUL.
- Axilla.
- Sweat—SEP.
 —fœtid—HEP.

Scurf, in—NA-M.
 Eczema, exuding under l.—
 SEP.
 Boil—PH-X.

Upper Arm.

Gone to sleep—K-CA.
 Pain, bruised—CAL.
 —digging—NA-M.
 —pressive, drawing—MU-X.

Forearm.

Pain, shooting—ANA.
 Tension—SEP.
 Commencing paralysis, lets
 things fall out of hand—
 SIL.
 Weight—ANA.

Elbow.

Pain, when grasped—CB-V.
 —drawing—SUL.
 —tearing, to shoulders—
 ARS.
 —pressive—CAU.
 Stiffness—K-CA.
 Painful inflammation of liga-
 ments, with redness and
 flexion of arm—ANT.
 Tumour, encysted—HEP.

Pain in bone, n_x—LYC.

Hands.

Dying away, when grasping—
 CAL.
 Numbness—LYC.
 Full feeling, when grasping—
 CAU.
 Burning, also in feet—AM-C.
 Pain, cutting—NA-C.
 —tearing—PET.
 Sweat—CAL.
 Cold sweat—SEP.
 Weakness, (and feet)—SAR.
 Trembling—ANA. (r.), PHO.
 Trembling when walking—
 K-CA.
 —when doing fine work—
 SUL.
 Cramp—GRP.
 Cold—CAM., CON., NA-C.,
 NA-M., SUL.
 Heat—CB-V., PHO.
 Dryness—LYC.
 Dry feeling, m.—ZIN.
 Rough skin—NI-X.
 Swelling—CAL.
 Rhagades—ALM., MAG.
 Chaps on hands and fingers,
 bleeding in winter—PET.
 Callosities, horny—GRP.

—on raising them—PHO.
 —when hanging or stretched out in bed—ALM.
 Pain, drawing—CAU., LYC., SIL., ZIN.
 —paralytic drawing—MG-M.
 — — —so that he must let it hang down—SEP.
 —drawing and tearing n.—CAL.
 —stitching, during bodily exertion—SEP.
 —tearing—CAL., SIL.
 —tearing and shooting in arms and scapulæ—PHO.
 — — —towards ulcer on mamma—HEP.
 —tensive—ANA.
 Tension in—SEP.
 Stiffness—AM-C
 Cramp—CAL.
 Jerking, during siesta—LYC.
 Heaviness, cannot hold them up long—SIL.
 Paralytic heaviness—ALM., NA-M.
 Weariness—NA-M., SEP.
 —m. in bed—IOD., K-CA.
 Weakness—ANA., K-CA., LYC., SUL.
 —sudden, like paralysis—CAL.

Paresis and trembling from slight work—SIL.
 Paralysis—FRI.
 Swelling—SUL.
 Eruptions—CAU.
 Pimples—PH-X.
 Pain in deltoid, on raising arm—BAR.
 Pain in bones, n.—LYC.
 Warts—SIL.

Shoulders

Pressure on—K-CA.
 Pain, bruised, after vexation—COL.
 Soreness—CON.
 Pain, dislocative—SEP.
 —when moving—LYC., MAG.
 Pain pressive—NA-C NI-X.
 —shooting—NI-X.
 —tearing—LYC.
 —also at n., with formication in fingers, and inability to move the arm on account of the pain—MAG.
 Spasmodic numbness, n.—LYC,
 Twitching—SUL.

Axilla.

Sweat—SEP.
 —fætid—HEP.

Scurf, in—NA-M.
 Eczema, exuding under l.—
 SEP.
 Boil—PH-X.

Upper Arm.

Gone to sleep—K-CA.
 Pain, bruised—CAL.
 —digging—NA-M.
 —pressive, drawing—MU-X.

Forearm.

Pain, shooting—ANA.
 Tension—SEP.
 Commencing paralysis, lets
 things fall out of hand—
 SIL.
 Weight—ANA.

Elbow.

Pain, when grasped—CB-V.
 —drawing—SUL.
 —tearing, to shoulders—
 ARS.
 —pressive—CAU.
 Stiffness—K-CA.
 Painful inflammation of liga-
 ments, with redness and
 flexion of arm—ANT.
 Tumour, encysted—HEP.

Pain in bone, n.—LYC.

Hands.

Dying away, when grasping—
 CAL.
 Numbness—LYC.
 Full feeling, when grasping—
 CAU.
 Burning, also in feet—AM-C.
 Pain, cutting—NA-C.
 —tearing—PET.
 Sweat—CAL.
 Cold sweat—SEP.
 Weakness, (and feet)—SAR.
 Trembling—ANA. (r.), PHO.
 Trembling when walking—
 K-CA.
 —when doing fine work—
 SUL.
 Cramp—GRP.
 Cold—CAM., CON., NA-C.,
 NA-M., SUL.
 Heat—CB-V., PHO.
 Dryness—LYC.
 Dry feeling, m.—ZIN.
 Rough skin—NI-X.
 Swelling—CAL.
 Rhagades—ALM., MAG.
 Chaps on hands and fingers,
 bleeding in winter—PET.
 Callosities, horny—GRP.

Wrist.

Painfulness of old sprain—
AM-C.

Pain, drawing—SUL.

Stitches—NA-M.

—when working—ALM.

Pain, shooting, when moving
—SEP.

—up arm, n.—SIL.

—paralytic—K-CA.

Stiffness and want of suppleness—SEP.

Gouty stiffness—LYC.

—nodes—CAL.

Spots, brown—PET.

Palm.

Burning—SEP.

Sweat—CON., SUL.

Fingers.

Formication—SIL.

—on tips—SUL.

Numbness and dying away—
CAL.

—of tips, also of toes—PHO.

Gone to sleep—AM-C., BAR,
CAL., IOD., NI-X.

— — —on rising, m.—ZIN.

— — —and formication—
NA-M.

— — — little finger—LYC.

Dying off—AM-C., CAL.,
HEP., SUL.

— — —at n.—AM-C.

— — —when grasping—AM-C.

Pain, shooting, up to elbows—
CAU.

—tearing—LYC.

Stiffness—AM-C.

—awkwardness and weakness
—SIL.

—when working—LYC.

Cramp—LYC.

Jerking together, while sewing
—K-CA.

Drawn crooked—K-CA., LYC.

Weakness—CAL.

Paresis—CAL.

Swelling, when arm hangs—
AM-C.

Inflammatory swelling and
suppuration of little finger
—MAN.

Excoriation between—GRP.

Herpes between—NI-X.

Panaritium—ALM., SIL.

Ulcers on tips with burning
pain—ARS.

Cartilaginous lumps—SUL.

Finger-Joints.

Pain, drawing—SUL.

—tearing—LYC.

—on pressure—SIL.

Gouty stiffness—CB-V., LYC.,
PET.Redness, swelling and gouty
tearing—LYC.Gouty nodes—CAL., GRP.,
LYC.

Ulcers—SEP.

Finger Nails.

White spots—NI-X.

Deformed—SEP.

Thumb.

Dislocative pain in joint—
GRP.

LOWER EXTREMITIES,

Running, as of a mouse—SEP.

Gone to sleep—GRP.

— — —stiffness, numbness at
night—ALM.— — —when sitting—ANT.,
CAL.— — —especially after work-
ing—SEP.

Pain, burning—K-CA.

—drawing—BAR, NA-M.,

— — —and tension—SIL.

—tearing—BAR., CAL.

— — —at n.—K-CA., LYC.

— — —pressive—K-CA.

Violent pains—ANT.

Pains as if in marrow of bones
—AGA.

Heaviness—CAL., SUL.

—with uncheerfulness—CAL.

Coldness—NI-X., SEP

Restlessness—CB-V., CON.,
GRP.

—at n.—LYC., NI-X.

Cramp—CAL., CAM.

Stiffness—CAL.

Weariness—AM-C.

Paralysis, with mental
weakness—RHS.

Spots, red—SUL.

Excoriation. betwixt—GRP.

Ulcers—CAL.

Shortening of—MEZ.

Nates.

Cramp—GRP.

Swelling—PH-X.

Boil—PH-X.

Hip.

Pain. dislocative—NA-M.

—drawing—CON.

—sharp—NA-M,

—shooting—ARS.

—tearing—ARS.

Sciatica—CB-A., TER.

—making him limp—CB-A.

—the hip-joint seems bound with iron clasps to pelvis and sacrum with pains periodically darting from loins to thigh—COL.

Left Hip.

Tearing, shooting, dislocative pain—AM-M.

Above Hip.

Pressure and compression—CON.

Thighs.

Itching—NI-X.

Formicating shooting in muscles—NA-C.

Numbness—GRP.

Pain, on rising from seat—NI-X,

—bruised, when going up stairs—CAL.

—pressive, in muscles—SIL.

—shooting—ARS.

— —when treading—CAL.

— —when walking quickly—SUL.

Pain, stitch-like jerks, making him draw up the limb—SEP.

—tearing—ARS.

— —shooting from upper border of pelvis to groin and thigh anteriorly—SEP.

Coldness, with sweat on legs below knee, in bed, m.,—SUL.

Herpes—GRP.

Varicose veins^a—CAL.

Itching ulcer—SIL.

Knee.

Gone to sleep—CB-V.

Pain, bruised—ARS.

—drawing—PHO., SUL.

— —paralytic—MG-M.

— —when sitting—CAL.

— —when walking—CAL.

—pressive—MG-M.

— —drawing—MU-X.

—shooting—CAL., PET.

— —when standing—CAL.

— —when sitting—CAL.

—tearing—CAL., LYC.

—down tibia to instep—LYC.,

Stiffness—LYC.

—and want of suppleness—SEP.

Weakness—NI-X., SUL.

Fatigue—ANA., CON., NA-M.

Herpes—CB-V., GRP., PET.
Swelling—CAL., LYC., SIL.

Hough,

Pain, burning, smarting,
itching—LYC.

—tearing, n.—LYC.

Shortening, painful, of tendons
—NA-M.

Herpes—GRP., NA-M.

Prurigo—ARS.

Leg below Knee.

Formication in calves—SUL.

Formicating horripilation in
shins—K-CA.

Numbness of calves—SIL.

Pain, burning—LYC.

—contractive in calves when
walking.—LYC.

—drawing—SIL.

— —and big toe.—SEP.

— —when sitting—AM-C.,
CB-A.

— —and shooting—CB-A.

—shooting, in tibia—SEP.

—tearing in tibia—ARS.

Cramp of calves—CAM.,
COL., CON., GRP., LYC.,
NA-C., SEP.

— — —at n.—CB-V.

— — —after exertion, c.—SIL.

—and tension of calves when
walking after sitting—
NI-X.

Jerking and restlessness, n.—
LYC.

Twitching in calves—NI-X.,
PHO.

Weariness of calves—NA-M.

Red spots—CAL.

Erysipelas—SUL.

Boils—MAG.

Ulcers, old, with tearing,
itching and burning at n.—
LYC.

— —with burning and
shooting pain—ARS.

—with unhealthy complexion
—SIL.

Swelling—K-CA., SEP.

—of tibiæ—PHO.

Lumps—NA-C.

Feet.

Dying away, evening—CAL.

Gone to sleep, c.—SIL.

Pain, burning—GRP., K-CA.,
NA-M., SEP.

Pain, burning, also in hands—
AM-C.

— —and prickling—SEP.

—cutting—NA-C.

—tearing—LYC.

Coldness—ALM., AM-M.
CAL., CAJ., CON., K-CA.,
LYC., MU-X., NA-C.,
NA-M., PET., PLA.,
SEP., SIL., SUL., SU-X.

—at n.—PHO., SAR.

—in bed—GRP., K-CA.

Heaviness—NA-M.

Cramp—LYC.

Restlessness—SUL.

Jerking by d., also at n. before
going to sleep—PHO.

Twitching during siesta—SEP.

Weariness—ARS.

Fatigue from walking—LYC.

Weakness, (and hands)—SAR.

Sweat—AM-C., CAL., CB-V.
CUP., MG-M., PH-X,
SEP., SIL., SUL.

—profuse—LYC.

—cold—LYC.

—fætid—BAR., K-CA., NI-X.

—supressed—CUP., SEP.

— —and cold feet—SIL.

Chilblains—SUL.

—painful—ZIN.

Swelling—AM-C., CAU.,
GRP., NA-C., PET., SEP.,
SIL., SU-X., VER.

Insensibility—CB-V.

Fætor—SIL.

Dorsum.

Pain, pressive—NA-C,

—shooting—SEP.

Heel

Pain, shooting—SEP.

— —when treading—GRP.,
NI-X.

Sole.

Formication and gone to sleep
—SEP.

Pain, when walking—CAU,
LYC.

—ulcrative, when walking—
PHO.

—burning—ANA., CAL.,
CUP., MAN.

— —from walking—LYC.

—shooting, when treading—
NA-C.

Cramp—AM-C.

Ulcers—ARS.

Pemphigus ulcers—ARS.

Horny places—ANT.

Hard, painful callosities—SIL.

Corn—ANT.

Swelling—CAL., LYC.

When scratched a voluptuous
tickling that almost drives
him mad—SIL.

Ankles.

Pain when walking—CAU.

Tired pain when sitting—ALM.

Pain, ulcerative, on touching
and treading—NA-M.

—dislocative—SUL.

—shooting, when treading
—SIL.

Sprained and dislocated,
tendency to be—NA.C.

Stiffness—K-CA., SUL.

—and want of suppleness
—SEP.

—after sitting—ZIN.

Swelling—LYC.

Itching ulcer—SIL.

Toes.

Formication on tips—SUL.

Numbness of tips, also of
fingers—PHO.

Pain, when walking—CAU.

Burning sensation under
—ALM.

Coldness and stiffness—SUL.

Cramp—LYC.

Giving way when walking
—LYC.

Drawn crooked—K-CA.

Redness and swelling, with
shooting pain—CB-V

Chilblains, painful—NI-X

Eroding wheals—SUL.

Festering—GRP.

Ulcers, obstinate, caused by
pemphigus blisters, with
elevated borders, moist
red flat base—PET.

Pemphigus ulcers—ARS.,
GRP.

Horny skin—GRP.

Corns—CAL., LYC., NA-M.,
PET., PH-X., SIL.

—tenderness of—K-CA.

—painful—CAL., LYC., NI-X.

—burning, shooting, and
tearing pains in—AM-C.

—stiches in—SEP., SIL.

Toe Nails.

Thick, deformed—GRP.

Big Toe.

Sensitiveness—CAL.

Pain, excoriation, on walking,
in ball—ARS.

—dislocative, n., in bed, in
ball—AM-C.

drawing, and in leg—SEP.

—shooting and burning in
ball—K-CA.

Ulceration of, with shooting
pain—SIL.

Painful lymphatic swelling on
ball—BAR.

Horny excrescence under nail
—ANT.

SKIN.

Itching—CON., MAG., SIL.,
SUL.

—when heated, by d.—LYC.

Itching in e., before retiring—
LYC.

Itching, nocturnal—MEZ.

Quivering from feet to head
with dizziness—CAL.

Tenderness—CON.

Burning—ARS.

Black pores (comedones)—
NI-X

Ecchymoses from slight blows
SUL.

Corns—AM-C., CAL., K-CA.,
LYC., NA-M., NI-X., PET.,
PH-X., SEP.

Burns—TER.

Boils—ARN., CAL., LYC.

—on nates and under axilla—
PH-X.

—on leg—MAG.

—Prevention of—ARN.

Buboes, plague—ARS.

Carbuncles—ARS., SIL.

Chilblains—CB-A.

—painful—NI-X., PET.

—on feet—SUL.

Condylomata, sycosis—NIX.,
THU.

Crusta lactea—DUL., HEP.

Eczema, moist—CON., DUL.

—suppurating—DUL.

—exuding, under axilla—SEP.

—on face—COL.

Eruptions—ACO., AGA.,
CLE., RHO., VIO.

—chronic—CLE., VER.

—on scalp—OLN., PET.

—exuding and itching on scalp
and behind ears—MEZ.

Eruptions, papular, on face
—GRP

—on head—BAR., CB-A.,
CLE.

—scurfy, on head—K-CA.

—on and behind ears—BAR.

—on lobe of ears—BAR.

—on face—BAR.

—itching, on face and body
and swollen cervical glands
—AM-C.

Eruptions on lips—ARS.

—on chest—PET.

—painful, on neck and chest
—LYC.

—on nape—PET.

—itching, on back—SEP.

- on arms—CAU.
 with intolerable voluptuous
 tickling, itching, creeping
 gnawing, which after
 scratching burns—SUL.
 —scabby—CLE.
 —scabby, behind ears—GRP.
 —scabby, on hair scalp—ARS
 —suppurating, with burning
 pain, on face—CIC.
 Erysipelas—CAM., RHS.,
 SAM.
 —of face—CB.A., GRP.,
 HEP., RHS., SOL.
 —facial, liability to—GRP.,
 SUL.
 —of leg below knee—SUL.
 Erythema nodosum—NA-C.
 Excoriations in children—GRP.
 Herpes—CB-V., DUL., GRP.,
 KC-A., NA-C., PH-X.,
 RHS., VER.
 Herpes, on chin—SIL.
 —on face—CON.
 —round mouth—NA-M.
 —on chest—PET.
 —on nape—PET.
 —under axilla—CB-A.
 —between fingers—NI-X.
 —on thigh—GRP.
- on knee—CB-V., PET.
 —on hough—GRP., NA-M.
 —with glandular swelling
 —DUL.
 Miliary eruption, rough—CAL.
 — — itching—AGA.
 Pimples on forehead—NA-M.,
 PH-X.
 —on nose—SIL.
 —on and in nose—SIL.
 —on face—NA-M.
 Pimples on bluish-red base,
 chiefly on face—MER.
 —itching, on face—CON.
 —on chin—PH-X.
 —itching, on back—CB-V.
 —on arms—PH-X.
 Prurigo—NI-X.
 —in hough—ARS.
 Rhagades—ALM., LYC.,
 MAG., PET.
 Scabies—HEP., MER., NX-V.,
 SUL.
 Scurfiness—CAL.
 Spots, brown—CON.
 brown, on body—PHO.
 Spots, brown, on chest, belly,
 and back—SEP.
 —brownish-red—NI-X.
 —round, copper coloured—
 MER.

—red on legs—CAL., SUL.
 — — — itching—CON.
 — — — and burning—K-CA.
 —yellow—SUL.
 — — on abdomen and chest—
 PHO.
 Tinea capitis—GRP., PET.
 Unhealthy, festering—GRP.
 Ulcers—ACO.
 —chronic—CUP. .
 —smooth, pale, shallow on
 scalp, penis, etc.—MER.
 —eroding, on face—CON.
 —wart-like, on cheek—ARS.
 —cancerous, of lips—CLE.
 —above navel—ARS.
 —cancerous, of breast—CLE.
 —on fingers and toe-joints—
 SEP.
 —on legs—CAL., LYC.
 — — — with shooting, burning
 pains—ARS.
 — — — with unhealthy
 complexion—SIL.
 —flat, painless on leg, without
 redness, with uneven, jagged
 ground and dirty pus—
 PH.X.
 Ulcers, fetid on legs, that bleed
 easily—CB-V.
 Ulcers, on thigh and ankle,
 itching—SIL.

—on feet—BAR.
 —on toes, caused by pemphigus
 blisters, with ulcerated
 borders, moist, red, flat
 surface—PET.
 —factor of—SIL.
 —proud flesh in—PET.
 —itching of—PH-X.
 —burning pain in—ARS.
 Ulcerations, tendency to, after
 scarlatina—CHA.
 Urticaria—CB-V., SUL.
 —from great exertion—CON.
 —itching, in open-air, even
 on face—NI-X,
 Warts—AM.C, BAR., CAL.,
 NA-C., NI-X.
 —in eyebrows—CAU.
 —on face—K-CA.
 Wheals, eroding on toes—
 SUL.
 Wounds, shooting, cutting
 burning in—NA-C.
 Sweat—AM-C.
 —in the morning—CB-A.,
 CB-V., NA-M., PHO.,
 SEP., SUL,
 —febrile, by day—LYC.
 —d. and n.—SUL.
 —too easy and profuse on
 moving—NA-M.

—by day, tendency to—HEP.,
ZIN.

—nocturnal—AM-M., BAR.,
CAL., CB-V., CAU., GRP.,
HEP., IOD., K-CA. NI-X.,
PET., PH-X., SEP., SIL.,
SUL., ZIN.

Sweat, nocturnal, alternating
with dryness—NA-C.

—when sitting—ANA., SEP.

Sweat, profuse when working
—SUL.

—from moderate work or
movement—LYC.

—profuse, from moderate
exercise—CAL.

—on slight exertion—GRP.

—profuse, on slightest exertion
—NA-C., SEP.

—when walking—NA-M.

—from moderate walking
—SIL.

— — — — in open air
—CB-A., K-CA.

—after heat—ARS.

—cold—IGN.

— — anxious—NA-C.

—sour, m.—SEP.

— — every n.—SUL.

— — profuse, n.—SIL.

—fœtid, nocturnal—NI-X.

exhausting, especially on
thighs—CB-A.

—debilitating—NIT.

—weakness from Protuse
—CHI.

—inability to—K-CA.

—long continued deficiency
—GRP.

Dryness—CAL., IOD., LYC.
NA-C., NI-X.,

GLANDS.

Swollen—CAL. (alternately
with SUL), DIG., LYC.,
SIL., TAX.

Hard and painful—BEL.,
CON.

Thyroid.

Swelling—CAL., CAU.

Goitre—AM-C., K.CA.,
NA-M., SPO.

Cervical.

Swollen—CAL., CAU., NI-X.

—with itching eruptions on
face and body—AM-C.

Induration with shooting pain
—CB-A.

BONES.

Cold feeling—ZIN.

Nodes, with nocturnal boring
pains—MER.

Exostosis—SIL., ZIN.
 Caries—MER.
 —after mechanical injuries—
 MER.
 —palatal and nasal—AUR.
 Swelling of periosteum—CLE.

GENERAL SENSIBILITY.

Irritability—VAL.
 Over-excitability of nerves
 —STN.
 Weakness of nerves—SIL,
 Over-sensitiveness to pain
 —CHA., CHI.
 Hyperæsthesia—CON.
 —of senses—CUP.
 Sensitiveness to cold—ANT.,
 CAL., CAU.
 — — — and draughts—ANA.
 — — — air—CB-A., SEP.
 —to air and wind—SUL.
 Cannot bear to be touched
 —ANT.
 Nervous sufferings from
 excessive delicacy and
 sensitiveness of senses
 —CUP.
 Dulness of senses—CAP.,
 MAN.

Irritability, defective—ANA.
 Insensibility—CAM., ZIN.
 —of arms and legs—LYC.

GENERAL MOTION.

Agility—COF.
 Unsteadiness—NA-C.
 Uncertainty in walking (child)
 —CAU.
 Fall, apt to (child)—CAU.
 Falling to ground, sudden,
 when standing or walking
 —MAG.
 Trembling—ARS., CB-V., IGN.
 —inward—SUL.
 Tremors, after injuries—ARN.
 Tremor of nerves, n.—NA-M.
 Twitchings—IGN., SUL.
 Jerking and twitching—BAR.,
 LYC.
 — — — of single limbs or
 whole body, asleep or
 awake—LYC.
 —in sleep, n.—SIL.
 Chorea—CUP., STR.
 Spasmodic affections—DUL.
 Spasms, hypochondriacal—STN.
 —tonic, of hypochondriacs
 —MSC.

Hysterical fits—CON., STN.
 Convulsions—IGN., VER.
 —of children—LAU., MSC.
 —with delirium—DUL.
 —with tremor—AGA., CAM.
 Convulsions, in measles and
 small-pox—TEA.
 —resembling epilepsy—HYO.
 Epilepsy—BEL., CAM, CON.,
 CUP., MAG., NX-V., SIL.,
 STN.
 —nocturnal, at full moon, with
 screaming—CAL.
 —caused: by mortification
 —IGN.
 Tetanus—IPE., LAU., MSC.,
 VER.
 Raphania—SOL.

GENERAL SYMPTOMS.

Pulsation in whole body
 —PHO.
 Uneasiness—ARN.
 Heaviness—BAR.
 Dislike to walking—AM-C
 Long of learning to walk
 —SIL.
 Difficulty of movement and
 laziness—SEP.
 Unweildiness—NA-M.

Laxity of whole body—NA-C..
 SEP.
 Easily tired by walking—SEP.
 Weariness—CON., CUP.
 —in bed, m.—CON.
 —on waking—LYC.
 —great, from moderate
 walking in open air—CAL.
 —after walking—PH-X
 —from talking—SUL.
 Fatigue from long walk
 —CAU.
 Exhaustion—CAL., LYC.,
 NA-M.
 —so as to fall after walking a
 little—NA-C.
 —attacks of—SEP.
 Exhaustion from over-exertion
 —TEA.
 —from excessive sexual indul-
 gence—AGA.
 —hysterical—NA-M.
 Loss of strength—SEP.
 Weakness—ARN., ARS.,
 BAR., CAL., CHI., NA-C.,
 NI-X., SIL.
 —trembling—ANA., CAU.,
 HEP., (after smoking),
 K-CA, NIX., SEP.

- morning— CAL., NI-X.
- after a short walk— CAL.
- on waking— SEP.
- internal— LYC.
- as if coming from stomach— MG-M.
- long continued, and heaviness of feet— NI-X.
- from loss of saliva— CHI.
- — from excessive purging— CHI
- from loss of semen— CHI.
- from loss of milk— CHI.
- from loss of blood— CHI.
- from loss of humours— CHI.
- after acute fevers— CHI.
- from profuse sweating— CHI.
- from profuse suppuration— CHI.
- after childbed— K-CA.
- Fainting and spasm— SUL.
- fits, hysterical— NX-M.
- when lying on side— SIL.
- Trembling here and there— CB-V.
- Pains, nocturnal— CON., NA-M.
- Pains, nocturnal, from mercury— DUL.
- after tooth extraction— ARN.
- aggravated or induced by touching— CHI.
- after dislocations and fractures— ARN.
- burning in various parts— SEP.
- as if broken on the wheel— SIL.
- shooting— SUL.
- shooting here and there— CON.
- shooting, worse when at rest— RHS.
- spasmodic with great sadness— COC.
- cause anxiety, trembling, and sweat— NA-C.
- in old scars and wounds at change of weather— NI-X.
- aggravated by movement— BRY.
- — by rest— RHS.
- ameliorated by movement— RHS.
- — by rest— BRY.

- Sufferings from talking too much—NA-M.
- from prolonged mental labour—NX-V.
- from joyful emotion—COF,
- from vexation—NA-M., SEP.
- emotional, from excessive pain—CHA.
- from excesses in alcohol NX-V.
- from yesterday's wine intoxication—CB-V.
- from a sedentary life —NX-V.
- Over-exertion, sufferings from —RHS.
- Over-lift, tendency to—K-CA., LYC., NA-C., NA-M., PHO., SEP.,
- Over-lifting, sufferings from —ARN., RHS., SUL.
- apt to be hurt by—CB-A., LYC.
- pain in left hypogastrium, from—CB-V.
- Arsenic, sufferings from abuse of—IPE.
- Cinchona-bark, bad effects of misuse of—CB-V.
- Cinchona-cachexy—ARN., BEL., IPE.
- Coffee, sufferings from—CHA., NX-V.
- Iron, sufferings from abuse of —HEP., PUL.
- Lead-disease—MER.
- Mercury, sufferings from misuse of—ACO., AUR., CAM., CHI., CLE., HEP., NI-X., OPI., SUL.
- limb-pains caused by abuse of—GUI.
- Narcotics, bad effects of —CHA.
- Opium, bad effects of—COL.
- Salt, sufferings from excess in—ÆTH-NITR.
- Stramonium, stupefaction caused by—TAB.
- Veratrum, poisoning by —COF.
- Cold, slight, causes frost-bites, inflammation. itching of limbs—NI-X
- Cold air, aversion to—NA-C., PET.
- Catches cold easily—ANA., BAR., CAL., CB-V., GRP., K-CA., LYC., MG-M., NA-C., NA-M., SEP.

- — — and thereform
pinching and cutting in
abdomen—NI-X.
- — from exposing feet—SIL
- A chill, causing diarrhoea—
DUL.
- with symptoms of suffocation
—IPE.
- A chill, followed by fever
—ACO.
- causing pains—COF.
- followed by pains and
lachrymose humour—COF.
- sufferings caused by
—DUL., NX-V.
- Wet weather, easitiveness
—MU-X.
- Contusions, sufferlngs from
—ARN, RHS.
- Effects of falls, blows, contu-
sions, sprains, lacerations
—ARN.
- Bruises, and wounds with
blunt instruments—ARN.
- Sprains—ARN., RHS.
- tendency to—NA-C., NA-M.,
SIL.
- Bullet wounds—ARN.
- Hæmorrhage—IPE., MIL.
- from all orifices of body
—IPE.
- Inflammation, acute local
—ACO., BEL.
- Chronio disease with predomi-
nance of coldness and
deficiency of animal heat
—LED.
- Rehumatism, ehronic—DUL.
- Nodes, gouty—AUR.
- mercurial—CON.
- Angina pectoris—ARS.
- Apoplexy—CRO., NX-V.
- serous—BEL.
- Apparent death by drowning,
suffocation or freezing
—COF.
- Cancer—ARS., CON.
- Cholera, commencement of
—CAM.
- second stage—CUP., VER.
- typhoid state—BRY.
- prophylactic—CAM., CUP.
- Diabetes—ARG., TRX.
- Dropsy—CCH., DIG., EUB.,
HEL., SAM., SOL., TER.

<p>—with deficient urinary secretion—DIG.</p> <p>—acute, with suppression of urine—SQU.</p> <p>Dropsy with remitting fever—HEL.</p> <p>—anasarca and ascites—KA-C</p> <p>Emaciation—NA-M.</p> <p>Gangrene, moist—CHI.</p> <p>Hydrophobia—BEL., HYO., LAU., STR., VER.</p>	<p>Hysteria—ACO., CHA., CON., HYO., NX-V.</p> <p>Influenza—ACO., CAM., NX-V.</p> <p>Jaundice—CHI., TAX.</p> <p>Paralytic affections—DUL.</p> <p>Paralysis, painless—OLN.</p> <p>Syphilis—MER.</p> <p>Tumours, fungous—CLM.</p>
---	--

Hahnemann's Medicines and Their Abbreviations.

Aconitum	ACO	Cuprum	CUP	Nux Vomica	NX-V
Æsculus	ÆSC	Cyclamen	CYC	Oleander	OLN
Æthusa	ÆTH	Dictamnus	DIC	Opium	OPI
Agaricus m.	AGA	Digitalis	DIG	Paris quad.	PAR
Alumina	ALM	Drosera	DRO	Petroleum	PET
Ambra grisea	AMB	Dulcamara	DUL	Petroselinum	PTR
Ammon. carb.	AM-C	Euphorbiuin	EUB	Phosphorus	PFO
" mur.	AM-M	Euphrasia	EUP	Phosph. acid	PH-X
Anacardium	ANA	Ferrum	FER	Platina	PLA
Angustura	ANG	Frigus	FRI	Plumbum	PLB
Antium	ANI	Geum	GEU	Pulsatilla	PUL
Antimon. crud.	ANT	Graphites	GRP	Rheum	RHE
Argentum	ARG	Guaiacum	GUI	Rhododendron	RHO
Arnica	ARN	Helleborus	HEL	Rhus	RHS
Arsenicum	ARS	Hepar sulph	HEP	Ruta	RUT
Asarum	ASR	Hyoscyamus	HYO	Sabadilla	SBD
Aurum	AUR	Ignatia	IGN	Sabina	SAB
Baryta	BAR	Iodium	IOD	Sambucus	SAM
Belladonna	BEL	Ipecacuanha	IPE	Sarsaparilla	SAR
Bismuthum	BIS	Jalapa	JAL	Senna	SNN
Borax	BOR	Kali carbon.	K-CA	Sepia	SEP
Bryonia	BRY	Laurocerasus	LAU	Silica	SIL
Calcareo	CAL	Ledum	LED	Solanum nig	SOL
Camphora	CAM	Lolium	LOL	Spigelia	SPI
Cannabis	CAN	Lycopodium	LYC	Spongia	SPO
Cantharis	CTH	Magnes	MGT	Squilla	SQU
Capicum	CAP	" pol. arct.	MT-N	Stannum	STN
Carbo animalis	CB-A	" pol. aust.	MT-S	Staphisagria	STP
" vegetabilis	CB-V	Magnesia carb.	MAG	Stramonium	STR
Causticum	CAU	" mur.	MG-M	Sulphur	SUL
Chamomilla	CHA	Manganum	MAN	Sulphuric acid	SU-X
Chelidonium	CHO	Menyanthes	MEN	Tabacum	TAB
China	CHI	Mercurius	MER	Taraxacum	TRX
Cicuta	CIC	" corr.	MR-C	Taxus bacc.	TAX
Cina	CIN	Mezereum	MEZ	Thea	TEA
Clematis	CLE	Millefolium	MIL	Terebinth.	TER
Cocculus	COC	Moschus	MSC	Thuja	THU
Coffea	COF	Muriatic acid	MU-X	Uva ursi	UVA
Colchicum	CCH	Natrum carb.	NA-C	Valeriana	VAL
Colocynthis	COL	" mur.	NA-M	Veratrum	VER
Conium	CON	Nitric acid	NI-X	Verbascum	VRB
Copaiba	COP	Nitrum	NIT	Viola tricolor	VIO
Crocus	CRO	Nux moschata	NX-M	Zincum	ZIN

INDEX

Introduction	1	Genitals (Female)	42
Intellection	1	Menstruation	43
Emotion	2	Leucorrhoea	45
Sleep	6	Mammae	45
Head	7	Nose	46
Eyes	12	Larynx	46
Ears	15	Trachea	48
Nose	17	Voice	48
Face	18	Expectoration	49
Jaws	19	Chest	49
Lips	19	Respiration	51
Teeth	20	Chest Walls	51
Gums	21	Heart	52
Tongue	22	Pulse	52
Taste	22	Blood-vessels	52
Salivary Glands	22	Blood	52
Mouth	23	Temperature	52
Throat	23	Fever	53
Appetite	25	Neck	55
Thirst	25	Back	56
Stomach	26	Limbs	57
Symptoms Relating to Eating	30	Joints	58
Abdomen	31	Bones of Limbs	58
Rectum	35	Upper Extremities	58
Anus	36	Lower Extremities	62
Defecation	36	Skin	67
Stool	37	Glands	70
Flatus	39	Bones	70
Urinary Organs	39	General Sensibility	71
Genitals (Male)	41	General Motion	71
Sexual Function	41	General Symptoms	72
Prostate Gland	42		

