## CYNODON DACTYLON

(DURVA-AN INDIGENOUS DRUG)
FIRST DRUG PROVING RESEARCH REPORT

India is enriched with a treasure-house of remedial agents, "Durva" or "Dub" is a common perennial creeping grass found throught India. Durva grass is also used in Hindu relegious ceremonies. In "Atharvana Veda" It is said "May Durva, which rose from water or life, which has a hundred roots and a hundred stems, efface a hundred of my sins, and prolong my existence on earth for a hundred years". Ancient literature on medicine says that it is useful in various common ailments such as in checking wounds, haematemesis, from haemorrhage carbuncles, anuria. amenorrhoea, vomiting etc.

The Homoeothic drug pathogenesis was not drawn so far except that Dr. S.C, Ghosh has included the remedy in the "Drugs of Hindoostan" and he mentioned that its mother tincture was prepared and used by different Homoeopaths but he did not indicate any result. Dr. Jugal Kishore has conducted its short proving on three provers and published the same along with the results of clinical cases releived.

The Drug Proving Research Unit at Lucknow conducted its proving and the pathogenesis drawn is detailed below. The symptoms and signs obtained during the trial are quite similar, to the pathogenesis drawn by Dr. Jugal Kisoore

The second drug proving trial has also been concluded in another units. The compilation work is in progress and a complete monograph will be available in due course.

Any additional information on this drug, If communicated to the Director, Central Council for Research in Homoeopathy, Ghaziabad. will be highly appreciated

Common Name : "DURVA"

Potencies: 200th, 30th, MT, MT,

30th, 200th.

No. of provers : Male 10

Female 05
Total 15

Duration : 1974-76

Conducted at : Drug Proving Research

Unit, Lucknow, U. P.

MIND confusin

unable to make decisions and unable to think also mental strain, agg. open air, amel. (1, 1, 3, MT)

forgetfulness

while writting and reading especially mental strain, agg.
open air, amel. (1, 1, 2, MT)

wants to do things in a hurry
in action as well as speech
more in the evening
with restlessness after midnight
and distrubed sleep (1, 1, 10, MT)

VERTIGO with trembling of upper limbs
more marked in fingers of right hand
unable to write

but can hold things properly, and incordination of gait exertion, agg.

lying down with eyes close amel. reading, agg.
rising from seat, agg.
walking, agg.
(More the vertigo more the trembling) (1, 1, 5, MT)

HEAD Whole head, heaviness in after the disappearnce of vertigo

(1, 1, 2, MT)

with sudden dull aching and increased thirst (1, 1, 2, 200) pain, In physical exertion, agg. (1, 1, 1, 30) sudden

with heaviness of head and increased thirst (1, 1, 2, 200)

severe aching, in
with duliness in whole body and
sleeplessness
mental exertion, agg.
pressure, agg.
rest, amel.

(OE. Trauchoma and converging squint alternating LB 15°) (1,1,1,5,30) throbbing (pulsating), in preceded by vertigo with heaviness and dullnesss in forehead,

with numbness and dullness in whole body closing eyes, amel

extertion, agg.
lying down, ame!.
motion, agg
open air, amel
pressure, an el.
sitting, egg
sleep, amel.

(2, 3, 3, 200)

bursting
with profuse lachrymation

with burning sensation in the eyes.
mental exertion, agg.
pressure, agg.
physical exertion, agg.
rest, amel.
tight bandage temporarily, amel.

(pain reappears after sometime with greater intensity) (2, 1, 8, 30)

rt. side of head, in
severe bursting, in
with dry cougn and coryza
lying down amel.
motion aag. (1, 1, 2, 200)

extended from rt. parietal to rt. frontal region and settled over rt. supraorbital region (1, 1, 2, 200) piercing

hard pressure, amel. (1, 1, 1, 200)

frontal region, in

dull aching, at times severe bursting with heaviness of head espl. in the

evening exhaustion, agg.

Note: In the parenthesis, the first figure denotes the number of provers in which the symptom (s) / sign (s) appeared; the second figure denotes the number of recurrencee of the particular symptom,

the third figure denotes the maximum number of days the particular symtom/sign persisted, and the fourth figure denotes the potency administered after which that particular symptom (s) / sign (s) were noted.

motion, agg.
pressure, amel.
straining, agg.
walking in the open air, amel.
(2, 1, 15, 200)

in the affternoon
with dullness all over the body
mental strain agg.
rest, amel. (1, 2, 1, MT)

(vab bac bursting

followed by redness of eyes
difficulty in opening the eyes
(O.E. sharp rise of diastolic blood
pressure; prior to proving
B.P. 110/65mm, of Hg and
after the proving of 200th
potency B. P. rises to 120/94mm.
of Hg. with headache) (1, 2, 1,
200)

throbbing and (pulsating)

lying down, amel.

frontal and occipital regions, In
throbbing (pulsating)
with nausea
closing the eyes, amei.
exertion, agg
looking constantly, agg.
pressure, amel
reading, a g
sleep, after amel.
walking, agg. (1,1.5,200

occipital region, in
dull aching. in
lying down, amel.
strong smell, agg. (1,1,1,200)

ocipital region and nepe of neck, in piercing bending backward, agg. bending forward, agg. lying down on pillow while, agg. (1,1,1,30)motion, agg. pressure, agg. sleep, after, agg. (1,1,1,30) supraorbital region, rt. side, in throbbing with sore bruised feeling all over the body especially legs. with constipation closing the eyes, amel. exhaustain, agg. gentle pressure, amel. looking at a fixed object ,agg. r ading agg. (1,1,3,MT)rest, amel. stitching

stitching
radiates form rt. to lt.
closing eyes, amel.
pressure, amel.
sleep, amel.
(1,1,2,200)

vertex, in
congestive
cold wind, agg.
pressrue, agg
warm application, amel.

parietal rogion, rt. side, in
excruciating
appears and disappears suddenly
pressure, amel. (1,5,2,30)
straining, great, eye balls in
on reading
doing needle work (sewing)
(1,1,10,200)

(1,2,1,200)

FACE

dull aching

cold application, amei. pressure, agg. reading, after, agg. (1,1,2'200) strain, agg. lachrymation, profuse with smarting sensation in left eye with burning sensation both eyes (1,1.1,30)dull aching with sore feeling in upper eyelid pressure, agg. (1,1,1,30)blurred words seem to disappear while reading,, clear vision returns after rubbing the eyes, difficulty in seeing the near objects, can see the object at a distance (O.E. all the symptoms disappeared after the use of correcting lenses, but disappeared completely after finishing the proving programme within two months (1, 2, 14, 200) dryness, left nostril, of with pain in the root of nose with thoothache with clinkers and crusts in the nostrils at night (1, 2, 3. MT) morning, agg. (1, 2, 3, MT) copious, watery bland nasal discharge with stoppage of nose espl. left side early morning, agg. day time, amel. cold open air, amel. reading, agg. sleep, agg. (1, 1, 2, 30)profuse bland nasal discharge with sneezing

burning, both eyes, in

VISION

NOSE

with dryness and soreness in throat thick yeliowish nasal discharge With paroxysmal sneezing in morning & evening with bursting headache cold, agg. evening, amel morning amel. 1, 1, 8, 30) sneezing, frequent discharge, thin watery, fluent bland (on first day) turns, acrid, fluent (on 2nd day) tickles down in drops must wipe again and again turns thick, white, acrid from lett hostril (on 3rd day) turns thick, yellowish, profuse, with stuffy feeling in the atternoon, with difficulty in breathing with dry cough with pain in the neck, bursting rt, side headache with restlessness no desire to take water and bad taste warm room, agg. open air, amel, margins of the nostrials corroded (1, 1, 7, 200)sneezing discharge, profuse bland with dryness and soreness in throat (1, 1, 2, 200)pain, jaws in

> with sensation as if the jaw are being pulled towards haed

with thirst for icy cold water for

large quantities evening, agg, keeping the jaws apart, amel. (1, 2, 10, 30)morning, agg.

MOUTH dryness of

> feeling ef extreme dryness or mouth and throat although the tongue is moist

with thirst (but not proportionate severity of dryness)

with leathery feeling of the tonque

with salivation

morning, agg. daytime, agg.

evening, amel (1, 1, 17, MT)

with excessive thirst for cold water in small quantities at an hour interval (1, 1, 3, 30)

TEETH pain, in roots of incisor teeth, upper & lower both

dull aching

blowing air in, agg

hot drinks, agg.

(O. E. bluishness along the margins upper & lower gums was noticed with loose teeth)

THROAT dryness, extreme, feeling of.

with extreme dryness ot mouth with thirst (but not proportionate to the severity of dryness)

(1, 1, 17 MT)

soreness and drynoss, in

hot drinks, amel.

morning, agg.

swallowing, agg.

warm application, amel.

(1, 1, 9, MT)

with irriation, and

with dry cough, coryza and bursting

headache

cold air, agg.

cold water agg

covering & wrapping up with

cloth, amel.

evening, agg.

hot drinks, amel

morning, agg.

swallowing, amel.

warmth, amel.

(O. E. post. pharyngeal tissues red and congested) (1, 1, 4, 30)

with sneezing and profuse bland

nasal discharge (1, 1, 2, 200)

STOMACH desire for salty and spicy things

(1, 1, 4, MT) thirst, large quantities of water, for

longer interva's, at

with feeling of dryness even after drinking water (1, 1, 6, 30)

ABDOMEN whole abdomen distension of

with flatulence (1, 1, 6, MT)

flatulence, flatus offensive

more in the rt hypochondrium

with distension of abdomen with feeling of discomfort and

gurgling

with dull aching pain in rt.

shoulder

flatus, passing of, amel.

lying down, amel.

milk, after, agg, (1, 1, 6, MT)

gurgling in.

with flatulence (1, 1, 6, MT)

preceded by diarrhoea (1, 1, 2, MT)

heaviness in,

with constipation (1, 2, 3, MT)

with diarrhoea (1, 1, 2, MT)with pain below the umbilicus pain in, (1, 1, 1, 200) gripping COUGH dry coughing, agg. morning in pressure, amel, night at talking agg. (1, 1, 1, 200)with irritation in throat epigastric region in, with sore feeling in throat constrictive with pain in abodmen while with heaviness in abdomen coughing with constipation cold air, agg. with dryness of mouth cold water, agg, with dullness all over the body covering or wrapping-up with (1, 2, 3, MT) cloth, amel. umbilicus, below evening, agg. (1, 1, 1, 200) hot drinks, amel. with diarrhoea morning, agg. uneasiness (discomfort) in, with flatulence room, in the, agg. (1, 1, 6, MT) swallowing, amel. RECTUM, burning in the anus, after passing warmth, amel. ANUS & stool constipation, (O.E. post-pharyngeal wall con-(1, 1, 2, MT) STOOL gested) (1, 1, 4, 30)with coryza dry, hard lumpy stool with paln and irritation in throat, no desire for stool with constrictive pain in the agg. on empty swallowing, deglutition, epigastric region and heaviness with fever of abdomen with duliness all over the body cold, agg cold drink, agg with dryness of the mouth cold application, agg. (1, 2, 3, MT) hot application amel. diarrhoea, tea, amel. watery, proiuse, offensive, yellow warmth, amel. with frequent irrestible desire (1, 1, 7, 200)with rawness and hoarseness in and urging for stool, but passess throat flatus only later on with expectroration with burning in th anus after while, salty sputum in the morning passing stool but bitter during day with heaviness in abdomen, closed room, amel. followed by gurgling sensation, cold water, agg. (1, 1, 2, MT) covering, amel

CHEST	(O.E. vesicular breath-sounds: increased ESR; as per the expert advise due to post traumatic	pressure, agg. after pasing stool, amel. rest, amel. (1, 3, 2, 30)  EXTREMI- coldness with numbness. TIES tips of fingers and toes in (1,1,1,30) cracks and fissures on the soles (1, 1, 19, MT) drynessi sole of left foot of with cracks and fissures on the soles (1, 1, 19, MT) numbness with coldness tips of fingers and toes in (1, 1 1, 30) pain. rt. shoulder in dull aching, with flatulence (1, 1, 6, MT) middle of left palm, in sudden squeezing, with a sensation as if the muscle of palm is being twisted followed by sweling and redness over the whole dorsal surface of the hand excepting fingers unable to hold any thing rubbing gently and slowly, amel. redness and swelling (1, 1, 5, 30) dorsal surface of the left hand excepting fingers preceded by
BACK	fibrositis) (1, 1 17, MT) pain, nape of neck in	sudden squeezing pain in left palm (1, 1, 5, 30) SLEEP sleepiness (1, 1, 2, MT)
	dull aching slightest movement of head, agg. motion, agg. bending head forward, agg. (1, 1, 1, 200) It. lumbar region, in crampy	CHILL fever,  preceeded by (1, 3, 1, MT) thirst, witout (1, 1, 1, MT)  FEVER, Temp. 104° F rise in the evening with shivering distrubed sleep

impaired taste dryness of lips restlessness weakness without thirst covering chest and lower extermities except feet, amel. (1, 1, 7, MT)night agg. temp, 99.6° F to 100° F without chill without thirst with, profuse sweating all over the dry cough rt. sided bursting headache (2, 1, 2, 200)clean tongue temp. 101° to 102 F° with chill with thirstlessness in intial stages, later on with thirst with tearing bodyache, releived by hard pressure with no desire for stool on first day covering amel. (O.E. TLC 10,000, Poly-79% L-16%) (1, 1, 4, 200)temp. 103°F preceded by chill followed by profuse perspiration with, congestive headache with, bodyache with backache with thirst for cold water frequently covering, amel, (1, 3, 1, MT) temp. 1020 F rises in the evening with, dryness of mouth with thirst, moderate, for cold water with dull headache with clean tongue

with dry hard, brownish stool
with dry cough
with sweating of whole body
(1, 1, 5, 30

PERSPIRA- profuse,
TION all over body followed by
fever (1, 1, 2, 200)

skin rash, red (1, 3, 1, MT)

whole body, except on the face
more marked on exteremities

with intense itching and burning
with a desire to scratch
but scratching causes more
burning and itching
cold open air, amel.
perspiration, after, amel.
scratching during, amel.
walking under the sun, agg.
warmth, agg. (1, 1, 2, MT)

## Eruptions, vesicular

cubital foss, chest, abodemen, back, growns, in

with itching and burning
with desire to be scratched,
feels pleasant
after scratching, later on
causing more
burning, ooze out a watery
discharge
which aggravates the itching
and burning

bath, amel.
cold, amel.
evening, agg.
morning, agg
scratching after agg.
perspiration, agg.

(1, 1, 10, 200)

**GENERA-** duliness

LITIES.

with sleepiness with no desire to do any work afternoon, agg. lying down, amel open air, amel. standing agg.

(1, 1, 2, MT)

bodyache, tearing

with fever

hard pressure amel.

(1 1,4, 200)

(Contd. form Page 14)

morning easily blunted in vegetable acids.

H.G.S. VOL VI P-209-Teeth and Gums Teeth yellow, covered with much mucus in them morning and more easily blunted than usual by vegetable acids.

To be added.

3. PLANTAGO MAJOR

A.E. VOL VII P-558-Mouth Teeth-Sordes on the Teeth, as if moved with blood sordes having the appearance of white mucus.

C.M.M. VOL III P-840-Teeth-Rubric is not mentioned.

H.G.S. VOL VIII P-46-Teeth and Gums-Rubric is not mentioned.

To be added.