VISCUM ALBUM

(Vis. alb)

Ban, Banda Hindi Common Name Mistel German Mistletoe English Guide Chene French Loranthaceae **Family**

Viscum album Linn Botanical Name

Introduction

Viscum album Linn. Commonly known as Ban, Banda; in Hindi, it mentioned in Homoeopathic literature in 1863 by Huber, Zeit, d.v.d.Hom. A. Cost, II 3, 87. Allen's Encyclopedia. Mat. Med., Vol. X, 154. The berry is sweet, sour; laxative, tonic, cardiac tonic, useful in inflammations, biliousness, lumbago, piles, tumors, diseases of the spleen, mental weakness and fatigue, removes bad humors from the body. Enlargement of spleen, wound, tumor, diseases of the ear, Epilepsy.

It is believed to have undoubted healing qualities, esp. in gout, rheumatism, nerve pains of various kinds neuralgias esp. of the rheumatic and gouty varieties.

Description

An evergreen, bushy, forming tufts 0.6-0.9m. diameter; stems 2.5 cm diameter, round even yellowish-green, branches jointed, dichotomous. Leaves variable, usually 2.5-5cm. long, oblong, broad or narrow, usually with obtuse tip and cuneate base glabrous, thick & fleshy, obscurely 3-5 nerved, sessile. Flowers dioecious, sessile, in clusters of 3 or 5 in the forks of the branches, supported by cum-shaped slightly ciliate bracts; terminal flower solitary, the lateral in opposite or decussate pairs. Berry 7.5mm. diameter, subglobose, white translucent. Fruit, a small white glutinous, 1 seeded berry. Emits a peculiar, disagreeable odour; taste sweetish, acrid, bitter and nauseous.

Distribution

India (Temperate Himalayas, from Kashmir to Nepal) and Europe.

Fresh leaves and berries. Part Used:

Clinically Verified Symptoms

Name of Drug: Viscum album

Potency: 6, 30

Name of Drug : Viscum album					
Location	Symptom	Source	No. of patients prescribed	No. of patients relieved	
Vertigo	(Vertigo with anxiety) Vertigo (while standing > sitting) - with dullness - with giddiness	- 1,4,9 9 1,9	2 1101 81 30	2 760 54 26	

Location	Symptom	Source	No. of patients prescribed	No. of patients relieved
1996	(with darkness in front of eyes			
	< morning, evening on standing	-1)	2	2
	< movement > rest)			
Head	Headache, temporal region	9	48	31
	-throbbing	1	32	26
	(Frontal headache with heaviness)	-	4	4
	Headache with low blood pressure	4	6	4
	Numbness feeling in head	1	25	20
	(with darkness before eyes)		15	15
	Headache (> bending forward)	4	3	3
	Headache forehead with vertigo	1	10	8
Eyes	Blurring of vision	9	1	1
2,40	(Burning in eyes with irritation and restlessness)	-	3	3
Ear	(Otorrhoea)	-	190	190
Dui	(Sticky whitish discharge)	-	134	134
	(Otorrhoea, thin sticky and offensive)	-	142	142
Abdomen	(Flatulence with heaviness in abdomen)	-	5	5
Rectum	Stool constipated	1,3	11	11
rectuin	(irregular and scanty)	-	4	4
Urinary	Frequent urination	1	47	25
Bladder	****			
Genitalia	Pain, lower abdomen as if menses Coming	1,9	9	3
Female	< during menses			
remare	(Menses early, profuse, bright red with dots)	·	1	1
	Menopausal - Climacteric complaints	4	79	72 🗸
*	Leucorrhoea, thin white	4	24	19
	(< movement)	-	4	4
	(with vertigo)		2	2
Respiratory	2	4	16	13
Respiratory	< lying on left side (ascending	1,4	2	2
	stairs, exertion & running)			
	Spasmodic cough (with vomiting)	4	45	25
Chart	Violent palpitation	1,9,4	374	234
Chest	low blood pressure with weak pulse	4	201	134
	- chest pain	1	25	14
	- high blood pressure	4	1	1
	Palpitation during coitus	4	31	16
	Tickling sensation in cardiac region	4	38	18
	Palpitation (with anxiety < motion > rest)	1,4,8	16	3
	Palpitation (with anxiety \motion > 1030)			

Location	Symptom	Source	No. of patients prescribed	No. of patients relieved
	Pain in back	1	61	43
Back	worse on movement (better by rest) < lying down	1	3	1
	Backache, lumbo-sacral region <walking< td=""><td>1</td><td>16</td><td>12</td></walking<>	1	16	12
	Lumbago with stiffness	1	254	239
	Pain cervical region with stiffness < movement	1	424	214
	- (radiating to both arms withnumbness of	_	6	6
	fingers, <exertion>rest)</exertion>	4	329	307
	Periodical pain from sacrum to pelvis <in bed,="" td="" with<=""><td></td><td></td><td>35</td></in>			35
	pain in thighs & upper extremities	1	329	307
	Lumbago right sided <movement (="">pressure)</movement>	1	307	277
	Pain in neck & dorsal region	4	4	4
Extremities	Edema legs & fingers	4	24	10
	Tearing pain in joints	_	6	6
	(Pain in leg with tiredness < walking)	1,4,9	475	315
	Rheumatic pains in joints < at night,	4	61	35
	< movement, (>Pressure)	1,4,9	445	402
	Pain knee joints (with swelling & stiffness)	1,4,5	3	3
	< winters	1,4	440	278
	<movement< td=""><td>1,4</td><td>2</td><td>2</td></movement<>	1,4	2	2
	(<ascending stairs)<="" td=""><td>1.4</td><td>70</td><td>49 .</td></ascending>	1.4	70	49 .
	Tearing shooting pain in both the thigh & legs	1,4	70	- 1750 - S
	and upper extremities	7	11	9
	Pain in both extremities (> rest)	1	18	14
	Twitching pain in both hands and legs	1	632	576 -
	Sciatica pain (right side) < walking	1,4	1	1
	(- Left side) < winter	-	37	32
	< movement	4	17	14
	Pain in right shoulder joint (< first movement	1	17	
	> hot formulation)		6	3
	Shoulder pain < raise arms, night	1	6	291
	Tearing pain in both shoulder joints < raising	1,4	328	2)1 0
	hand & movement		2	3
	(With difficulty to take hand back)	3 - 31 -325	3	3
	Pain thigh goes down to heel posterior	4	5	10
	Tearing pain in legs < cold & movement	4	11	
	Left leg <cold damp="" td="" weather<=""><td>1,4</td><td>2</td><td>5</td></cold>	1,4	2	5
	(Numbness in right leg <sitting, morning<="" td=""><td>-</td><td>5</td><td>3</td></sitting,>	-	5	3
	on waking)		# 3	

Location	Symptom	Source	No. of	No. of
			patients prescribed	patients relieved
	(Pain in small joints with swelling of fingers		4	4
	<rainy morning)<="" season,="" td=""><td></td><td></td><td></td></rainy>			
	(Pain in left hand with stiffness)	-	2	2
	Pain alternate in knee joints, Ankle joints, Shoulder	4	117	107 ~
	joints, & elbow joints.			/
	(Cramps in calf muscles)	=	122	122
	(Rheumatism in obese persons with	1 10	206	206
	excessive perspiration)			
Skin	(Reddish eruptions with itching)	-	2	2
Generalities	Profound prostration	1,3	21	15
	Hypertension with slow weak pulse	4	193	175
	Weakness with no inclination to do work & tiredness	1,4	10	3
	Epileptic fits, convulsions	4	1	1
	Lassitude	1,3	3	3
	Low blood pressure	4	51	38

Note:- Additional symptoms (which are not present in literature) are in brackets & bold.

Additional Symptoms	No. of Patients Relived
Vertigo with anxiety.	2
Vertigo with darkness in front of eyes < morning, evening on standing < movement > rest.	2
Frontal headache with heaviness	4
Numbness feeling in head with darkness before eyes	15
Burning in eyes with irritation and restlessness	3
Otorrhoea	190
Sticky whitish discharge	134
Otorrhoea, thin sticky and offensive.	142
Flatulence with heaviness in abdomen.	5
Stool constipated irregular and scanty.	4
Menses early, profuse, bright red with dots.	1
Leucorrhoea < movement.	, 4
- with vertigo.	2
Pain cervical region radiating to both arms with numbness of fingers, <exertion>rest.</exertion>	6
Pain in leg with tiredness < walking	6
Pain in knee joints <amending stairs.<="" td=""><td>2</td></amending>	2

CCRH Quarterly Bulletin Vol. 25 (1&2) 2003

Additional Symptoms	No. of Patients Relived
Sciatica pain left side <winter< td=""><td>1</td></winter<>	1
Pain in both shoulders with difficulty to take hand back	3
Numbness in right leg < sitting, morning on waking	5
Pain in small joints with swelling of fingers <rainy morning<="" season,="" td=""><td>g. 4</td></rainy>	g. 4
Pain in left hand with stiffness	2
Cramps in calf muscles	122
Rheumatism in obese persons with excessive perspiration	206
Reddish eruptions with itching	2

Discussion

It has been found efficacious medicine for hypo tension, sciatica, epilepsy, chorea, rheumatic deafness, asthma, and hypertension with albuminuria. Symptoms, that are given in the Homoeopathic literature are verified, some additional symptoms also verified which are not given in homoeopathic literature, those symptoms are mentioned above.