

## VACCINATION : ITS EVILS

DR. SANT SARAN AGARWALA, B.M.B.S (CAL.), BIJNOR, U.P.

For the benefit of the public and the younger practitioners I am writing my *personal experiences* that I have gained after treating successfully most complicated chronic cases (not cured by other systems of treatment) during the past twenty-three years.

(1) After vaccination, suppuration usually occurs at that spot ; but in some cases especially after 2 or 3 vaccinations this (suppuration) does not occur: this I call unsuccessful vaccination and this I have found to be invariably harmful in one way or the other.

Almost all chronic cases (of all sorts of diseases) with a history of unsuccessful vaccination, could not be cured unless and until I gave a prolonged treatment to remove the evil effects of unsuccessful vaccination and in many cases this treatment also cured the disease proper i.e. I did not give any treatment for the disease proper—I only removed the evil effects of unsuccessful vaccination and the disease proper was totally cured.

The cases referred to above, included those of Rickets and Marasmus, Palpitation, Asthma, Piles (bleeding), Weakness of eye-sight, Leucoderma, repeated Tonsillitis and tendency to Catch cold on slightest exposure.

(2) Even after successful vaccination, many cases developed Small pox, but not a single child or adult developed pox after receiving from me Homœoprophylactic treatment (Homœo. medicine given as a preventive against pox).

(3) If the indicated Homœopathic medicine does not act or acts a little and then stops, or if complaints return, the cause may be (but not always) unsuccessful vaccination and the new graduates (medical) will cure more cases if they keep this in mind.

Those who have read Homœopathic books well, may not find much new in the above ; but they are my own experiences, repeatedly verified ; and anybody's experiences howsoever trif-

ling have always same value: and so I have written the above.

My above findings may be confirmed and supplemented by the following:—

(a) Dr. Phyllis Speight of America reported in 'Health and You' of April 1958 a case of gastric ulcer due to 'poison left behind from vaccination which had ultimated in gastric ulcer'. His article was reproduced in Hahnemannian Gleanings, December 1960.

(b) Dr. W. Scott examined Small pox records of England and Germany for a great part of 19th century. During Small pox epidemic in Sheffield in 1887, 7066 persons were attacked by pox and out of these 5981 i.e., 83.4% had been previously vaccinated and 1085 i.e. 16.6% had not been previously vaccinated: it means that vaccinated persons (83.4%) were more susceptible to pox than unvaccinated ones (16.6%).

(c) Dr. J. P. Marson, F.R.C.S., Incharge London Pox Hospital said 'the number of pox cases after vaccination is steadily increasing—it was 5% in the beginning of 19th century, 44% in 1845, 63% in 1855, 78% in 1825 and in 1885 it was 96% of the number admitted'.

(d) Dr. Charles Creighton, M.D. about whom Prof. William Bulloch F.R.S., said 'Charles Creighton is the most learned man I ever knew' and this Dr. Charles Creighton, M.D. said, 'As a medical man, I assert that vaccination is an insult to common sense, that it is superstitious in its origin, that it is unscientific in theory and practice, and useless and dangerous in its character'.

(e) Dr. Greenwood, D.Sc., F.R.S. said 'vaccination is a monstrosity, the mis-begotten off-spung of error and ignorance'.

(f) Sir W. J. Collins, M.D.M.S. said 'vaccination is a fraud from beginning to end and every honest man should strain his every nerve to secure its abolition'.

(g) Dr. Carlo Ruata, M.D. said 'there is nothing in Small pox, to justify so horrible, so filthy, so lothesome, so dangerous a practice as I know vaccination to be'.

(h) Dr. Alfred Russel Wallace L.L.D., F.R.S., said, 'It can not be proved that it ever saved a single life'.

(i) Dr. A. Vogh collected particulars of about 400,000

cases of Small pox and after studying then he said, 'I am compelled to admit that my belief in vaccination is absolutely destroyed'.

(j) Records of the Health organisation of the League of Nations showed that countries where only 1% of the babies are vaccinated (Australia and New Zealand) have smallest death rate from Small pox, and countries where vaccination is thoroughly carried out namely Mexico, India, Java, Madura, Egypt, Yugoslavia, Rumania and Italy have the highest death-rates due to Small pox.

The above are old records, the figures given below are more recent:—

(k) *Number of deaths per million due to pox.*

<i>In the year</i>	<i>In Calcutta</i>	<i>Bombay</i>	<i>Madras</i>
1888-97	... 600	424	100
1928-33	... 1201	866	521

And all along from 1897 to 1933, the vaccination was done in these cities with increasing vigour.

*Note:* The above opinions of eminent men, and the figures clearly prove that vaccination is useless and harmful.

If Small pox has been eliminated from some European Countries and U.S.A., it is not due to vaccination but due to better sanitation, better habits of cleanliness etc. If anybody says that vaccination has eliminated Small pox from Europe and U.S.A., I would ask him 'why could not vaccination eliminate pox from other countries where it was carried on so thoroughly and yet the death-rate due to pox is still so high'.

My answer is again that pox was eliminated not due to vaccination but due to better sanitation and habits of cleanliness.

As such it is simply foolishness to get vaccinated when its purpose can be served in a much better safer and surer way by safe, convenient and cheap Homœopath preventives.

It would be a great day for India when its people and the Government give up vaccination and use Homœo preventives in its place.